



Department of Energy

Idaho Operations Office
785 DOE Place
Idaho Falls, Idaho 83402

November 6, 1990

Mr. Michael Gearheard, Chief
Waste Management Branch
U. S. Environmental Protection Agency
Region 10
1200 Sixth Avenue
Seattle, WA 98101

SUBJECT: Closure Plan for CPP-59, Kerosene Spill

Dear Mr. Gearheard:

This correspondence forwards the closure plan for CPP-59, Kerosene Spill, to your office for review and approval, per the schedule for submission of revised closure plans under the Consent Order and Compliance Agreement (COCA). The enclosed plan identifies the absence of RCRA hazardous wastes or constituents at CPP-59 and recommends that the unit be delisted from further consideration under the COCA. This unit poses no risk to human health or the environment. No further action at this site is recommended.

If you have any questions, please contact W. N. Sato at (208) 526-0193 or L. A. Green at (208) 526-0417.

Sincerely,

A handwritten signature in cursive script that reads "J. E. Solecki".

J. E. Solecki, Acting Assistant Manager
Environmental Restoration and
Waste Management

Enclosure

cc: C. R. Koshuta, IDHW, w/encl. (2)
L. J. Mann, USGS, w/encl.
I. Resendez, DOE-ID, w/o encl.
C. R. Enos, DOE-ID, w/encl.
O. K. Earle, WINCO, w/o encl.
D. J. Blumberg, EG&G, w/o encl.
J. Rodin, EPA, w/o encl.
ERP ARDC, w/encl.

21652