INEEL/EXT-01-00584

May 2001

ESH&Q Liability Assessment Report of TREATMENT ONE INC Houston, TX

W.J. Becker
R. D. Rohe
R.G. Thompson



INEEL/EXT-01-00584

ESH&Q Liability Assessment Report of TREATMENT ONE INC. Houston, TX

W. J. Becker
R.D. Rohe
R.G. Thompson

Published May 2001

Idaho National Engineering and Environmental Laboratory
Idaho Falls, Idaho 83415

Prepared for the
U.S. Department of Energy
Assistant Secretary for
Environmental Management
Under DOE Idaho Operations Office
Contract DE-AC07-99ID13727

2001 Environmental Liability Assessment Report of Treatment One Houston, TX

W.J. Becker
R. Rohe
R. Thompson

Idaho National Engineering and Environmental Laboratory
BBWI Company
Idaho Falls, Idaho 83415

Prepared for the
U.S. Department of Energy

ABSTRACT

This report contains the results of an environmental liability assessment conducted on the Treatment One facility located in Houston, TX. This liability assessment was performed on March 30, 2001. The assessment was required as part of the technical evaluation of proposals received by BBWI. The facility was proposed as a site to perform a treatment of gas cylinders containing Hydrogen Fluoride regulated under the Resource Conservation and Recovery Act.

EXECUTIVE SUMMARY

This report contains the results of an environmental liability assessment conducted on the Treatment One facility located in Houston, TX. This liability assessment was performed on March 30, 2001. The assessment was required as part of the technical evaluation of proposals received by BBWI. The facility was proposed as a site to perform a treatment of hydrogen fluoride gas cylinders regulated under the Resource Conservation and Recovery Act (RCRA).

The Environmental Liability Assessment consisted of pre-assessment, on-site inspection, post assessment, and financial evaluation of the facility. The risk to the U.S. Department of Energy (DOE) and management and contractor liability was included in this liability assessment. The liability assessment was not intended to evaluate whether a facility was, or was not, in actual compliance with environmental regulations.

The Environmental Liability assessment examined compliance with regulations promulgated by the Atomic Energy Act, Clean Air Act, Comprehensive, Environmental Response, Compensation and Liability Act (CERCLA), RCRA, Clean Water Act, Toxic Substance Control Act (TSCA), Nuclear Regulatory Commission (NRC) requirements, and applicable State of Texas requirements.

Treatment One is commercial hazardous waste storage and processing facility. Treatment One specializes in the treatment of gas cylinders and is authorized to manage hazardous and industrial solid waste listed in its RCRA Part B Permit. Services provided by Treatment One include the following: 1) inspection and evaluation of all cylinder types; 2) sampling of cylinders with unknown contents; 3) Analysis to identify unknown gases; 4) labeling, marking and packaging of compressed gas cylinders; 5) venting and decommissioning of cylinders with inert gases; 6) overpacking highly corroded and/or leaking compressed gas cylinders; 7) transportation, recycling and/or disposal of compressed gas cylinders; 8) tracking and reporting of compressed gas cylinder handling methods.

The assessment team reviewed the generator status and waste disposal practices during the on-site evaluation. No adverse practices or activities were noted. Treatment One has a good understanding of waste management and disposal requirements and appears to adhere to those requirements. Treatment One has been audited jointly by Lawrence Livermore and the University of California (in 1999). Contracts were awarded by these entities. Other audits have been performed and contracts awarded by Sandia National Laboratory and the Department of Defense.

The team determined, based on their review of the relevant information and on-site evaluation, that the risk of doing business with Treatment One is minimal.

CONTENTS

1.0 INTRODUCTION

This report describes the results of the 2001 ESH&Q liability assessment of Treatment One, located in Houston, Texas. This assessment was conducted as part of the evaluation process for the BBWI request for proposal (RFP) to provide treatment for gas cylinder wastes generated at the Idaho National Engineering and Environmental Laboratory (INEEL). The purpose of the inspection was to observe and compare the operations of the facilities with their documentation and permit conditions. The site inspection consisted of documentation reviews, process flows, and operational observations.

The liability assessment consisted of pre-assessment, on-site inspection, post-assessment, a risk assessment of the facilities, and this report. The liability assessment process uses observations of the facility at a single point in time. Based on these observations, the probability of future environmental problems is projected. In addition, the risk of DOE or M&O contractor liability, should a problem occur, is included in the risk assessment. The liability assessment is not intended to evaluate whether a facility is, or is not, in actual compliance with environmental, safety, and/or health laws or regulations.

The environmental liability assessment included the following:

- On-site review of the RCRA waste management treatment and storage facilities operations,
- Examination of all applicable permits,
- Examination of facility records,
- Review of where the waste materials went, cradle to grave,
- U. S. Environmental Protection Agency (EPA), State of Texas, and local (Harris County) regulatory observations of the facilities,
- Review of other parties that take title of the waste or materials,
- Review of transporters,
- Review of the INEEL proposed subcontract for adequacy,

Table 1 lists the participants and their areas of expertise.

R. G. Thompson	Quality Lead Auditor
R. D. Rohe	RCRA
W. J. Becker	TSCA RCRA
S. M. Olson	Contract Administrator

2. FACILITY/HAZARDOUS WASTE OPERATION IDENTIFICATION

2.1 Facility Name and Location

The Treatment One hazardous waste management facility is located on eight city lots in a mixed commercial, residential, and industrial area at 5743 Cheswood, Houston, Harris County, Texas. The location is described as being in watershed area 1006 of the San Jacinto River Basin (North Latitude 29 40' 32", West Longitude 95 18' 24").

The name and mailing address of the facility is:

Company name Treatment One, Division of Set Environmental, Inc
Address 5738 Cheswood, Houston, TX 77087
Phone number (713) 649-6022 or (800) 598-7328

The physical address of the facility is:

Company name Treatment One, Division of Set Environmental, Inc
Address 5738 Cheswood, Houston, TX 77087
Phone number (713) 649-6022 or (800) 598-7328

2.2 Name and Location of Facility Owner

The Treatment One Facility is owned by Set Environmental, Inc which has its corporate headquarters located at:

Company name SET Environmental, Inc.
Address 450 Sumac Road, Wheeling, Illinois 60090
Phone number (847) 537-9221

2.3 Facility Identification Number

The Treatment One facility has the following identification and permit numbers:

EPA Identification Number:	TXD 055135388
CERCLA off-site waste approval:	Confirmed with Mr. Ron Shannon, EPA Region 6 on Friday, April 06, 2001.
Commercial PCB Storage Permit:	NA
Conditional Use Permit:	NA
Dun and Bradstreet Number:	09-897-9297
FERC certification:	NA

NESHAPs Air Permit: Combined with RCRA Permit
NPDES Stormwater Permit: TPDES Permit NO. 04123
Publicly Owned Treatment Works Pretreatment Permit: NA
Radioactive Materials License: NA
RCRA Part A Permit: HW-50267
RCRA Part B Permit: HW-50267
State Registration Number: 50267
Standard Industrial Classification Code: 4953
Wastewater Discharge Permit: NA

2.4 Facility Type

Treatment One is commercial hazardous waste storage and processing facility. Treatment One specializes in the treatment of gas cylinders and is authorized to manage hazardous and industrial solid waste listed in its RCRA Part B Permit. Services provided by Treatment One include the following: 1) inspection and evaluation of all cylinder types; 2) sampling of cylinders with unknown contents; 3) Analysis to identify unknown gases; 4) labeling, marking and packaging of compressed gas cylinders; 5) venting and decommissioning of cylinders with inert gases; 6) overpacking highly corroded and/or leaking compressed gas cylinders; 7) transportation, recycling and/or disposal of compressed gas cylinders; 8) tracking and reporting of compressed gas cylinder handling methods.

3. DESCRIPTION OF THE ASSESSMENT

3.1 Operations Inspected

Treatment One was constructed in 1985 and purchased by Set Environmental, Inc., Wheeling, Illinois, in 1988. Set Environmental has been in existence for approximately 22 years and specializes in emergency response, lab packs, management and characterization of unknowns, and shipment of remediation type wastes. Treatment One specializes in the treatment of gas cylinders and has a number of Department of Defense contracts and has treated waste from other Department of Energy sites. EPA Region 6 confirmed that Treatment One is allowed to accept waste from CERCLA activities. EPA Region 6 also confirmed that the two disposal facilities proposed by Treatment One are allowed to accept waste from CERCLA activities.

3.1.1 Treatment and Storage Facilities

The treatment facilities are situated on a one-acre site and have three permitted storage buildings. The process building is used for storage of corrosive waste, for chemical treatment of waste, and for unpacking and consolidation of lab packs. The building has a concrete base and is completely enclosed by walls and doors. A six-inch high concrete secondary containment curb surrounds it. The process building houses two permitted container storage units (CS-1 and CS-3) and three chemical treatment tanks (PT-1, PT-2, and PT-11), as well as their associated scrubber system, emission controls and other equipment. Exhaust and scrubber systems for two lab pack processing units are also situated in this building, as are the laboratory and employee decontamination shower. Tanks inside the process building have additional secondary containment.

The process building is authorized for the following activities: 1) blending of wastes to form a fuel; 2) consolidation of waste containers into lab packs; 3) breaking down lab packs for re-consolidation; 4) neutralization, oxidation, reduction, and other chemical reactions to render wastes less hazardous; 5) sale of materials in unopened, original packages, received as wastes; and 6) return to manufacturer of materials received as waste. The process building's floors were sloped to the center of the building. Any liquids from spills would run into a lined trench and to a blind sump that is manually pumped out. Treatment One personnel showed the assessment team several high and low pressure overpacks for gas cylinders that are DOT approved.

Gas cylinders are attached to manifolds inside enclosed areas of the process building and the contents are bubbled through appropriate liquids depending on the waste being treated. Gas generated from the treatment of hazardous waste is absorbed onto carbon bed filters prior to discharge from the process building stack. Treatment One processes approximately 12,000 gas cylinders in calendar year 2000.

The ignitable storage and fuel blending building is utilized to store flammable wastes in containers and to blend and store organic liquids in tanks for reuse as secondary fuels. This area has a concrete base and is roofed, and is enclosed with walls on three sides. The container storage section is sloped to a low point in the center of the building and bermed for secondary containment. It has the capacity to contain a minimum of 10% of all waste in the area and 100% of the largest container stored. The building is divided into three separate permitted storage units (CS-4, CS-5, and CS-6) and contains four 4,000-gallon fuel-blending tanks (FS-1 through FB-4). A two-foot high containment dike surrounds the tanks. BTU analysis is performed on each batch and the total tank prior to shipment to a cement kiln for fuel.

The Warehouse is used for various types of hazardous waste storage, drum cleaning, waste compaction and metal drum compaction. The building has a concrete base that is coated with an epoxy sealant. The building is roofed, completely enclosed by walls and doors and is surrounded by a six-inch high concrete curb. Incompatible materials stored this building are also separated by six inch high concrete curbs. Each separate storage area has the capacity to contain a minimum of 10% of the volume of waste stored in that area and 100% of the largest container in that area, in the event of a spill.

The Warehouse was used to remove any identifying marks or labels from empty gas cylinders. Once the identifying marks are removed, the metal cylinders were cut up and sent to a metal recycler (Pro-metal Processing). Poly drums if unusable are sent to a solid waste landfill. All treatment buildings are protected by fire suppression systems.

3.1.2 Disposal Facilities

Treatment One does not dispose of any hazardous waste onsite. The facility discharges only storm water under a permit. All wastes are shipped offsite to either permitted TSDFs or solid waste landfills. A review of the downstream TSD facilities proposed for the INEEL's waste was performed. See Appendix B for more information on disposal facilities used by Treatment One.

3.1.3 Laboratory Facilities

A small fingerprint laboratory was located in the process building. The capabilities of the laboratory were typical for a fingerprint laboratory and included the following capabilities: pH, specific gravity, Chemical Oxygen Demand (COD), Total Organic Carbon (TOC), Total Suspended Solids (TSS), Flash point, vapor pressure, Toxicity Characteristics, Underlying Hazardous Constituents, and BTU. The laboratory has a chemical hygiene plan that addresses the requirements of 29 CFR 1910.1450. The plan is applicable to all employees using hazardous chemicals in the laboratory. The plan establishes work

practices and procedures to protect employees from health hazards associated with exposure to hazardous chemicals.

The laboratory was adequate for its intended use and has established a quality assurance program meeting the requirements of EPA SW-846, Chapter 1. The quality plan was acceptable for the fingerprint laboratory. Off-site analytical capability is used when needed. Treatment One is required by their permit to use only laboratories that have a quality program that meets the requirements of EPA SW-846.

3.1.4 Transportation Facilities

Treatment One does not operate any transportation facilities.

3.2 Other Information

3.2.1 Environmental Checklists

Checklists were prepared bases on pre-assessment interviews and company literature supplied by the facility.

3.2.2 Facility Personnel Contacted

Table 2. Personnel interviewed by the Assessment Team.

Name	Position
Daniel Didier, CHMM	Compliance Director
Sheila Armstrong	Sales Representative
Fred Swartz	General Manager

3.2.3 Document Review

The documents and information listed in Table 3 were reviewed before and/or during the site inspection.

Table 3. Documents and information reviewed concerning the Treatment One facilities.

DOCUMENT/INFORMATION REVIEWED (R), DISCUSSED (D), NOT APPLICABLE (N/A), NOT REVIEWED (N/R)	
Air Monitoring Data	R
Air Permits	NA
Annual Hazardous Waste/Biennial Report	R
Bills of Lading	NA
BLM Right-of-Way Grant	NA

DOCUMENT/INFORMATION REVIEWED (R), DISCUSSED (D), NOT APPLICABLE (N/A), NOT REVIEWED (N/R)	
CERCLA Off-Site Policy Approval	R
Certificates of Insurance for Sudden and Non-Sudden Incidents	NA
Chain-of-Custody Procedures	NA
Chemical Hygiene Plan	R
Closure/Post Closure Plan	R
Conditional Use Permit	NA
Emergency Response/Contingency Plan, including Spill Response and Clean up Procedures	R
Facility Construction Plans	NA
FERC Approval	NA
Final Environmental Impact Statement	NA
Groundwater Monitoring Data	NA
Groundwater Monitoring Plan	NA
Hazardous Waste Manifests	R
HSWA Permit	R
Information concerning OSHA compliance	R
Information on assignees to which waste is transferred and final disposition of the waste	R
Inspection Records	R
Job Hazard Analyses	R
Laboratory Procedures	R
Medical Surveillance Program	R
Notices of Violation and Consent Orders	R
Notification of Hazardous Waste Activities	R
Operations Record	R
PCB Annual Documents Log	NA
PCB Annual Report	NA
PCB Exception Reports	NA
Pending Environmental Litigation	R
Personnel Training Records	R
Provisions for transport of recyclable materials/hazardous waste to and from this facility	R
Quality Assurance Plans	R
Radiation Work Permit Program	NA

DOCUMENT/INFORMATION REVIEWED (R), DISCUSSED (D), NOT APPLICABLE (N/A), NOT REVIEWED (N/R)	
Radiation Training Course	NA
Radioactive Materials License	NA
Radiological surveys for contamination control	NA
Radiological surveys for penetrating dose control	NA
Radiological Control Program for ALARA	NA
RCRA Facility Assessment/Investigation	NA
RCRA Part A Permit Application	R
RCRA Part B Permit Application	R
RCRA Part B Permit	R
Sewage Permit	R
Solid Waste Disposal Permit	NA
Spill Prevention Control and Countermeasures Plan	NA
Standard Operating/Divisional Practices	NA
Stormwater Protection Plan for Industrial Discharges	R
TSCA Storage/Disposal Approval/Permit	NA
Visitor's Log	R
Waste Analysis Plan	R
Water Discharge Data	NA
Wastewater Permit	NA

3.2.4 Permits

3.2.4.1 RCRA Part A/B Permit.
Treatment One received their first RCRA Part B Permit in 1990. A copy of the permit was reviewed and portions are included as an attachment to this report. A new Part B permit was submitted to TNRCC in July, 2000. The application was declared administratively complete and a technical NOD was issued in February 2001. A final Part B is expected in calendar year 2001.

3.2.4.2 TSCA Storage/Disposal Approval. Not applicable

3.2.4.3 Conditional Use Permit. Not Applicable

3.2.4.4 BLM Right-of-Way Grant. Not Applicable

3.2.4.5 Air Permit. The Air Permit conditions are included as part of the RCRA permit.

3.2.4.6 Groundwater Monitoring Permit. Not Applicable

3.2.4.7 Stormwater Permit. Treatment One was issue a storm waster permit on November 9, 2000. The permit set effluent limitations and monitoring requirements for the facility. The Permit regulated flow, COD, Oil and Grease, pH, visible foam and oil, and determined the sampling location prior to discharge.

3.2.4.8 Wastewater Permit. Not Applicable

3.2.4.9 CERCLA Off-Site Rule Approval
EPA Region 6 was contacted and EPA did confirm that Treatment One is allowed to accept CERCLA waste.

3.2.4.10 Radioactive Materials License. Not Applicable

3.2.4.11 Solid Waste Disposal Permit. Not Applicable

4.0 REVIEW OF OPERATIONS

4.1 Generator Status

Treatment One is a Large Quantity Generator operating under permit number HW-50267 using identification number TXD -55135388.

4.2 Generator Operations

4.2.1 Description of Waste Acceptance Criteria
See Appendix A and C.

4.2.2 Waste Tracking
Treatment One has implemented their own electronic waste tracking system, called WasteTrack. Each container, including inner containers in lab packs, are given a unique barcode. The barcode contains information regarding generator identification, waste type, waste treatment to be performed, waste location at any time during treatment, and waste disposal. This system is backed up daily.

4.2.3 Off site Waste Treatment and Disposal
A review of the offsite treatment and disposal facilities used by Treatment One was performed. See Appendix B for the facilities and amounts shipped to each facility.

4.2.4 Security

4.3 Regulatory Compliance History

4.3.1 Violations History

Treatment One's five-year compliance history (1996-2001) was provided to the assessment team. An enforcement action resulted after a TNRCC inspection in June 1999. An order was agreed to as a result of that inspection on April 19,2000. No violations were noted from three TNRCC inspections over the last 18 months.

4.3.2 RCRA Remediation/Corrective Actions

The facility was not involved in any RCRA remediation or corrective actions at the time of the assessment.

4.3.3 CERCLA Remediation/Corrective Actions

The Treatment One facility was not involved in any CERCLA remediation or corrective action at the time of the assessment.

4.3.4 Pending Litigation

The Treatment One facility did not have any pending litigation at the time of the assessment.

4.3.5 Involvement at "Superfund" Sites

The Treatment One facility was not part of or involved in any Superfund sites at the time of the assessment.

4.3.6 Environmental Incidents.

No environmental incidents were reported or discovered during the review of records at the Treatment One facility.

4.3.8 Assessment Team Observations/Issues:

The assessment team found the compliance history of Treatment One acceptable and that history does not increase the risk of doing business with Treatment One.

4.4 Environmental Monitoring Programs

4.4.1 Air

Air monitoring requirements are included as part of the RCRA Part B permit. The carbon beds for the scrubber systems are monitored weekly for breakthrough. The beds are changed out when organic concentrations reach 100 ppm.

4.4.2 Groundwater

Several ground water monitoring wells are in place at this facility. There is also a storm water collection system. Storm water is collected and contained within 24 hours. The liquid is analyzed to ensure compliance with the TPDES permit.

4.4.3 Radiation

Not Applicable

4.5 Review of Facility Records

The documents in Table 3 were either reviewed, discussed or determined not to apply to the Treatment One facility. No concerns were noted by the assessment team on any of the documents reviewed.

5. 0 FINANCIAL STRENGTH

The purpose of this section is to provide documentation verifying the companies ability to respond quickly to environmental, safety, and health incidents, to provide adequate financial assurances for facility closure costs, and to maintain financial assurances for any potential litigation. The financial information provided by SET Environmental, Inc. was reviewed by the team and determined the following:

5.1 Financial Assurance

Based on the financial information provided it appears SET is financially capable of performing the work intended. Current ratio (current assets divided by current liabilities) is 1.09. This is low although acceptable and is an improvement over the prior year. It appears they are growing the business and are improving their financial position. Again this is based only on what was provided. The concerns are:

- The statements are unaudited.
- 80 percent of current assets are in Accounts Receivable. Depending on how/when they recognize income it could really affect how stable they are.
- The current liability for Line of Credit increased by $1.4 million over the last year which means they are not currently meeting their liabilities. This could be an effect of growing.
- The "Treatment One" portion of the business is their worst performing segment and is probably the leading reason for not having a better financial position. I would be concerned that SET may discontinue that portion of their business if the segment does not start performing better.

5.2 Insurance

The team reviewed the insurance information provided by Treatment One and determined that Treatment One has adequate insurance for their operations.

6.0 RISK ASSESSMENT, SUMMARY AND CONCLUSIONS

All off-site commercial TSDFs will present some level of risk to a waste generator. The handling and treatment of hazardous and toxic materials is by nature fraught with environmental, human health, and regulatory related risks. The purpose of the ESH&Q Liability assessment is to facilitate the proper management of those risks. The information in this section is related to the risks associated with the conduct of the subject treatment facility.

The assessment team reviewed the generator status and waste disposal practices during the on-site evaluation. No adverse practices or activities were noted. Treatment One has a good understanding of waste management and disposal requirements and appear to adhere to those requirements.

Treatment One has been audited jointly by Lawrence Livermore and the University of California (in 1999). Contracts were awarded by these entities. Other audits have been performed and contracts awarded by Sandia National Laboratory and the Department of Defense.

The team determined, based on their review of the relevant information and on-site evaluation, that the risk of doing business with Treatment One is minimal.

APPENDIX A

List of Acceptable Cylinders at the Treatment One Facility

List of Currently Acceptable Cylinders

SET Environmental, Inc.
Treatment One Division

Treatment One

A Division of SET Environmental, Inc.

List of Acceptable Cylinders

Revised November 1, 2000

ACARABEN 4E
ACETALDEHYDE
ACETONE
ACETONITRILE
ACETYL FLUORIDE
ACETYLENE
ACROLEIN INHIBITED
AIR
ALGERIAN CONDENSATE
ALLENE
ALLYL MAGNESIUM BROMIDE
ALLYL MAGNESIUM CHLORIDE
ALLYL TRICHLORO SILANE
ALLYLENE
ALPHA OLEFIN C4
ALPHA PINENE
ALUMINUM DIISOPROPOXIDE
ALUMINUM ISOPROPOXIDE
ALUMINUM SEC-BUTOXIDE
AMINOPROPANE
AMMONIA
ANISOLE
ANTIMONY PENTACHLORIDE
ANTIMONY PENTAFLUORIDE
ANTIMONY TRIBROMIDE
ANTIMONY TRICHLORIDE
ANTIMONY TRIFLUORIDE
ANTIMONY TRIIODIDE
ARAMITE/SOVENT
ARGON
ARSINE
BAYGON,PT-250
BENZENE
BENZYL MAGNESIUM CHLORIDE
BENZYL MERCAPTAN
BIS(CYCLOPENTADIENYL) CHROMIUM
BIS(CYCLOPENTADIENYL) IRON
BIS(CYCLOPENTADIENYL) MAGNESIUM
BIS(TRIFLUOROMETHYL) DISUFIDE
BLOOD GAS
BORANE THF COMPLEX
BORAZINE
BORON TRIBROMIDE
BORON TRICHLORIDE
BORON TRIETHYL (TRIETHYL BORANE)
BORON TRIFLUORIDE
BORON TRIFLUORIDE ETHYL ETHERATE
BORON TRIIODIDE
BROMINE
BROMINE CHLORIDE
BROMINE PENTAFLUORIDE
BROMINE TRIFLUORIDE
BROMO BORABICYCLO - NONANE
BROMO-2,2,2-TRIFLUOROETHANE, 1-
BROMOACETONE
BROMOCHLORODIFLUOROMETHANE
BROMOCHLOROMETHANE
BROMODIFLUOROETHYLENE
BROMOETHANE (ETHYL BROMIDE)
BROMOFORM
BROMOMETHANE (METHYL BROMIDE)
BROMOPENTAFLUOROETHANE
BROMOPROPANE
BROMOTRIFLUOROETHYLENE (R-113B1)
BROMOTRIFLUOROMETHANE (R-13B1)
BUTADIENE
BUTANE
BUTANE THIOL
BUTENAL, 2-
BUTENE
BUTYL ETHYL MAGNESIUM (10% IN HEPTANE)
BUTYL LITHIUM
BUTYL MAGNESIUM CHLORIDE
BUTYL MERCAPTAN
BUTYL PHOSPHINE
BUTYL, 1 ARSINE
BUTYLENE
BUTYNE (ETHYL ACETYLENE)
CARBON DIOXIDE
CARBON DISULFIDE
CARBON MONOXIDE
CARBON TETRABROMIDE
CARBON TETRACHLORIDE
CARBON TETRAFLUORIDE (R-14)
CARBONYL CHLORIDE (PHOSGENE)
CARBONYL CHLORIDE FLUORIDE
CARBONYL FLUORIDE
CARBONYL SULFIDE
CHLORINE
CHLORINE MONOFLUORIDE
CHLORINE PENTAFLUORIDE
CHLORINE TRIFLUORIDE
CHLOROACETOPHENONE
CHLOROBENZENE
CHLOROBENZILATE
CHLORODIFLUOROACETONITRILE
CHLORODIFLUOROETHANE (R-142B)
CHLORODIFLUOROETHYLENE
CHLORODIFLUOROMETHANE (R-22)
CHLORODIFLUOROPROPENE
CHLOROETHANE
CHLOROFLUOROETHYLENE (R-1131A)
CHLOROFLUOROMETHANE
CHLOROFORM
CHLOROHEPTAFLUOROBUTANE
CHLOROHEPTAFLUOROBUTENE
CHLOROHEPTAFLUOROPROPANE
CHLOROIODOMETHANE
CHLOROMETHANE (METHYL CHLORIDE)
CHLOROPENTAFLUOROACETONE
CHLOROPENTAFLUOROETHANE (R-115)
CHLOROPENTAFLUOROPROPENE
CHLOROPICRIN
CHLOROPICRIN/METHYL BROMIDE

Treatment One

A Division of SET Environmental, Inc.

List of Acceptable Cylinders

Revised November 1, 2000

CHLOROPROPANE
CHLOROPROPENE (BLEND)
CHLOROSULFONIC ACID
CHLOROSULFONYL FLUORIDE
CHLOROTETRAFLUOROETHANE (R-124)
CHLOROTRIFLUOROETHANE (R-133A)
CHLOROTRIFLUOROETHYLDIFLUOROMETHYLETHER
CHLOROTRIFLUOROETHYLENE (R-1113)
CHLOROTRIFLUOROMETHANE (R-13)
CHLOROTRIFLUOROMETHYLDIFLUOROETHYL ETHER
CHLOROTRIMETHYL SILANE
CHROMIUM 2-ETHYL-HEANOATE
CHROMIUM OXYCHLORIDE
CHROMYL CHLORIDE
CIS-2-BUTENE
CIS-BUTENE
CROTONALDEHYDE, STABILIZED
CROTONYLENE
CYANOGEN
CYANOGEN BROMIDE
CYANOGEN CHLORIDE
CYCLOBUTANE
CYCLOHEXANE
CYCLOHEXYLMAGNESIUM CHLORIDE
CYCLOPENTANE
CYCLOPENTENE
CYCLOPENTYLMAGNESIUM CHLORIDE
CYCLOPROPANE
CYLCLIC OCTAFLUOROFURAN
DDT/SOLUTION
DDVP IN SOLVENTS
DECAFLUORO BUTANE
DEUTERIUM
DEUTERIUM BROMIDE
DEUTERIUM CHLORIDE
DEUTERIUM FLUORIDE
DEUTERIUM IODIDE
DEUTERIUM SELENIDE
DEUTERIUM SULFIDE
DI(TRIFLUOROMETHYL) DISULFIDE
DIBROMODICHLOROMETHANE
DIBROMODIFLOUROMETHANE (R-12B2)
DIBROMOFLUOROMETHANE
DIBROMOMETHANE
DIBROMOTETRAFLUOROETHANE (R-2402)
DIBUTYL MAGNESIUM IN HEPTANE
DIBUTYL SULFIDE
DIBUTYL ZINC
DICHLORO-1,4, BUTENE-2
DICHLORO-2-BUTENE, 1,4-
DICHLOROBENZENE IN SOLVENT
DICHLORODIFLUOROETHANE (R-132)
DICHLORODIFLUOROETHYLENE (R-1112)
DICHLORODIFLUOROMETHANE & DIFLUOROETHANE
DICHLORODIFLUOROMETHANE (R-12)
DICHLORODIMETHYL SILANE
DICHLORODIPHENYL TRICHLOROETHANE
DICHLOROETHANE
DICHLOROFLUOROETHANE
DICHLOROFLUOROMETHANE (R-21)
DICHLOROHEXAFLUOROPROPANE
DICHLOROMETHANE
DICHLOROMETHYL SILANE
DICHLOROSILANE
DICHLOROTETRAFLUOROETHANE (R-114)
DICHLOROTRIFLUOROETHANE (R-123)
DICHLOROVINYL DIMETHYL PHOSPHATE
DICUMENE CHROMIUM
DICYCLOPENTADIENE
DIETHYL ALUMINUM CHLORIDE
DIETHYL ALUMINUM ETHOXIDE
DIETHYL ALUMINUM IODIDE
DIETHYL ARSINE
DIETHYL BERYLLIUM
DIETHYL CADMIUM
DIETHYL DITELLURIDE
DIETHYL EHTER
DIETHYL GALLIUM CHLORIDE
DIETHYL PHOSPHINE
DIETHYL TELLURIDE
DIETHYL ZINC
DIETHYLAMINE
DIFLUORODIMETHYL SILANE
DIFLUOROETHANE (R-152A)
DIFLUOROETHYLENE (R-1132A)
DIFLUOROMETHANE
DIFLUOROMETHYL BROMIDE
DIFLUOROMETHYL IODIDE
DIHEXYL MAGNESIUM
DIISOBUTYL ALUMINUM CHLORIDE
DIISOBUTYL ALUMINUM ETHOXIDE
DIISOBUTYL ALUMINUM HYDRIDE
DIMETHYL ACETAMIDE
DIMETHYL ACETYLENE
DIMETHYL ALANE (DIMETHYL ALUMINUM HYDRIDE)
DIMETHYL ALUMINUM CHLORIDE
DIMETHYL ALUMINUM HYDRIDE
DIMETHYL AMINE
DIMETHYL ARSINE
DIMETHYL CADMIUM
DIMETHYL DIFLUOROSILANE
DIMETHYL DISULFIDE
DIMETHYL DITELLURIDE
DIMETHYL ETHER (METHYL ETHER)
DIMETHYL ETHOXY SILANE
DIMETHYL METHANE (PROPANE)
DIMETHYL METHYL PHOSPHONATE (DMMP)
DIMETHYL PENTANE, 2,2-
DIMETHYL PROPANE
DIMETHYL SELENIDE
DIMETHYL SILANE
DIMETHYL SULFATE
DIMETHYL SULFIDE (IN NITROGEN)
DIMETHYL SULFIDE BORANE MIXTURE

Treatment One

A Division of SET Environmental, Inc.

List of Acceptable Cylinders

Revised November 1, 2000

DIMETHYL ZINC
DIMETHYLETHOXY SILANE
DIMETHYLPROPANE
DI-N-BUTYL SULFIDE
DI-N-BUTYLMAGNESIUM TRIETHYLALUMINUM COMP
DINITROGEN TETROXIDE
DINOYL BUTYL SULFIDE
DI-N-PROPYL SULFIDE
DIPENTENE DIMERCAPTAN
DISILACYCLOBUTANE-1,3-
DISILANE
DI-TERT BUTYL POLLYSULFIDE
DI-TERT BUTYL SULFIDE
DI-TERT BUTYL TELLURIDE
DITHION
DMMP (DIMETHYL METHYL PHOSPHONATE)
DODECAFLUORODIMETHYL CYCLOBUTANE
DODECYL DISULFIDE
DODECYL MERCAPTAN
DURSBAN-4E INSECTICIDE
DYMEL 142B (CHLORODIFLUOROETHANE)
DYMEL 152A (DIFLUOROETHANE)
DYMEL 22 (CHLORODIFLUOROMETHANE)
ENDOSULFAN IN SOLVENT
ENGINE STARTING FLUID
EPICHLOROHYDRIN
ETHANE
ETHANETHIOL
ETHANOL
ETHYL ACETYLENE (1-BUTYNE)
ETHYL ALCOHOL
ETHYL ALUMINUM DICHLORIDE
ETHYL ALUMINUM SESQUIBROMIDE
ETHYL ALUMINUM SESQUICHLORIDE
ETHYL AMINE
ETHYL BROMIDE
ETHYL CHLORIDE (CHLOROETHANE)
ETHYL ETHER
ETHYL FLUORIDE (R161)
ETHYL MAGNESIUM BROMIDE
ETHYL MERCAPTAN
ETHYL METHYL ETHER
ETHYL SILICATE
ETHYL SULFIDE
ETHYL THIOACETATE
ETHYL THIOETHANOL
ETHYL-2-BUTANE, 2
ETHYLENE
ETHYLENE DIBROMIDE
ETHYLENE DIBROMIDE/METHYL BROMIDE
ETHYLENE DICHLORIDE
ETHYLENE IMINE
ETHYLENE OXIDE
ETHYLENE PROPIONATE
ETHYLIDENE FLUORIDE (R152A)
ETHYNE (ACETYLENE)
FIRE EXTINGUISHER (DRY CHEMICAL)
FLUOREZE (TETRAFLUOROBENZENE)
FLUOREZE M (1,2,3,5-TETRAFLUOROBENZENE)
FLUORINE
FLUORO-2, METHYL PROPANE-2
FLUOROETHANE R-161
FLUOROETHYLENE (VINYL FLUORIDE)
FLUOROFORM (R23) (TRIFLUOROMETHANE)
FLUOROMETHANE (METHYL FLUORIDE)
FLUOROPHENYLMAGNESIUM BROMIDE
FLUOROPROPENE
FLUOROPROPIONITRILE
FLUOROSULFONYL CHLORIDE
FORANE 502 (R-502)
FORMALDEHYDE
FORMALIN
FORMIC ACID
GERMANE
GERMANIUM TETRACHLORIDE
GERMANIUM TETRAFLUORIDE
GERMANIUM TETRHYDRIDE
HALON 1211
HALON 1301
HELIUM
HEPTAFLUOROBUTYLENE
HEPTAFLUOROBUTYLNITRILE
HEPTAFLUOROBUTYRYL CHLORIDE
HEPTAFLUOROPROPANE
HEPTAFLUOROPROPIONITRILE
HEPTAFLUOROPROPYL BROMIDE
HEPTAFLUOROPROPYL IODIDE
HEPTANE
HEXACHLOROETHANE
HEXADIENE
HEXAFLUORO ISOBUTYLENE
HEXAFLUOROACETIC ANHYDRIDE
HEXAFLUOROACETONE
HEXAFLUOROACETYL ACETONE
HEXAFLUOROBUTADIENE
HEXAFLUOROBUTYNE
HEXAFLUOROCYCLOBUTANE
HEXAFLUOROCYCLOBUTENE
HEXAFLUOROETHANE (R-116)
HEXAFLUOROPENTANE DIONE
HEXAFLUOROPROPANE
HEXAFLUOROPROPENE
HEXAFLUOROPROPYLENE (R-1216)
HEXAFLUOROPROPYLENE EPOXIDE
HEXANE
HEXYL LITHIUM IN HEXANE
HEXYL MERCAPTAN
HYDRAZINE HYDRATE
HYDRAZINE, ANHYDROUS
HYDRIODIC ACID
HYDROBROMIC ACID
HYDROCYANIC ACID
HYDROFLUORIC ACID
HYDROGEN

Treatment One

A Division of SET Environmental, Inc.

List of Acceptable Cylinders

Revised November 1, 2000

HYDROGEN BROMIDE
HYDROGEN CHLORIDE
HYDROGEN CYANIDE (<10% MIXTURE)
HYDROGEN FLUORIDE
HYDROGEN IODIDE
HYDROGEN PHOSPHIDE
HYDROGEN SELENIDE
HYDROGEN SULFIDE
INSTA FOAM PART A
INSTA FOAM PART B
INSTAPAK-A
INSTAPAK-B
IODINE
IODINE MONOCHLORIDE
IODINE PENTAFLUORIDE
IODOFLUOROETHANE
IODOMETHANE
IODOPENTAFLUOROETHANE
IODOPERFLUOROETHANE
IODOTRIFLUOROETHANE
IODOTRIFLUOROETHYLENE
IODOTRIFLUOROMETHANE
IRON PENTACARBONYL
ISOBUTANE
ISOBUTENE
ISOBUTYL ALUMINUM DICHLORIDE
ISOBUTYL CHLOROFORMATE
ISOBUTYLENE
ISOBUTYLMAGNESIUM CHLORIDE
ISOFLURANE
ISOOCTANE
ISOPENTANE
ISOPENTENE
ISOPRENE
ISOPROPANOL
ISOPROPYL ALCOHOL
ISOPROPYL MAGNESIUM CHLORIDE
ISOPROPYL MERCAPTAN
ISOPROPYLAMINE
KRYPTON
LETHALAIRE G-68 (DDVP)
LETHALAIRE A-20
LETHALAIRE G54 (PARATHION)
LETHALAIRE G57 (SULFOTEPP)
LETHALAIRE G60 (ARAMITE)
LETHALAIRE G61 (ARAMITE/LINDANE)
LETHALAIRE G62
LETHALAIRE G64 (PHOSDRIN)
LETHALAIRE G66
LETHALAIRE G67
LETHALAIRE G68 (DDVP)
LETHALAIRE JR 4
LETHALAIRE V23
LETHALAIRE V24
LETHALAIRE V34
LETHANE
LINDANE
LITHIUM ALUMINUM HYDRIDE
LITHIUM DIISOPROPYLAMIDE
LITHIUM TRIBUTYL BOROHYDRIDE
LPG
MAGALA 0.5E CATALYST
MAGALA 7.5E CATALYST
MAPP GAS
MERCAPTOETHANOL
META SYSTOX INSECTICIDE
METHANE
METHANE THIOL
METHANOL
METHOXYBENZENE
METHYL ACETYLENE (PROPYNE)
METHYL ACETYLENE PROPADIENE
METHYL ACROLEIN
METHYL ALCOHOL
METHYL ALLYL TELLURIDE
METHYL ALUMINUM SESQUICHLORIDE
METHYL ALUMINUMOXANE (30%) IN TOLUENE
METHYL BROMIDE (BROMOMETHANE)
METHYL BROMIDE/ETHYLENE DIBROMIDE
METHYL BUTADIENE
METHYL BUTANETHIOL
METHYL BUTENE
METHYL BUTYL ETHER
METHYL CHLORIDE (CHLOROMETHANE)
METHYL CHLOROFORM
METHYL CYCLOHEXANE
METHYL CYCLOPENTANE
METHYL CYCLOPROPANE
METHYL CYCLOPROPANOL
METHYL DICHLORO ARSINE
METHYL DICHLOROSILANE
METHYL ETHER (DIMETHYLETHER)
METHYL FLUORIDE (FLUOROMETHANE)
METHYL IODIDE
METHYL LITHIUM
METHYL MAGNESIUM BROMIDE
METHYL MAGNESIUM CHLORIDE
METHYL MAGNESIUM IODIDE
METHYL MERCAPTAN
METHYL PENTENE
METHYL PHENYL ETHER
METHYL SILANE
METHYL TRICHLOROSILANE
METHYL TRIFLUOROSILANE
METHYL VINYL ETHER
METHYLACETOXYPHENYMETHYLCARBINOL MIX, 3-
METHYLALUMINOXANE
METHYLAMINE
METHYLENE BROMIDE
METHYLENE CHLORIDE
METHYLENE FLUORIDE
METHYLETHENE
METHYLETHYLENE
METHYLPROPANE-2

Treatment One

A Division of SET Environmental, Inc.

List of Acceptable Cylinders

Revised November 1, 2000

METHYLPROPENE (ISOBUTYLENE)
METHYLPROPYLENE (ISOBUTYLENE)
METHYL-TERT-BUTYL ETHER
MEVINPHOS
MOLYBDENUM FLUORIDE
MOLYBDENUM HEXAFLUORIDE
MONOCHLORODIFLUOROMETHANE
MONOCHLOROSILANE
MONOETHANOLAMINE
MONOETHYLAMINE
MONOMETHYLAMINE
NAPTHA PETROLEUM DISTILLATES
NATURAL GAS
N-BUTANE
N-BUTYL FLUORIDE
N-BUTYL SULFIDE
NEON
NEOPENTANE (DIMETHYLPROPANE)
N-HEPTAFLUOROPROPYL IODIDE
N-HEXANE
N-HEXYL MERCAPTAN
NICKEL CARBONYL
NIOBIUM ETHOXIDE
NIOBIUM FLUORIDE
NIOBIUM PENTAFLUORIDE
NITRIC OXIDE
NITROGEN
NITROGEN DIOXIDE
NITROGEN OXIDE
NITROGEN PEROXIDE
NITROGEN TETROXIDE
NITROGEN TRIFLUORIDE
NITROGEN TRIOXIDE
NITROSYL CHLORIDE
NITROSYL FLUORIDE
NITROUS OXIDE
NITRYL FLUORIDE
N-OCTYL MERCAPTAN
NONAFLUOROISOBUTANE
N-PROPANE
OCTAFLUOROBUTENE
OCTAFLUOROCYCLOBUTANE (R-C318)
OCTAFLUOROCYCLOPENTANE
OCTAFLUOROPROPANE (R-218)
OCTANES
OCTANETHIOL
OCTYL FLUORIDE
OCTYLBICYCLOHEPTENE
OCTYLMERCAPTAN MIXTURE
OLEUM
OXYFUME-12 STERILANT
OXYGEN
OXYGEN DIFLUORIDE
OZONE
PARAQUAT IN H20
PARATHION
PENETENE-2
PENTAC
PENTACHLOROPROPANE
PENTAFLUOROACETONE
PENTAFLUOROBUTENE
PENTAFLUOROCHLORO ACETONE
PENTAFLUORODIMETHYL ETHER
PENTAFLUOROETHANE
PENTAFLUOROETHYL IODIDE
PENTAFLUOROETHYLENE IODIDE
PENTAFLUOROMONOCHLOROACETONE
PENTAFLUOROPROPENE
PENTAFLUOROPROPIONILE CHLORIDE
PENTAFLUOROPROPIONITRILE
PENTANE
PENTENE-1
PEPRON IN SOLVENTS
PERCHLORYL FLUORIDE
PERFLUORO-2-BUTENE
PERFLUOROACETONE
PERFLUOROACETYL CHLORIDE
PERFLUOROBUTADIENE
PERFLUOROBUTANE
PERFLUOROBUTENE
PERFLUOROBUTYRYL FLUORIDE
PERFLUOROCYCLOBUTENE
PERFLUOROCYCLOHEXENE
PERFLUORODIMETHYL CYCLOBUTANE
PERFLUOROETHANE (R-125)
PERFLUOROETHYL IODIDE
PERFLUOROISOBUTENE
PERFLUOROISOBUTYLENE
PERFLUOROISOHEXANE
PERFLUOROMETHYLSULFONYL FLUORIDE
PERFLUOROPENTANE
PERFLUOROPROPANE
PERFLUOROPROPENE
PERFLUOROPROPIONITRILE
PERFLUOROPROPYL VINYL ETHER
PERFLUOROPROPYLENE
PETROLEUM DISTILLATES
PETROLEUM GASES LIQUIFIED
PHENYL LITHIUM
PHENYL MAGNESIUM BROMIDE
PHENYL MAGNESIUM CHLORIDE
PHENYL MERCAPTAN
PHOSGENE (CARBONYL CHLORIDE)
PHOSPHINE
PHOSPHORUS OXYCHLORIDE
PHOSPHORUS PENTAFLUORIDE
PHOSPHORUS TRIBROMIDE
PHOSPHORUS TRICHLORIDE
PHOSPHORUS TRIFLUORIDE
PHOSPHORYL CHLORIDE
PINANYL MERCAPTAN
PINENE
PIPERONYL BUTOXIDE
POLYAMINE ISOCYANATE

Treatment One

A Division of SET Environmental, Inc.

List of Acceptable Cylinders

Revised November 1, 2000

POLYMETHYLALUMINOXANE
POLYMETHYLENE POLYPHENYL ISOCYANATE
PROPADIENE (ALLENE)
PROPANE (DIMETHYLMETHANE)
PROPANE DITHIOL
PROPANETHIOL
PROPENE
PROPYL FLUORIDE
PROPYL MERCAPTAN
PROPYLENE
PROPYLENE OXIDE
PROPYNE (METHYLACETYLENE)
PYRETHRINS
PYRETHRUM
R-11 (TRICHLOROFLUOROMETHANE)
R-111 (PENTACHLOROFLUOROETHANE)
R-1112 (DICHLORODIFLUROETHYLENE)
R-1113 (CHLOROTRIFLUOROETHYLENE)
R-112 (TETRACHLORODIFLUOROETHANE)
R-1123 (TRIFLUOROETHYLENE)
R-113 (TRICHLOROTRIFLUOROETHANE)
R-114 (DICHLOROTETRAFLUOROETHANE)
R-115(CHLOROPENTAFLUOROETHANE)
R-116 (HEXAFLUOROETHANE)
R-12 (DICHLORODIFLUOROMETHANE)
R-1211 (BROMOCHLORODIFLUOROMETHANE)
R-1216 (HEXAFLUOROPROPYLENE)
R-123 (DICHLOROTRIFLUOROETHANE)
R-124 (CHLOROTETRAFLUOROETHANE)
R-12B2 (DIBROMODIFLOUROMETHANE)
R-13 (CHLOROTRIFLUORMETHANE)
R-1301 (BROMOTRIFLUOROMETHANE)
R-133A (CHLOROTIRFLUOROETHANE)
R-134A (TETRAFLUOROETHANE 1,1,1,2)
R-13B1 (BROMOTRIFLUOROMETHANE)
R-14 (TETRAFLUOROMETHANE)
R-142B (1-CHLORO-1,1-DIFLUOROETHANE)
R-143 (TRIFLUOROETHANE)
R-152A (1,1-DIFLUOROETHANE)
R-161 (FLUOROETHANE)
R-21 (DICHLOFLUOROMETHANE)
R-212 (HEXACHLORODIFLUOROPROPANE)
R-213 (PENTACHLOROTRIFLUOROPROPANE)
R-215 (TRICHLOROPENTAFLUOROPROPANE)
R-217 (CHLOROHEPTAFLUOROPROPANE)
R-22 (CHLORODIFLUOROMETHANE)
R-23 (TRIFLUOROMETHANE)
R-2402 (DIBROMOTETRAFLUOROETHANE)
R-318 (PERFLUOROCYCLOBUTANE)
R-32 (METHYLENE FLUORIDE)
R-402A
R-404A
R-41 (METHYL FLUORIDE)
R-500
R-502 (R-22 & RR-115 MIX)
R-503
RAINBOE RAIN REPELLANT
R-C318 (OCTAFLUOROCYCLOBUTANE)
RESMETHRIN IN SOLUTION
RHENIUM HEXAFLUORIDE
SELECTRIDE-L
SELENIUM CHLORIDE
SELENIUM OXYCHLORIDE
SILANE
SILICON TETRABROMIDE
SILICON TETRACHLORIDE
SILICON TETRAFLUORIDE
SODIUM ALUMINUM DIETHYL DIHYDRIDE
SODIUM DIETHYLDIHYDROALUMINATE IN TOLUENE
STANNIC CHLORIDE
SULFUR CHLORIDE
SULFUR CHLOROPENTAFLUORIDE
SULFUR DICHLORIDE
SULFUR DIOXIDE
SULFUR HEXAFLUORIDE
SULFUR MONOCHLORIDE
SULFUR OXIDE
SULFUR PENTAFLUORIDE
SULFUR TETRACHLORIDE
SULFUR TETRAFLUORIDE
SULFURIC ACID
SULFURYL CHLORIDE (CHLOROSULFONIC ACID)
SULFURYL CHLORIDE FLUORIDE
SULFURYL FLUORIDE
TERT-BUTYL MERCAPTAN
TERT-BUTYL PHOSPHINE
TERT-DODECYLMERCAPTAN
TERT-OCTYLMERCAPTAN
TETRA ISOPROPYL TITANATE
TETRACARBONYL NICKEL
TETRACHLORO SILANE
TETRACHLOROETHYLENE
TETRAETHYL LEAD
TETRAETHYL ORTHOSILICATE
TETRAETHYL PYROPHOSPHATE
TETRAETHYL TIN
TETRAFLUOROBENZENE, 1,2,3,5-
TETRAFLUOROETHANE 1,1,1,2 (R-134A)
TETRAFLUOROETHYLENE
TETRAFLUOROMETHANE (R-14)
TETRAFLUOROSILANE
TETRAMETHYL GERMANIUM
TETRAMETHYL METHANE
TETRAMETHYL TIN
TETRAMETHYLAMMONIUM HYDROXIDE
TETRAMETHYLENE
TETRAMETHYLMETHANE (NEOPENTANE)
TETRAMETHYLSILANE
TETRA-N-PROPYL TITANATE
TETRA-N-PROPYL ZIRCONATE
TETRAPHENYL SILANE
THIOETHANOL
THIONYL BROMIDE
THIONYL CHLORIDE

Treatment One

A Division of SET Environmental, Inc.

List of Acceptable Cylinders

Revised November 1, 2000

THIONYL FLUORIDE
TIN CHLORIDE
TIN DICHLORIDE
TIN TETRACHLORIDE
TITANIUM TETRACHLORIDE
TITANIUM TETRABROMIDE
TITANIUM TETRAPROPOXIDE
TOLUENE
TOLUENE THIOL MIXTURE
TRANS-2-BUTENE
TRIBROMOMETHANE (BROMOFORM)
TRIBUTYL ALUMINUM
TRIBUTYL BORANE
TRIBUTYL BORON
TRIBUTYLAMINE
TRIBUTYLTIN CHLORIDE
TRICHLOROACETYL CHLORIDE
TRICHLOROETHANE
TRICHLOROETHYLENE
TRICHLOROFLUOROMETHANE (R-11)
TRICHLOROMETHANE SULFONYL CHLORIDE
TRICHLOROPHENYL SILANE
TRICHLOROSILANE
TRICHLOROTRIFLUOROETHANE (R-113)
TRICITRONELLYL ALUMINUM
TRIETHYL ALUMINUM
TRIETHYL ARSENIC
TRIETHYL BORANE
TRIETHYL GALLIUM
TRIETHYL INDIUM
TRIETHYL LEAD
TRIETHYL OXONIUM TETRAFLUOROBORATE
TRIETHYL PHOSPHINE
TRIETHYL VANADATE
TRIETHYLAMINE
TRIFLUOROACETIC ANHYDRIDE
TRIFLUOROACETONE
TRIFLUOROACETYL CHLORIDE
TRIFLUOROACETYL FLUORIDE
TRIFLUOROETHANE
TRIFLUOROETHYL CHLORIDE, 2,2,2-
TRIFLUOROETHYL IODIDE
TRIFLUOROETHYLENE (R-1123)
TRIFLUOROMETHANE (FLUOROFORM) (R-23)
TRIFLUOROMETHANE SULFONYL FLUORIDE
TRIFLUOROMETHYL BUTYL TELLERIUM
TRIFLUOROMETHYL HEXAFLUOROPROPANE
TRIFLUOROMETHYL IODIDE
TRIFLUOROMETHYL SILANE
TRIFLUOROMETHYLPROPENE
TRIFLUORONITROSOMETHANE
TRIFLUOROPHOSPHINE
TRIFLUOROPROPENE
TRIFLUOROPROPYNE-3,3,3-
TRIHEXYL ALUMINUM
TRIISOBUTYL ALUMINUM
TRIISOBUTYL BORANE
TRIISOHEXYL ALUMINUM
TRIISOPROPYLALUMINUM
TRIMETHYL ACETYL CHLORIDE
TRIMETHYL ALUMINUM
TRIMETHYL ANTIMONY
TRIMETHYL ARSENIC
TRIMETHYL ARSINE
TRIMETHYL BISMUTH
TRIMETHYL BORATE
TRIMETHYL BORON
TRIMETHYL BUTOXYSILANE
TRIMETHYL CHLOROSILANE
TRIMETHYL ETHOXY SILANE
TRIMETHYL FLUOROSILANE
TRIMETHYL GALLIUM
TRIMETHYL INDIUM
TRIMETHYL METHANE (ISOBUTANE)
TRIMETHYL PENTANE
TRIMETHYL PHOSPHINE
TRIMETHYL PHOSPHITE
TRIMETHYL SILANE
TRIMETHYL SILANE/TOLUENE
TRIMETHYL SILYAMIDE
TRIMETHYL SILYL CYANIDE
TRIMETHYLAMINE
TRIMETHYLETHOXY SILANE
TRI-N-BUTYL ALUMINUM
TRI-N-BUTYL ANTIMONITE
TRI-N-BUTYL BORANE
TRI-N-BUTYL BORON
TRI-N-DECYLALUMINUM
TRIOCTYL ALUMINUM
TRIPROPYL ALUMINUM
TRIS(3,7-DIMETHYL-6-OCTENYL) ALUMINUM
TRIZONE
TUNGSTEN BROMIDE
TUNGSTEN CHLORIDE
TUNGSTEN FLUORIDE
TUNGSTEN HEXAFLUORIDE
VANADIUM OXYTRICHLORIDE
VANADIUM PENTAFLUORIDE
VANADIUM TETRACHLORIDE
VANADIUM TRICHLORIDE
VINYL ACETATE MONOMER
VINYL BROMIDE
VINYL CHLORIDE
VINYL ETHYLENE
VINYL FLUORIDE
VINYL LITHIUM
VINYL MAGNESIUM BROMIDE
VINYL METHYL ETHER
VINYLIDENE CHLORIDE
VINYLIDENE FLUORIDE
WARFARIN
XENON
XENON HEXAFLUORIDE
XENON TETRAFLUORIDE

APPENDIX B

Primary Facilities Utilized by Treatment One-2000

Waste Management Methods Utilized by Treatment One-2000

Primary Waste Streams Generated by Treatment One-2000

PRIMARY FACILITIES UTILIZED BY TREATMENT ONE - 2000



WASTE MANAGEMENT METHODS UTILIZED BY TREATMENT ONE - 2000



PRIMARY WASTE STREAMS GENERATED BY TREATMENT ONE - 2000



APPENDIX C

List of Acceptable Waste Codes at the Treatment One Facility

LIST OF ACCEPTABLE WASTE CODES - TREATMENT ONE FACILITY

D001	P005	P074	U003	U068	U131	U194	U379
D002	P006	P075	U004	U069	U132	U196	U381
D003	P007	P076	U005	U070	U133	U197	U382
D004	P008	P077	U006	U071	U134	U200	U383
D005	P009	P078	U007	U072	U135	U201	U384
D006	P010	P081	U008	U073	U136	U202	U385
D007	P011	P082	U009	U074	U137	U203	U386
D008	P012	P084	U010	U075	U138	U204	U387
D009	P013	P085	U011	U076	U140	U205	U389
D010	P014	P087	U012	U077	U141	U206	U390
D011	P015	P088	U014	U078	U142	U207	U391
D012	P016	P089	U015	U079	U143	U208	U392
D013	P017	P092	U016	U080	U144	U209	U393
D014	P018	P093	U017	U081	U145	U210	U394
D015	P020	P094	U018	U082	U146	U211	U395
D016	P021	P095	U019	U083	U147	U213	U396
D018	P022	P096	U020	U084	U148	U214	U400
D019	P023	P097	U021	U085	U149	U215	U401
D020	P024	P098	U022	U086	U150	U216	U402
D021	P026	P099	U023	U087	U151	U217	U403
D022	P027	P101	U024	U088	U152	U218	U404
D023	P028	P102	U025	U089	U153	U219	U407
D024	P029	P103	U026	U090	U154	U220	U409
D025	P030	P104	U027	U091	U155	U221	U410
D026	P031	P105	U028	U092	U156	U222	U411
D027	P033	P106	U029	U093	U157	U223	K048
D028	P034	P108	U030	U094	U158	U225	K049
D029	P036	P109	U031	U095	U159	U226	K050
D030	P037	P110	U032	U096	U160	U227	K051
D031	P038	P111	U033	U097	U161	U228	K052
D032	P039	P112	U034	U098	U162	U234	K062
D033	P040	P113	U035	U099	U163	U235	
D034	P041	P114	U036	U101	U164	U236	
D035	P042	P115	U037	U102	U165	U237	
D036	P043	P116	U038	U103	U166	U238	
D037	P044	P118	U039	U105	U167	U239	
D038	P045	P119	U041	U106	U168	U240	
D039	P046	P120	U042	U107	U169	U243	
D040	P047	P121	U043	U108	U170	U244	
D041	P048	P122	U044	U109	U171	U246	
D042	P049	P123	U045	U110	U172	U247	
D043	P050	P127	U046	U111	U173	U248	
F001	P051	P128	U047	U112	U174	U249	
F002	P054	P185	U048	U113	U176	U271	
F003	P056	P188	U049	U114	U177	U277	
F004	P057	P189	U050	U115	U178	U278	
F005	P058	P190	U051	U116	U179	U279	
F006	P059	P191	U052	U117	U180	U280	
F007	P060	P192	U053	U118	U181	U328	
F008	P062	P194	U055	U119	U182	U353	
F009	P063	P196	U056	U120	U183	U359	
F010	P064	P197	U057	U121	U184	U364	
F011	P065	P198	U058	U122	U185	U365	
F012	P066	P199	U059	U123	U186	U366	
F019	P067	P201	U060	U124	U187	U367	
F037	P068	P202	U061	U125	U188	U372	
F038	P069	P203	U062	U126	U189	U373	
P001	P070	P204	U063	U127	U190	U375	
P002	P071	P205	U064	U128	U191	U376	
P003	P072	U001	U066	U129	U192	U377	
P004	P073	U002	U067	U130	U193	U378	