



Idaho National Laboratory Site Environmental Surveillance Program Report: Second Quarter 2023

May 2024

Kevin Claver
Jason Dayley
Blane Teckmeyer
Peggy Scherbinske
Brande Hendricks



*INL is a U.S. Department of Energy National Laboratory
operated by Battelle Energy Alliance, LLC*

DISCLAIMER

This information was prepared as an account of work sponsored by an agency of the U.S. Government. Neither the U.S. Government nor any agency thereof, nor any of their employees, makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness, of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. References herein to any specific commercial product, process, or service by trade name, trade mark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the U.S. Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the U.S. Government or any agency thereof.

Idaho National Laboratory Site Environmental Surveillance Program Report Second Quarter 2023

**Kevin Claver
Jason Dayley
Blane Teckmeyer
Peggy Scherbinske
Brande Hendricks**

May 2024

**Idaho National Laboratory
Idaho Falls, Idaho 83415**

<http://www.inl.gov>

**Prepared for the
U.S. Department of Energy,
Idaho Operations Office
Under DOE Idaho Operations Office
Contract DE-AC07-05ID14517**

Page intentionally left blank

EXECUTIVE SUMMARY

Some human-made radionuclides were detected in samples collected during the second quarter of 2023. None of the radionuclides detected in samples collected during the second quarter of 2023 could be directly linked with INL Site activities. All detected radionuclide concentrations were well below standards set by the U.S. Department of Energy (DOE) and regulatory standards established by the U.S. Environmental Protection Agency (EPA) for protection of the public.

This report for the second quarter of 2023 contains results from the INL Site environmental surveillance program's monitoring of the U.S. Department of Energy's Idaho National Laboratory (INL) Site's onsite, boundary and offsite location environment, April 1 through June 30, 2023. All sample types (media) and the sampling schedule followed during 2023 are listed in Appendix A. This report contains results for the following sample types:

- Air, including particulate air filters, charcoal cartridges, and atmospheric moisture
- Precipitation
- Drinking/surface water
- Milk
- OSLDs
- Large Game Animal Sampling.

Table ES-1. Summary of results for the second quarter of 2023.

Media	Sample Type	Analysis	Results
Air	Particulate Filters	Gross alpha, gross beta	There were no statistically significant differences among groups for the quarter or any month during the quarter for gross alpha concentrations, as well as gross beta concentrations for the months of April and May. Statistically significant differences were observed for gross beta concentrations for the quarter and the month of June. No result exceeded the Derived Concentration Standard (DCS) or 99%/95% upper tolerance limit (UTL) for gross alpha or gross beta activity in air.
	Quarterly Composite	Gamma-emitting radionuclides, strontium-90, actinides (americium, plutonium, and uranium)	Strontium-90 was detected in quarterly composite samples from Arco and INTEC (West Side). Plutonium-239/240 was detected in the duplicate composite sample from Idaho Nuclear Technology and Engineering Center (INTEC), however, no ^{239/240} Pu was detected in the other composite sample collected from INTEC. Uranium radionuclides were detected in a few composite samples which suggest a natural origin. Human-made gamma-emitting radionuclides (e.g., cesium-137), americium-241, and plutonium-238 were not detected in any of the second quarter composite air samples.
	Charcoal Cartridge	Iodine-131	Iodine-131 was not detected in any of the batches of charcoal cartridges counted during the quarter.
Atmospheric Moisture	Liquid	Tritium	None of the sample results showed tritium concentrations greater than the 3s uncertainty during the quarter. No sample result exceeded the UTL or DCS for tritium in air.
Precipitation	Liquid	Tritium	A total of 23 samples were collected during the second quarter. None of the tritium results were greater than the 3s uncertainty.
Drinking/Surface Water	Liquid	Gross alpha, gross beta, tritium	Gross alpha was detected in two of ten drinking water samples and none of the three surface water samples.
			Gross beta was detected in eight of ten drinking water samples and in all three surface water samples. All concentrations were generally similar to previous results.

Table ES-1. continued.

Media	Sample Type	Analysis	Results
			<p>Tritium was detected in two drinking water samples and two surface water samples.</p> <p>Concentrations were similar to those measured historically in drinking and surface water and well below the DCS for tritium in drinking water.</p>
Milk	Liquid	Iodine-131, other gamma-emitting radionuclides, strontium-90, tritium	<p>Forty-two milk samples were collected at seven locations (including the offsite control sample from Colorado and two duplicates). No ^{131}I was detected, however, a milk sample collected in April resulted in a ^{137}Cs value which was slightly greater than 3s. Additional review of the result and uncertainty suggest the data could be a false positive. Strontium-90 was not detected in any of the milk samples analyzed. The results are within the range of the past several years.</p> <p>Tritium was detected in one of the samples analyzed. The result was well below the DCS for tritium in milk.</p>
Environmental Dosimeters	External radiation	Gamma-emitting and neutron radioactivity	<p>Measurements of environmental radiation made using optically stimulated luminescent dosimeters (OSLDs) were primarily below the background level UTL except for select locations at INTEC (listed as Idaho Chemical Processing Plant or ICPP), and the Advanced Test Reactor Complex (listed as Test Reactor Area or TRA). Measurements that exceeded the UTL are within historical values and/or likely due to operations in those areas. Neutron dose monitoring performed at INL buildings and facilities were reported to be below the minimum measurable quantity of 10 mrem.</p>
Large game animals	Tissue	Gamma-emitting radionuclides	<p>No human-made gamma-emitting radionuclides were found in any of the tissue samples collected in second quarter.</p>

CONTENTS

EXECUTIVE SUMMARY	iii
ACRONYMS.....	ix
UNITS.....	x
1. INL Contractor Program Description.....	1
2. INL Site.....	4
3. Air Sampling	6
3.1 Low-volume Air Sampling	6
4. Precipitation and Drinking Water Sampling	19
4.1 Precipitation Sampling.....	19
4.2 Drinking and Surface Water Sampling	19
5. Agricultural Products and Wildlife	20
5.1 Milk Sampling.....	20
5.2 Alfalfa Sampling.....	20
5.3 Large Game Animal Sampling.....	20
6. Environmental Radiation	22
7. Quality Assurance	24
7.1 Inter-laboratory Program Performance Testing Evaluations	24
7.2 Quality Control Sample Program.....	25
7.2.1 Blanks	25
7.2.2 Duplicate/Replicate Samples	25
7.2.3 Performance Evaluation (PE) Samples	26
7.3 Invalid Samples.....	27
8. References.....	28
Appendix A Summary of Sampling Schedule	A-1
Appendix B Summary of MDCs and DCSs.....	B-1
Appendix C Sample Analysis Results	C-1
Appendix D Statistical Analysis Results	D-1

FIGURES

Figure 1. Location of the INL Site.....	5
Figure 2. INL contractor air monitoring locations.....	7
Figure 3. Gross alpha concentrations in air at onsite, boundary, and offsite locations for the second quarter of 2023	9

Figure 4. April 2023 gross alpha concentrations in air at onsite, boundary, and offsite locations	10
Figure 5. May 2023 gross alpha concentrations in air at onsite, boundary, and offsite locations	11
Figure 6. June 2023 gross alpha concentrations in air at onsite, boundary, and offsite locations	12
Figure 7. Gross beta concentrations in air at onsite, boundary, and offsite locations for the second quarter of 2023.....	13
Figure 8. April 2023 gross beta concentrations in air at onsite, boundary, and offsite locations	14
Figure 9. May 2023 gross beta concentrations in air at onsite, boundary, and offsite locations	15
Figure 10. June 2023 gross beta concentrations in air at onsite, boundary, and offsite locations	16
Figure 11. Atmospheric moisture and precipitation monitoring locations.....	18
Figure 12. INL contractor milk monitoring locations.....	21
Figure 13. INL contractor OSLD locations.	23

TABLES

Table ES-1. Summary of results for the second quarter of 2023	iv
Table 1. Dosimetry location above background level UTL	22
Table A-1. Summary of the INL contractor's sampling schedule	A-0
Table B-1. Summary of approximate MDC for radiological analyses performed during second quarter 2023.....	B-2
Table C-1. Weekly gross alpha and gross beta concentrations in air	C-2
Table C-2. Weekly iodine-131 activity in air.....	C-11
Table C-3. Quarterly cesium-137, strontium-90, and actinide concentrations in composite air filters.....	C-21
Table C-4. Tritium concentrations in atmospheric moisture.....	C-29
Table C-5. Monthly and weekly tritium concentrations in precipitation.....	C-30
Table C-6. Gross alpha, gross beta, and tritium concentrations in surface and drinking water	C-31
Table C-7. Weekly and monthly iodine-131 and cesium-137 concentrations in milk	C-32
Table C-8. Strontium-90 and tritium concentrations in milk	C-33
Table C-9. Gamma-emitting radionuclides in large game animals.....	C-34

Table C-10. External radiation measurements using OSLDs.....	C-35
Table D-1. Results of the Kruskal-Wallace one-way analysis of variance by ranks between onsite, boundary, and offsite sample groups by quarter and by month.....	D-2
Table D-2. Results of multiple comparisons of gross alpha results between locations during the second quarter.....	D-4
Table D-3. Results of multiple comparisons of gross beta results between locations during the second quarter.....	D-5

ACRONYMS

ATR	Advanced Test Reactor
CFA	Central Facilities Area
DCS	Derived Concentration Standard
DOE	U.S. Department of Energy
EBR I	Experimental Breeder Reactor I
EFS	Experimental Field Station
EPA	Environmental Protection Agency
FAA	Federal Aviation Administration
HWY	Highway
ICP	Idaho Cleanup Project
ICPP	Idaho Chemical Processing Plant
INEEL	Idaho National Engineering and Environmental Laboratory
INL	Idaho National Laboratory
INTEC	Idaho Nuclear Technology and Engineering Center (formerly ICPP)
ISU-EAL	Idaho State University-Environmental Assessment Laboratory
MAPEP	Mixed Analyte Performance Evaluation Program
MDC	minimum detectable concentration
MFC	Materials and Fuels Complex
NRF	Naval Reactors Facility
NRTS	National Reactor Testing Station
OSLD	optically stimulated luminescent dosimeter
PE	performance evaluation
RHLLW	Remote-handled Low-Level Waste
RWMC	Radioactive Waste Management Complex
SMC	Specific Manufacturing Capability
TRA	Test Reactor Area
UTL	upper tolerance limit

UNITS

Bq	becquerel
Ci	curie
g	gram
L	liter
μ Ci	microcurie
ml	milliliter
mrem	millirem
mR	milliroentgen
pCi	picocurie

1. INL Contractor Program Description

Operations at the Idaho National Laboratory (INL) Site are conducted under requirements imposed by the U.S. Department of Energy (DOE) under authority of the Atomic Energy Act and the U.S. Environmental Protection Agency (EPA) under several acts (e.g., the Clean Air Act and Safe Drinking Water Act). The requirements imposed by DOE are specified in DOE Orders. These requirements include those to monitor the effects of DOE activities both inside and outside the boundaries of DOE facilities (DOE 2011, DOE 2015).

During calendar year 2023, environmental surveillance within the INL Site boundaries was primarily the responsibility of the INL and Idaho Cleanup Project (ICP) contractors. The INL contractor also provides surveillance off the INL Site.

This report contains surveillance monitoring results from the INL contractor for samples collected during the second quarter of 2023 (April 1 – June 30, 2023).

The INL environmental surveillance program is designed to satisfy the following objectives:

- verify compliance with applicable environmental laws, regulations, and DOE Orders
- characterize and define trends in the physical, chemical, and biological condition of environmental media on and around the INL Site
- assess the potential radiation dose to members of the public from INL Site effluents
- present laboratory data which has been reviewed using an EPA quality assurance process.

The goal of the surveillance program is to monitor different media at a number of potential exposure points within the various exposure pathways, including air, water, agricultural products, wildlife, and soil that could possibly contribute to the radiation dose received by the public.

Environmental samples collected include:

- air at 37 low-volume air samplers (four of which are used as replicate samplers) at 33 locations on and around the INL Site
- atmospheric moisture at two INL Site locations and at four locations off the INL Site
- precipitation collected at one INL Site location and three locations off the INL Site
- drinking water collected from eight locations off the INL Site
- surface water collected from three springs located downgradient of the INL Site and from five locations along the Big Lost River, when it is flowing, on the INL Site
- agricultural products, including milk at six dairies around the INL Site, potatoes from at least eight regional producers, alfalfa from three locations off the INL Site, grain (wheat and barley) from approximately nine regional producers, and lettuce from approximately seven home-owned and portable gardens on and around the INL Site
- soil from 30 locations on and around the INL Site once every five years
- environmental dosimeters from 196 (includes duplicates) locations semi-annually
- various numbers of wildlife including bats, big game (pronghorn, mule deer, and elk) and waterfowl sampled from the INL Site.

Table A-1 in Appendix A lists samples, sampling locations, and collection frequency for the INL contractor.

Three laboratories were used to perform analyses on routine environmental samples collected during the quarter identified in this report. The INL Environmental Services In Situ Gamma Laboratory was used to scan charcoal cartridges for gamma-emitting radionuclides. The Idaho State University Environmental Assessment Laboratory performed routine gross alpha, gross beta, tritium, and gamma spectrometry analyses. GEL Laboratories performed routine gross alpha, gross beta, and gamma spectrometry analyses. Analyses requiring radiochemistry including strontium-90 (^{90}Sr), plutonium-238 (^{238}Pu), plutonium-239/240 ($^{239/240}\text{Pu}$), uranium-233/234 ($^{233/234}\text{U}$), uranium-235 (^{235}U), uranium-238 (^{238}U) and ^{241}Am were also performed by GEL Laboratories.

In the event of non-routine occurrences, such as suspected releases of radioactive material, the INL contractor may increase the frequency of sampling and/or the number of sampling locations based on the nature of the release and wind distribution patterns. Any data found to be outside historical norms is thoroughly investigated to determine if an INL Site origin is likely. Investigation may include re-sampling and/or re-analysis of prior samples.

In the event of any suspected worldwide nuclear incidents, like the 1986 Chernobyl accident or the 2011 Fukushima accident, the EPA may request additional sampling be performed through RadNet. RadNet is a nationwide environmental radiation monitoring system that monitors the nation's air, precipitation, and drinking water for radiation. The INL contractor currently operates a high-volume air sampler and collects precipitation and drinking water in Idaho Falls for this national program and routinely sends samples to EPA's Eastern Environmental Radiation Facility for analyses. The RadNet data collected at Idaho Falls are not reported by the INL contractor but are available through the EPA RadNet website (<https://www.epa.gov/radnet>).

Once samples have been collected and analyzed, the INL contractor has the responsibility for quality control of the data, entry into databases, and reporting in quarterly reports. The quarterly reports are then consolidated into the INL Site Environmental Report for each calendar year. The annual report also includes data collected by other INL Site contractors.

The results reported in the quarterly and annual reports are assessed in terms of data quality and statistical significance with respect to laboratory analytical uncertainties, sample locations, reported INL Site releases, meteorological data, and worldwide events that might conceivably affect the INL Site environment. First, field collection and laboratory information are reviewed to determine identifiable errors that would invalidate or limit use of the data. Examples of such limitations include insufficient sample volume, torn filters, evidence of laboratory cross-contamination or quality control issues. Data that pass initial screening are further evaluated using statistical methods. Statistical tools are necessary for data evaluation particularly since environmental measurements typically involve the determination of minute concentrations, which are difficult to detect and even more difficult to distinguish from other measurements.

Results are presented in this report with an analytical uncertainty term, s , where ' s ' is the estimated sample standard deviation (σ), assuming a Gaussian or normal distribution. All results are reported in this document, even those that do not necessarily represent detections. The term 'detected,' as used for the discussion of results in this report, does not imply any degree of risk to the public or environment, but rather indicates that the radionuclide was measured at a concentration sufficient for the analytical instrument to record a value that is statistically different from background. Laboratory measurements involve the analysis of a target sample and the analysis of a prepared laboratory blank (i.e., a sample which is identical to the sample collected in the environment, except that the radionuclide of interest is

absent). In order to conclude that a radionuclide has been detected, it is essential to consider two fundamental aspects of the problem of detection: (1) the instrument signal for the sample must be greater than that observed for the blank before the decision can be made that the radionuclide has been detected; and (2) an estimate must be made of the minimum radionuclide concentration that will yield a sufficiently large observed signal before the correct decision can be made for detection or non-detection. Each laboratory currently defines a detection of radioactivity in an individual sample if the result exceeds a detection level calculated by the laboratory after the analysis of a background sample, based on calculations derived by Currie (1984). The minimum detectable concentration (MDC) is defined as the concentration at which there is a 95% confidence that an analyte signal will be distinguishable from an analyte-free sample.

In addition, the INL contractor uses a three standard deviation criterion to minimize the chance that a potentially false positive result is included in the data set. Statistically, the probability that a result can exceed the absolute value of its total uncertainty at three standard deviations by chance alone is less than 1%. A result that is greater than three times the total uncertainty of the measurement represents a statistically positive detection with over 99% confidence (DOE 2022a). The INL contractor reports measured radionuclide concentrations greater than or equal to their respective 3s uncertainties as being detected with confidence.

Concentrations between 2s and 3s are reported as questionably detected. That is, the radionuclide may be present in the sample; however, the probability that a result can exceed the absolute value of its total uncertainty at two standard deviations by chance alone may be as high as 5%. Measurements made between 2s and 3s are examined further to determine if they are a part of a pattern (temporal or spatial) that might warrant further investigation or recounting. For example, if a radionuclide is routinely detected at > 3s at a specific location, a sample result between 2s and 3s might be considered detected.

If a result is less than or equal to 2s there is even less statistical confidence that the radionuclide is present in the sample. Analytical results in this report are presented as the result value \pm one standard deviation (1s) for reporting consistency with the annual report. To obtain the 2s or 3s values simply multiply the uncertainty term by 2 or 3.

Data are also compared to historical measurements using the upper tolerance limit (UTL). The UTL is a value such that 99% of the population (all valid measurements made between 2011-2020) is less than the UTL with 95% confidence (EPA 2015). With a 99%/95% UTL it is expected that approximately 1% of the measurements will exceed the UTL if the concentration of a radionuclide is within the normal range. This means that if a concentration exceeds the UTL it does not necessarily indicate that the sampling location is outside of the normal range. Rather, it indicates that the measurement should be closely examined to determine if it is unusually high.

For more information concerning the INL environmental surveillance program, please email George.KrauszerII@inl.gov, or visit <https://inl.gov/environmental-monitoring/>.

2. INL Site

The INL Site is a nuclear energy and homeland security research and environmental management facility. It is owned and administered by the DOE, Idaho Operations Office and occupies about 890 mi² (2,300 km²) of the upper Snake River Plain in Southeastern Idaho (Figure 1). The history of the INL Site began during World War II when the U.S. Naval Ordnance Station was located in Pocatello, Idaho. This station, one of two such installations in the U.S., retooled large guns from U.S. Navy warships. The retooled guns were tested on the nearby, uninhabited plain, known as the Naval Proving Ground. In the years following the war, as the nation worked to develop nuclear power, the Atomic Energy Commission, predecessor to the DOE, became interested in the Naval Proving Ground and made plans for a facility to build, test, and perfect nuclear power reactors.

The Naval Proving Ground became the National Reactor Testing Station (NRTS) in 1949, under the Atomic Energy Commission. By the end of 1951, a reactor at the NRTS became the first to produce useful amounts of electricity. Over time the site has operated 52 various types of reactors, associated research centers, and waste handling areas. The NRTS was renamed the Idaho National Engineering Laboratory in 1974, and the Idaho National Engineering and Environmental Laboratory (INEEL) in January 1997. With renewed interest in nuclear power the DOE announced in 2003 that Argonne National Laboratory and the INEEL would be the lead laboratories for development of the next generation of power reactors. On February 1, 2005, the INEEL and Argonne National Laboratory-West became the INL. The INL is committed to providing international nuclear leadership for the 21st Century, developing and demonstrating compelling national security technologies, and delivering excellence in science and technology as one of the DOE's multi-program national laboratories. Battelle Energy Alliance, LLC, is responsible for the management and operations of the INL.

The ICP is a separately managed effort. The ICP is charged with safely and cost-effectively completing the majority of cleanup work from past laboratory missions in an ongoing process. The Idaho Environmental Coalition, LLC, is responsible for the ICP.




Figure 1. Location of the INL Site.

3. Air Sampling

The primary pathway by which radionuclides can move off the INL Site is through the air and for this reason the air pathway is the primary focus of monitoring on and around the INL Site. Samples for particulates and iodine-131 (^{131}I) gas in air were collected weekly for the duration of the quarter at 33 locations using low-volume air samplers. Moisture in the atmosphere was sampled at six locations around the INL Site and analyzed for tritium. Air sampling activities and results for the second quarter of 2023 are discussed below. A summary of approximate MDCs for radiological analyses and DOE Derived Concentration Standard (DCS) (DOE 2022b) values is provided in Appendix B.

3.1 Low-volume Air Sampling

Radioactivity associated with airborne particulates was monitored continuously by 37 low-volume air samplers (four of which are used as replicate samplers) at 33 locations during the second quarter of 2023 (Figure 2). Twenty-one of these samplers are located onsite, seven are situated off the INL Site near the boundary, and nine have been placed at locations off the INL Site. Samplers are divided into onsite, boundary, and offsite groups to determine if there is a gradient of radionuclide concentrations, increasing towards the INL Site. Each replicate sampler is relocated every other year to a new location. During the second quarter 2023, replicate samplers were located at Dubois (offsite location), Idaho Nuclear Technology and Engineering Center (INTEC) – westside (onsite location), Radioactive Waste Management Complex (RWMC) (onsite location), and Van Buren (onsite location). Particulates in air were collected on membrane particulate filters (1.2 μm pore size). Gases passing through the filter were collected with an activated charcoal cartridge.

Filters and charcoal cartridges were changed weekly at each station during the quarter. Each particulate filter was analyzed for gross alpha and gross beta radioactivity using thin-window gas flow proportional counting systems after waiting about four days for shorter-lived naturally-occurring daughter products of radon and thorium to decay.

The weekly particulate filters collected during the quarter for each location were composited and analyzed for gamma-emitting radionuclides. Composites were also analyzed by location for ^{90}Sr , ^{238}Pu , $^{239/240}\text{Pu}$, $^{233/234}\text{U}$, ^{238}U and ^{241}Am .

Charcoal cartridges were analyzed for gamma-emitting radionuclides, specifically for ^{131}I , using two methods. Cartridges analyzed by Idaho State University Environmental Assessment Laboratory are done in batches of eleven as an initial scan. If the scan results in ^{131}I activity above 3-sigma, the cartridges are split into smaller batches and analyzed to identify the cartridge which contains the radioanalyte above 3-sigma. Cartridges which are analyzed by the INL Environmental Services In Situ Gamma Laboratory are scanned individually. If the scan of an individual cartridge results in a positive detection, the cartridge is shipped to GEL Laboratories for analysis. Iodine-131 is of particular interest because it is produced in relatively large quantities by nuclear fission, is readily accumulated in human and animal thyroids, and has a half-life of eight days. This means that any elevated level of ^{131}I in the environment could be from a recent release of fission products.




Figure 2. INL contractor air monitoring locations.

Gross alpha results are reported in Table C-1 and shown in Figures 3 through 6. Gross alpha concentrations measured in individual samples ranged from a low of $(-1.2 \pm 6.6) \times 10^{-16}$ $\mu\text{Ci/ml}$ collected at Atomic City on June 6, 2023, to a high of $(4.6 \pm 0.5) \times 10^{-15}$ $\mu\text{Ci/ml}$ collected at Dubois on May 23, 2023. All results were less than the DCS of 1.1×10^{-13} $\mu\text{Ci/ml}$ for $^{239/240}\text{Pu}$ (see Table B-1 of Appendix B). In addition, the results were consistent with historical data, as represented by the 99%/95% UTL for gross alpha activity (4.8×10^{-15} $\mu\text{Ci/ml}$). The UTL was determined using ten years of historical data (measured from 2011 through 2020) and the ProUCL statistical software (<https://www.epa.gov/land-research/proucl-software>). The 99%/95% UTL is a value such that 99% of the population (all possible air measurements) is less than the UTL with 95% confidence. With a 99%/95% UTL it is expected that approximately 1% of the measurements will exceed the UTL if the concentration of gross alpha is within the normal range. This means if a concentration exceeds the UTL it does not necessarily indicate that the result is outside of the normal range. Rather, it indicates that the measurement should be closely examined to determine if it is unusually high.

Gross alpha data have been tested for distribution (normally or lognormally distributed) and generally show no consistent discernible distribution. Because there is no discernible distribution of the data, a parametric test of significance cannot be used. The nonparametric Kruskal-Wallis analysis of variance by ranks test of multiple independent groups was used to determine statistical differences between onsite, boundary, and offsite locations. The test assesses the hypothesis that the different samples in the comparison were drawn from the same distribution or from distributions with the same median. In the computation of the Kruskal-Wallis test, each of the N observations is replaced by a rank. That is, all the results from all the locations are combined and ranked in a single series with the smallest result replaced by rank 1 and the largest result replaced by rank N (i.e., the total number of results). The sum of the ranks in each location group (i.e., onsite, boundary, and offsite) is found and then averaged for each group. If the samples are from the same populations, the average ranks should be about the same, whereas if the samples are from populations with different medians, the average ranks should differ. Statistically significant difference exists between data groups if the p-value (or probability value) is less than 0.05. Values greater than 0.05 translate into a 95% confidence that the medians are statistically the same. The p-value for each comparison is shown in Table D-1. There was no statistically significant differences among groups for the quarter, or any month during the quarter (Table D-1). To determine if there were any differences between stations and where the differences occur, the Kruskal-Wallis analysis of variance by ranks test was used again. No differences were determined between stations (Table D-2).

Gross beta results are presented in Table C-1 and displayed in Figures 7 through 10. Gross beta concentrations measured in individual samples ranged from a low of $(4.8 \pm 3.5) \times 10^{-16}$ $\mu\text{Ci/ml}$ collected at Van Buren (QA) on June 13, 2023, to a high of $(49.9 \pm 1.0) \times 10^{-15}$ $\mu\text{Ci/ml}$ collected at Howe on May 30, 2023. The typical temporal fluctuations in gross beta concentrations in air were observed during the quarter because of temperature inversions. All results were less than the DCS of 9.6×10^{-12} $\mu\text{Ci/ml}$ for ^{90}Sr (see Table B-1 of Appendix B). In addition, the results were consistent with historical data, as represented by the 99%/95% UTL for gross beta activity (6.1×10^{-14} $\mu\text{Ci/ml}$). The data were tested quarterly and generally are found to be neither normally nor log-normally distributed. Box and whiskers plots were used to present the non-parametric data. Outliers and extreme values were retained in subsequent statistical analyses because they are within the range of measurements made in the past ten years, and because these values could not be attributed to mistakes in collection, analysis, or reporting procedures.

There were no statistically significant differences in the gross beta data between groups for April and May (Table D-1), however, statistically significant differences did occur for the quarter and the month of June. To determine if there were any differences between stations and where the differences occur, multiple comparisons were also made using the Kruskal-Wallis analysis of variance by ranks test between gross




Figure 3. Gross alpha concentrations in air at onsite, boundary, and offsite locations for the second quarter of 2023. The DCS is the concentration of ^{239/240}Pu in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ²³⁸U, ²³⁴U, ²³²Th, ²²⁶Ra, and ²¹⁰Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for ^{239/240}Pu is shown because it is the most restrictive human-made alpha emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 4. April 2023 gross alpha concentrations in air at onsite, boundary, and offsite locations. The DCS is the concentration of $^{239/240}\text{Pu}$ in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{238}U , ^{234}U , ^{232}Th , ^{226}Ra , and ^{210}Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for $^{239/240}\text{Pu}$ is shown because it is the most restrictive human-made alpha emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 5. May 2023 gross alpha concentrations in air at onsite, boundary, and offsite locations. The DCS is the concentration of ^{239/240}Pu in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ²³⁸U, ²³⁴U, ²³²Th, ²²⁶Ra, and ²¹⁰Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for ^{239/240}Pu is shown because it is the most restrictive human-made alpha emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 6. June 2023 gross alpha concentrations in air at onsite, boundary, and offsite locations. The DCS is the concentration of ^{239/240}Pu in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ²³⁸U, ²³⁴U, ²³²Th, ²²⁶Ra, and ²¹⁰Po) in uncertain proportions, a meaningful DCS cannot be constructed for gross alpha concentrations. The DCS for ^{239/240}Pu is shown because it is the most restrictive human-made alpha emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 7. Gross beta concentrations in air at onsite, boundary, and offsite locations for the second quarter of 2023. The DCS is the concentration of ⁹⁰Sr in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ⁴⁰K, ²²⁸Ra, and ²¹⁰Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentration. The DCS for ⁹⁰Sr is shown because it is the most restrictive human-made beta emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 8. April 2023 gross beta concentrations in air at onsite, boundary, and offsite locations. The DCS is the concentration of ^{90}Sr in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{40}K , ^{228}Ra , and ^{210}Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentrations. The DCS for ^{90}Sr is shown because it is the most restrictive human-made beta emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 9. May 2023 gross beta concentrations in air at onsite, boundary, and offsite locations. The DCS is the concentration of ^{90}Sr in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ^{40}K , ^{228}Ra , and ^{210}Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentrations. The DCS for ^{90}Sr is shown because it is the most restrictive human-made beta emitter. The UTL represents the value below which 99% of the population values are expected to fall with 95% confidence.




Figure 10. June 2023 gross beta concentrations in air at onsite, boundary, and offsite locations. The DCS is the concentration of ⁹⁰Sr in air which, if inhaled for a year, would result in a dose of 100 mrem/yr. Because the measurements include naturally occurring radionuclides (such as ⁴⁰K, ²²⁸Ra, and ²¹⁰Pb) in uncertain proportions, a meaningful DCS cannot be constructed for gross beta concentrations. The DCS for ⁹⁰Sr is shown because it is the most restrictive human-made beta emitter. The UTL represents the value below which 99% of the population are expected to fall with 95% confidence.

beta concentrations measured at all locations. No differences were determined to have occurred between stations (Table D-3).

Iodine-131 was not detected in any of the charcoal cartridges measured during the second quarter. Weekly ^{131}I results for each location are listed in Table C-2.

Strontium-90, a beta-emitting radionuclide associated with historic nuclear weapons testing fallout, was detected in composite samples at Arco and INTEC (West Side) (Table C-3). Plutonium-239/240 was detected in a duplicate composite sample from INTEC. No $^{239/240}\text{Pu}$ was detected in the other composite sample collected from INTEC. Composite samples from Howe, Montevue, Dubois (QA), and Jackson, WY resulted in detections of uranium radionuclides. A UTL is not available as more data needs to be collected. Uranium occurs naturally in various rocks and soil, can be suspended in the air and captured on an air filter. The United Nations Scientific committee on the Effects of Atomic Radiation lists ^{238}U air concentrations in the United State to be between $2.43 \times 10^{-17} \mu\text{Ci/mL}$ to $1.35 \times 10^{-16} \mu\text{Ci/mL}$ (UNSCEAR 2000). All results were below the DCS values for these radionuclides in air (i.e. $9.6 \times 10^{-12} \mu\text{Ci/mL}$ for ^{90}Sr , $1.1 \times 10^{-13} \mu\text{Ci/mL}$ for $^{239/240}\text{Pu}$, $1.6 \times 10^{-13} \mu\text{Ci/mL}$ for $^{233/234}\text{U}$ and $1.8 \times 10^{-13} \mu\text{Ci/mL}$ for ^{238}U).

No ^{137}Cs or other human-made gamma-emitting radionuclides were found in quarterly air composites. Americium-241 and ^{238}Pu , alpha-emitting radionuclides, were not detected in any composite sample.

3.2 Atmospheric Moisture Sampling

Atmospheric moisture is collected by pulling air through a column of absorbent material (molecular sieve material) to absorb water vapor. The water is then extracted from the absorbent material by heat distillation. The resulting water samples are then analyzed for tritium using liquid scintillation.

Results were available for twenty-two atmospheric moisture samples collected at the onsite, boundary, and offsite locations during the second quarter of 2023 (Figure 11). None of the results exceeded the 3s uncertainty level for tritium. The maximum reported value of $(1.2 \pm 1.1) \times 10^{-12} \mu\text{Ci/mL}_{\text{air}}$ was at the Experimental Field Station (EFS). The maximum result is below the 99%/95% UTL of $1.6 \times 10^{-12} \mu\text{Ci/mL}_{\text{air}}$. Results are similar between the sampling locations. All samples were significantly below the DOE DCS for tritium in air (as water vapor) of $1.3 \times 10^{-7} \mu\text{Ci/mL}_{\text{air}}$. Results are shown in Table C-4, Appendix C.




Figure 11. Atmospheric moisture and precipitation monitoring locations.

4. Precipitation and Drinking Water Sampling

4.1 Precipitation Sampling

Precipitation samples are gathered when enough precipitation occurs to allow for the collection of the minimum sample volume of approximately 50 mL. Samples are taken of monthly composites from Idaho Falls, and weekly (when available) from the EFS (onsite), Atomic City and Howe (boundary) (Figure 11). These are the same locations where atmospheric moisture samples are collected. Precipitation samples are analyzed for tritium. Storm events in the second quarter of 2023 produced sufficient amounts of precipitation to yield 23 samples.

Tritium was measured below the 3s values in all 23 samples. These results are listed in Table C-5 (Appendix C). Low levels of tritium exist in the environment at all times as a result of cosmic ray reactions with water molecules in the upper atmosphere. Long-term data collected around the globe since 1961 by the International Atomic Energy Agency suggest that tritium levels have steadily decreased since the Nuclear Test Ban Treaty in 1963 and are close to their pre-nuclear test values (Cauquoin et al. 2015) and that there are no longer remnants of fallout from weapons testing.

4.2 Drinking and Surface Water Sampling

Drinking water samples were collected at nine locations (including a control). A duplicate sample was also collected. Surface water samples were collected at three Thousand Springs locations. All samples were analyzed for gross alpha, gross beta, and tritium. Results are listed in Table C-6 of Appendix C.

Gross alpha activity was detected in two of the ten drinking water samples (Rest Area and Shoshone) and in none of the three surface water samples. The highest reported gross alpha value for drinking water was (1.73 ± 0.49) pCi/L in the drinking water sample from Shoshone.

Gross beta activity was detected in eight of the ten drinking water samples (all except the control and Howe), and in all three of the surface water samples. All concentrations were similar to previous results from drinking and surface water sampling. Natural levels of radioactive decay products of thorium and uranium exist in the Snake River Plain Aquifer and are the likely source of the measured concentrations. The highest reported gross beta value for drinking water was (5.45 ± 0.54) pCi/L in the duplicate sample collected from Minidoka. The highest reported gross beta result for surface water was (7.97 ± 0.61) pCi/L in the sample collected from Alpheus Spring. Tritium was detected in two drinking water samples (Howe and control) and two surface water samples (Alpheus Spring and Clear Springs).

5. Agricultural Products and Wildlife

Another potential pathway for contaminants to reach humans is through the food chain. The INL contractor samples multiple agricultural products and game animals from around the INL Site and southeast Idaho. Specifically, milk, alfalfa, grain, potatoes, lettuce, large game animals, and waterfowl are sampled. Milk is sampled throughout the year. Large game animals are sampled whenever they are killed onsite from vehicle collisions. Alfalfa is collected during the second quarter, lettuce and grain are sampled during the fourth quarter, while potatoes are collected during the third or fourth quarter. Waterfowl are collected in either the third or fourth quarter. See Table A-1, Appendix A, for a sampling schedule. This section discusses results from milk and alfalfa available during the second quarter of 2023.

5.1 Milk Sampling

Milk samples were collected weekly at Rigby and Terreton. Monthly samples were collected at six locations around the INL Site (Figure 12) during the second quarter of 2023. In addition to the regional locations, commercially-available organic milk (from Colorado) was purchased as a control sample each month. All samples were analyzed for gamma emitting radionuclides, with particular emphasis on ^{131}I .

Iodine-131 was not detected in any weekly or monthly samples during the second quarter. A sample collected in Montevideo on April 18, 2023, resulted in a Cesium-137 value that was slightly greater than 3s. Review of the ^{137}Cs result and uncertainty suggest the data could be a false positive. The result is well below the DCS for ^{137}Cs in milk (2.7×10^4 pCi/L). No other human-made gamma-emitting radionuclides were found either. Data for ^{131}I and ^{137}Cs in milk samples are listed in Appendix C, Table C-7.

Strontium-90 was not detected in any of the milk samples collected during the second quarter of 2023. Data for ^{90}Sr in milk samples are listed in Appendix C, Table C-8.

Tritium was detected in the control sample collected from Colorado. All results were similar to those previously measured and similar to those found in other liquid media like precipitation. The result was well below the DCS for tritium in milk (1.2×10^7 pCi/L). Data for tritium in milk samples are listed in Appendix C, Table C-8.

5.2 Alfalfa Sampling

Alfalfa results were not available at the time of report preparation. They will be included in the third quarter 2023 report.

5.3 Large Game Animal Sampling

One deer was available for sampling during the second quarter of 2023. Muscle, liver, and thyroid samples were collected from the animal. No human-made gamma-emitting radionuclides were detected in any of the tissues. Results for the tissue samples are listed in Appendix C, Table C-9.




Figure 12. INL contractor milk monitoring locations.

6. Environmental Radiation

An array of optically stimulated luminescent dosimeters (OSLDs) are distributed throughout the Eastern Snake River Plain and on the INL Site (Figure 13) to monitor for environmental radiation. In addition, neutron dose monitoring is conducted around INL facilities and buildings where neutron radiation may be present.

OSLD results from dosimeters collected during the second quarter of 2023 are displayed in Appendix C, Table C-10. Results are presented in dose units of millirem (mrem). Similar to the low-volume air results the environmental dosimeter locations are also divided into onsite, boundary and offsite groupings. The onsite OSLD values ranged from 43.2 mrem at IF-IDA O-38 to 296.6 mrem at EBR I O-3, with an overall average of 66.9 mrem, which also equates to 0.37 mrem per day. The boundary OSLD values ranged from 45.0 mrem at Blue Dome E-1 to 72.8 mrem at RRL5 O-1, with an overall average of 56.57 mrem. This equates to an average daily dose of 0.31 mrem. Offsite results varied from 48.2 mrem at Craters of the Moon O-7 to 67.0 mrem at Sugar City E-1. The offsite average was 55.58 mrem, which also equates to 0.31 mrem per day. The reported results for dosimeters collected during the second quarter 2023 were primarily below the background UTL values. Table 1 lists the locations that exceeded the background level UTL.

The facility dosimeters that exceeded the background level UTL are located at INTEC [listed as Idaho Chemical Processing Plant (ICPP)], and the Advanced Test Reactor (ATR) Complex [listed as Test Reactor Area (TRA)] (Table 1). The TRA O-10 result is only slightly over the UTL. The ICPP result presented in Table 1 appears to follow a pattern of elevated measurements observed at those locations. The location has consistently shown higher results when compared to other locations at INTEC. The UTL exceedances for locations near INTEC, and ATR Complex are most likely due to operations in those areas. All environmental dosimetry results were provided to the INL Radiation Control Department for their consideration.

Table 1. Dosimetry location above background level UTL.

<i>Location</i>	<i>Ambient dose (mrem)</i>	<i>Background UTL (mrem)</i>
ICPP O-15	177.6	146.9
TRA O-10	130.7	121.0

All neutron dosimeters collected during second quarter 2023 were reported as ‘M’ which denotes the dose equivalents are below the minimum measurable quantity of 10 mrem. The background level for neutron dose is zero and the current dosimeters have a detection limit of 10 mrem. Any neutron dose measured is considered present due to sources inside the building. The INL contractor follows the recommendations of the manufacturer to prevent environmental damage to the neutron dosimetry by wrapping each in aluminum foil. To keep the foil intact, the dosimeter is inserted into an ultraviolet protective cloth pouch when deployed.




Figure 13. INL contractor OSLD locations.

7. Quality Assurance

Quality assurance consists of planned and systematic activities that give confidence in environmental surveillance program results (NCRP 2012). Environmental surveillance programs should provide data of known quality for the assessments and decisions being made. Quality assurance and quality control programs were maintained by the INL contractor and laboratories performing environmental analyses.

In addition to the quality assurance processes implemented by the INL contractor, the laboratories also utilize trained personnel, procedures, and quality assurance processes to ensure quality data. Data quality reviews were performed by the laboratory and any unusual conditions were addressed and identified in the case narrative prior to reporting to INL.

Field sampling elements, laboratory measurements, and quality control samples were reviewed and evaluated by the INL contractor laboratories. Results are summarized in Section 7.2-7.3. Together this information was used to assess the quality of data provided to the INL contractor, and to follow-up and/or conduct a corrective action to improve processes when necessary. This multi-faceted approach to quality assurance and quality control added value to the INL contractor's monitoring program by providing confidence that all laboratory data reported in this report are reliable and of acceptable quality.

The INL contractor Quality Assurance Program consists of five ongoing tasks which measure: (1) method uncertainty; (2) data completeness; (3) data accuracy, using spike, performance evaluation and laboratory control samples; (4) data precision, using split samples, duplicate samples and recounts; and (5) presence of contamination in samples, using blanks.

Sample results are compared to criteria described in the *Environmental Monitoring Services Quality Assurance Project Plan* (INL 2022).

Assessments of the INL contractor data quality are achieved through analysis of spike, performance evaluation, and duplicate samples; through sample recounts; through analysis of blank samples; and through comparison of sample results to established method quality objectives.

7.1 Inter-laboratory Program Performance Testing Evaluations

Laboratories used for routine analyses of radionuclides in environmental media were selected by the INL contractor based on a laboratory's capabilities to meet program objectives, such as the ability to meet required detection levels, and past results in performance testing (PT) programs. The DOE Consolidated Audit Program – Accreditation Program (DOECAP-AP) (comprised of third-party accreditation bodies) issues an annual accreditation certificate to laboratories seeking and maintaining accreditation. The rigorous accreditation process reviews each method, media, and analyte analyzed at the laboratory. An annual audit is performed to evaluate a laboratory's technical capability and competence, along with their proficiency in complying with DOE quality assurance requirements as outlined in the Quality Systems Manual (QSM 2021).

Similar to DOECAP-AP, DOE Laboratory Accreditation Program (DOELAP) is responsible for implementing performance standards for DOE contractor external dosimetry program through periodic performance testing and on-site program assessments.

INL contracts with analytical laboratories who participate in PT programs accredited to ISO 17043 as outlined in the Quality Systems Manual (QSM 2021). The analytical laboratory is responsible for reviewing their PT results and correcting potential quality concerns identified by the PT provider. Analytical results from these PT providers are then compared to performance evaluations (PE) results for each media and analyte tested. DOECAP accreditation is obtained by achieving a history of two successful studies (acceptable scores) out of the most recent three attempts. Second quarter 2023 PT participation and results are listed below.

GEL Laboratories, LLC

GEL is accredited through DOECAP-AP and participated in PT through Environmental Resource Associates (ERA) during the second quarter. GEL had acceptable results for analytes, methods, and media of interest to the INL contractor.

Landauer

Landauer is accredited through the DOE Laboratory Accreditation Program. Accreditation must be renewed on a triennial basis following periodic performance testing and on-site program assessments.

7.2 Quality Control Sample Program

The INL contractor sends quality control samples to laboratories along with routine environmental samples to be analyzed in tandem. The samples are prepared in a way that the quality control samples are analogous to the field samples. The laboratory is not aware of which samples are blanks, duplicates or PE samples. Blanks, duplicate/replicate samples and PE samples for the second quarter are discussed below.

7.2.1 Blanks

The INL contractor submits field blanks along with the regular samples to test for the introduction of contamination during the process of field collection, laboratory preparation, and laboratory analysis. In the event a data quality or trending issue is identified, the concern will be documented in the Issues Management System to track resolutions and/or corrective actions.

No concerns were identified in blanks that would indicate data quality or trending issues with sampling, handling, shipment, or analysis by the laboratory contributed to the actual sample results. Second quarter 2023 blanks are discussed below.

GEL Laboratories, LLC

A total of 43 analytes were analyzed by GEL in various media. The media analyzed included: air filters, quarterly air filter composites, atmospheric moisture, and milk.

Idaho State University-Environmental Assessment Laboratory

A total of 48 analytes were analyzed by ISU-EAL in various media. The media analyzed included: air filters, charcoal cartridges, quarterly air filter composites, milk, atmospheric moisture, and precipitation.

7.2.2 Duplicate/Replicate Samples

The INL contractor submits field duplicate/replicate samples with the regular samples to assess field collection, homogeneity, reproducibility, laboratory preparation, laboratory analysis, and precision. In the event a data quality or trending issue is identified, the concern will be documented in the Issues Management System to track resolutions and/or corrective actions.

No concerns were identified in duplicate/replicates that would indicate data quality or trending issues with sampling, handling, shipment, homogeneity, reproducibility, or preparation and analysis by the laboratory contributed to the actual sample results. Second quarter 2023 duplicate/replicate samples are discussed below.

GEL Laboratories, LLC

A total of 108 analytes were analyzed by GEL Laboratories. The media analyzed included air filters and quarterly air filter composite samples.

Idaho State University-Environmental Assessment Laboratory

A total of 48 analytes were analyzed by ISU-EAL in various media. The media analyzed included: air filters, charcoal cartridges, quarterly air filter composites, milk, and drinking water.

7.2.3 Performance Evaluation (PE) Samples

PE samples are prepared samples that contain known values of analyte(s) of interest to the specific project, INL Site contractor program, or laboratory. PE samples are used to assist in improving accuracy of laboratory data by evaluating the analytical method (e.g., new media, new analyte, or adverse trends in PT or PE samples). The samples are matched as closely as possible to the specific media, analytes of interest, and expected concentration or activity levels appropriate for the specific project, program, or use in decision-making. In some cases, the PE sample matrix may differ from the field samples (i.e., using deionized water with a known amount of analyte to simulate an atmospheric moisture sample). The PE samples are generally submitted with batches of field samples, so they are processed simultaneously in the laboratory. In the event a data quality or trending issue is identified, the concern will be documented in INL's Issues Management System for tracking responses from the laboratory on the resolutions and/or corrective actions. These concerns provide for an opportunity for the INL contractor to work with the laboratory to fine tune methods, processes, and procedures that will lead to improved accuracy of the data.

In addition to the INL contractor PE program, GEL and ISU-EAL laboratories participate in Mixed Analyte Performance Evaluation Program (MAPEP). MAPEP provides quality assurance oversight for environmental analytical services by performing semiannual performance evaluations of commercial laboratories. These results are then compared with the INL contractor's internal PE results.

Idaho State University-Environmental Assessment Laboratory

Idaho State University-Environmental Assessment Laboratory (ISU-EAL) participated in MAPEP Series 48 during second quarter and had overall acceptable results for the analytes, methods, and media of concern to the INL contractor.

A total of 10 PE analytes for milk and drinking water were analyzed by ISU-EAL for gross alpha, gross beta, low energy beta emitter (tritium), and gamma emitters. All low energy beta and gamma emitters, and gross beta PE samples received an agreement evaluation.

A nonagreement evaluation was identified for gross alpha in drinking water and was a first-time occurrence. The INL contractor requested ISU-EAL to follow-up on the nonagreement. The ISU-EAL investigation identified that the sample was not acidified. The INL contractor requested a For-Cause Review to look at other samples in the group. ISU-EAL identified that the laboratory technician had acidified the other samples prior to analysis. The INL contractor reviewed all sample results and the results were comparable to historical values.

GEL Laboratories, LLC

GEL participated in MAPEP Series 48 during the second quarter and had overall acceptable results for the analytes, methods, and media of concern to the INL contractor.

A total of 10 PE analytes for air filter composites and milk were analyzed by GEL for gamma emitters, alpha emitters, and a beta emitter. All the alpha and beta emitter PE samples received an agreement evaluation.

A nonagreement evaluation was identified for ^{65}Zn in an air filter composite PE sample. Upon review of the nonagreement, it was noted that the INL contractor incorrectly entered the sample collection date into the PE provider data entry system resulting in a nonagreement. This caused an error in the analyte decay

result for this short half-life analyte. As a corrective action, the INL contractor will revise the air procedure to include independent verification of PE results prior to being submitted. Even with the corrected analyte decay, results were still outside the PE criteria. The laboratory was contacted and a request was made to review the ^{65}Zn nonagreement. The laboratory's review was inconclusive. The INL contractor reviewed previous PE and ERA PT air filter composites results and all analytes of interest for the composites were in agreement. This is a first occurrence for ^{65}Zn and not indicative of a trend.

Landauer

A total of four PE analytes for direct radiation were analyzed by Landauer. All analytes received an agreement evaluation.

7.3 Invalid Samples

The sampler located at INTEC (NE Corner) was inoperable for several weeks due to a power outage. As a result, samples were invalid as indicated in Table C-1 and C-2 of Appendix C. The composite for this location included two valid air filter samples.

Eight samples (air filters and charcoals) were deemed invalid due to power outages at Blue Dome, FAA Tower, MFC North, and MFC South (Table C-1 and C-2).

Two samples (air filter and charcoal) were deemed invalid due to wildlife pulling the air tube off the sampler head at Craters of the Moon (Table C-1 and C-2).

8. References

- Cauquoin, A., P. Jean-Baptiste, C. Risia, É. Fourré, B. Stenni, and A. Landais, 2015, “The global distribution of natural tritium in precipitation simulated with an Atmospheric General Circulation Model and comparison with observations,” *Earth and Planetary Science Letters* 427 (2015) 160–170, http://www.lmd.jussieu.fr/~acauquoin/Mes_Publications/Cauquoin%20et%20al.%202015%20-%20EPSL.pdf.
- Clean Air Act of 1970 (42 USC § 7401).
- Currie, L. A., 1984, *Lower Limit of Detection: Definition and Elaboration of a Proposed Position for Radiological Effluent and Environmental Measurements*, NUREG/CR-4007, U.S. Nuclear Regulatory Commission, Washington, D.C., September 1984.
- DOE, 2011, “Radiation Protection of the Public and the Environment,” U.S. Department of Energy O 458.1, Administrative Change 3, February 11, 2011.
- DOE, 2015, “Environmental Radiological Effluent Monitoring and Environmental Surveillance,” DOE-HDBK-1216-2015, March 2015.
- DOE, 2022a, “Handbook for the Department of Energy’s Mixed Analyte Performance Evaluation Program (MAPEP),” July 2022.
- DOE, 2022b, “Derived Concentration Technical Standard,” Department of Energy Standard DOE-STD-1196-2022, December 2022.
- EPA, 2015, “ProUCL Version 5.1 Technical Guide,” EPA/600/R-07/041 October 2015. EPA, 2018, RadNet—Tracking Environmental Radiation Nationwide, <http://www.epa.gov/narel/radnet/>.
- INL, 2022, *Environmental Monitoring Services Quality Assurance Project Plan*, PLN-6690, Idaho National Laboratory.
- NCRP, 2012, *Design of Effective Radiological Effluent Monitoring and Environmental Surveillance Program*, NCRP Report No. 169, National Council on Radiation Protection and Measurements.
- QSM, 2021, “Department of Defense (DoD) Department of Energy (DOE) Consolidated Quality Systems Manual (QSM) for Environmental Laboratories,” based on ISO/IEC 17025:2017(E) and The NELAC Institute (TNI) Standards, Volume 1, (September 2009), DoD Quality Systems Manual Version 5.4 (2021).
- Safe Drinking Water Act of 1974 (42 USC § 300f).
- UNSCEAR, 2000, “Sources and Effects of Ionizing Radiation,” United Nations Scientific Committee on the Effects of Atomic Radiation.

Appendix A

Summary of Sampling Schedule

Table A-1. Summary of the INL contractor's sampling schedule.

Sample Type Analysis	Collection Frequency	Locations		
		Offsite	Boundary	Onsite
Air Sampling				
Low-Volume Air				
Gross Alpha, Gross Beta, ¹³¹ I	weekly	Blackfoot; Craters of the Moon; Dubois; Idaho Falls; IRC, IRC – North; Jackson, WY; Sugar City	Arco, Atomic City, Blue Dome, FAA Tower, Howe, Montevue, Mud Lake	ATR Complex, CFA, EBR-I, EFS, Gate 4, Hwy 26 Rest Area, INTEC (NE corner), INTEC (westside), Main Gate, MFC – North, MFC – South, NRF, RHLLW, RWMC, RWMC – South, SMC, Van Buren
Gamma Spec	quarterly	Blackfoot; Craters of the Moon; Dubois; Idaho Falls; IRC; IRC – North, Jackson, WY; Sugar City	Arco, Atomic City, Blue Dome, FAA Tower, Howe, Montevue, Mud Lake	ATR Complex, CFA, EBR-I, EFS, Gate 4, Hwy 26 Rest Area, INTEC (NE corner), INTEC (westside), Main Gate, MFC – North, MFC – South, NRF, RHLLW, RWMC, RWMC – South, SMC, Van Buren
⁹⁰ Sr, Transuranics	quarterly	Rotating schedule	Rotating schedule	Rotating schedule
Atmospheric Moisture				
Tritium	2 to 13 weeks	Idaho Falls, Craters of the Moon	Atomic City, Howe	EFS, MFC, Van Buren
Precipitation				
Tritium	monthly	Idaho Falls	None	None
Tritium	weekly	None	Atomic City, Howe	EFS
Water Sampling				
Drinking Water				
Gross Alpha, Gross Beta, Tritium	semi-annually	Craters of the Moon, Idaho Falls, Minidoka, Shoshone	Atomic City, Howe, Mud Lake, Rest Area	None

Table A-1. continued.

<i>Surface Water</i>				
Gross Alpha, Gross Beta, Tritium	semi-annually	Buhl, Hagerman, Twin Falls	None	Big Lost River (when flowing)
External Radiation Sampling				
<i>OSLDs</i>				
Gamma Radiation	semiannual	Aberdeen; Blackfoot; Craters of the Moon; Dubois; Idaho Falls; Jackson, WY; Minidoka; Roberts; Sugar City	Arco, Atomic City, Birch Creek, Blue Dome, Howe, Montevue, Mud Lake Resident Receptor Location	Advanced Test Reactor Complex; Auxiliary Reactor Area; Central Facilities Area; Experimental Breeder Reactor I; Experimental Field Station; Gate 4; Haul E; Haul W; Highway 20; Highway 22; Highway 28; Highway 33; Idaho Nuclear Technology and Engineering Center; Lincoln Boulevard; Materials and Fuels Complex; Naval Reactors Facility; Power Burst Facility Special Power Excursion Reactor; Radioactive Waste Management Complex; Remote-handled Low-level Waste; Resident Receptor Locations; Rest Area; Test Area North, Loss-of-Fluid Test; Transient Reactor Test; Van Buren
Neutron				
Neutron Radiation	semiannual	Idaho Falls	None	Materials and Fuels Complex; Remote-handled Low-level Waste
Soil Sampling				
<i>Soil</i>				
Gamma Spec, ⁹⁰ Sr, Transuranics	biennially	Blackfoot, Carey, St. Anthony	Atomic City, Birch Creek, Butte City, FAA Tower, Frenchman's Cabin, Howe, Montevue, Mud Lake (2)	EFS, Hwy 26 Rest Area, RWMC

Table A-1. continued.

Agricultural Product Sampling				
<i>Milk</i>				
Gamma Spec (¹³¹ I)	weekly	Rigby	Terreton	None
Gamma Spec (¹³¹ I)	monthly	Dietrich, Minidoka, Montevue, Rigby	Howe, Terreton	None
Tritium, ⁹⁰ Sr	Semi-annually	Dietrich, Minidoka, Montevue, Rigby	Howe, Terreton	None
<i>Potatoes</i>				
Gamma Spec, ⁹⁰ Sr	annually	Varies among Blackfoot, Driggs, Hamer, Idaho Falls, Rupert, Shelley, occasional samples across the U.S.	Varies among Arco, Montevue, Mud Lake, Terreton	None
<i>Alfalfa</i>				
Gamma Spec, ⁹⁰ Sr	annually	Idaho Falls	Howe, Mud Lake	None
<i>Grain</i>				
Gamma Spec, ⁹⁰ Sr	annually	Varies among American Falls, Blackfoot, Carey, Idaho Falls, Roberts, Rupert/Minidoka	Varies among Arco, Montevue, Mud Lake, Taber, Terreton	None
<i>Lettuce</i>				
Gamma Spec, ⁹⁰ Sr	annually	Varies among Blackfoot, Carey, Idaho Falls, Rigby, Sugar City	Varies among Arco, Atomic City, FAA Tower, Howe, Montevue	EFS
Wildlife Sampling				
<i>Big Game</i>				
Gamma Spec	varies	Occasional samples across the U.S.	Public Highways	INL Site roads

Table A-1. continued.

<i>Waterfowl</i>				
Gamma Spec, ⁹⁰ Sr, Transuranics	annually	Varies among: American Falls, Firth, Fort Hall, Heise, Market Lake, Mud Lake	None	INL Site wastewater disposal ponds

Appendix B

Summary of MDCs and DCSs

Table B-1. Summary of approximate MDC for radiological analyses performed during second quarter 2023.

Sample Type	Analysis	Average MDC ^a	DCS ^b
Air (particulate filter) ^c	Gross alpha	7.2×10^{-16} $\mu\text{Ci/mL}$	1.1×10^{-13} $\mu\text{Ci/mL}^c$
	Gross beta	1.3×10^{-15} $\mu\text{Ci/mL}$	9.6×10^{-12} $\mu\text{Ci/mL}^d$
	^{137}Cs	2.1×10^{-16} $\mu\text{Ci/mL}$	3.8×10^{-11} $\mu\text{Ci/mL}$
	^{90}Sr	1.3×10^{-16} $\mu\text{Ci/mL}$	9.6×10^{-12} $\mu\text{Ci/mL}$
	^{241}Am	1.3×10^{-17} $\mu\text{Ci/mL}$	1.3×10^{-13} $\mu\text{Ci/mL}$
	^{238}Pu	1.2×10^{-17} $\mu\text{Ci/mL}$	1.2×10^{-13} $\mu\text{Ci/mL}$
	$^{239/240}\text{Pu}$	1.1×10^{-17} $\mu\text{Ci/mL}$	1.1×10^{-13} $\mu\text{Ci/mL}$
	$^{233/234}\text{U}$	3.2×10^{-17} $\mu\text{Ci/mL}$	1.6×10^{-13} $\mu\text{Ci/mL}$
	^{238}U	2.1×10^{-17} $\mu\text{Ci/mL}$	1.8×10^{-13} $\mu\text{Ci/mL}$
Air (charcoal cartridge) ^e	^{131}I	3.1×10^{-13} $\mu\text{Ci/mL}$	4.5×10^{-10} $\mu\text{Ci/mL}$
Air (atmospheric moisture)	^3H	2.0×10^{-12} $\mu\text{Ci/mL}_{\text{air}}$	1.3×10^{-7} $\mu\text{Ci/mL}_{\text{air}}$
Air (precipitation)	^3H	93 pCi/L	2.6×10^6 pCi/L
Milk	^{131}I	0.4 pCi/L	1.0×10^4 pCi/L
	^{137}Cs	0.6 pCi/L	2.7×10^4 pCi/L
	^3H	99 pCi/L	1.2×10^7 pCi/L
	^{90}Sr	0.3 pCi/L	5.8×10^3 pCi/L

- The MDC is an estimate of the concentration of radioactivity in a given sample type that can be identified with a 95% level of confidence. MDCs are calculated and reported by the laboratories based on actual INL contractor sample results following analysis.
- DCSs, set by the DOE, represent reference values for radiation exposure. They are based on a radiation dose of 100 mrem/yr for exposure through a particular exposure mode such as direct exposure, inhalation, or ingestion of water.
- Based on the most restrictive human-made alpha emitter (^{239}Pu).
- Based on the most restrictive human-made beta emitter (^{90}Sr).
- The approximate MDC for air is based on an average filtered air volume (pressure corrected) of 445 m³/week.

Appendix C

Sample Analysis Results

Table C-1. Weekly gross alpha and gross beta concentrations in air.

GROSS ALPHA									GROSS BETA						
Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)			(x 10 ⁻¹¹ Bq/mL)				(x 10 ⁻¹⁵ µCi/mL)			(x 10 ⁻¹¹ Bq/mL)			
BOUNDARY															
ARCO	04/04/23	1.34	±	0.26	4.96	±	0.95	Yes	13.90	±	0.58	51.43	±	2.16	Yes
	04/11/23	1.36	±	0.30	5.03	±	1.11	Yes	21.30	±	0.75	78.81	±	2.76	Yes
	04/18/23	1.80	±	0.30	6.66	±	1.09	Yes	19.60	±	0.69	72.52	±	2.53	Yes
	04/25/23	0.64	±	0.19	2.35	±	0.70	Yes	9.53	±	0.47	35.26	±	1.75	Yes
	05/02/23	1.88	±	0.30	6.96	±	1.12	Yes	24.20	±	0.72	89.54	±	2.68	Yes
	05/09/23	1.61	±	0.28	5.96	±	1.02	Yes	16.70	±	0.61	61.79	±	2.24	Yes
	05/16/23	1.62	±	0.27	5.99	±	0.98	Yes	17.70	±	0.63	65.49	±	2.32	Yes
	05/23/23	2.56	±	0.38	9.47	±	1.41	Yes	25.60	±	0.82	94.72	±	3.02	Yes
	05/30/23	1.61	±	0.27	5.96	±	0.98	Yes	19.30	±	0.65	71.41	±	2.39	Yes
	06/06/23	1.08	±	0.27	4.00	±	1.01	Yes	18.50	±	0.66	68.45	±	2.43	Yes
	06/13/23	1.96	±	0.33	7.25	±	1.22	Yes	25.00	±	0.75	92.50	±	2.79	Yes
	06/20/23	1.46	±	0.27	5.40	±	0.99	Yes	19.30	±	0.67	71.41	±	2.47	Yes
06/27/23	1.07	±	0.27	3.96	±	0.98	Yes	19.80	±	0.68	73.26	±	2.52	Yes	
ATOMIC CITY	04/04/23	1.71	±	0.29	6.33	±	1.06	Yes	14.00	±	0.60	51.80	±	2.22	Yes
	04/11/23	0.97	±	0.28	3.59	±	1.04	Yes	22.40	±	0.78	82.88	±	2.88	Yes
	04/18/23	1.44	±	0.28	5.33	±	1.02	Yes	22.20	±	0.72	82.14	±	2.68	Yes
	04/25/23	1.28	±	0.25	4.74	±	0.93	Yes	14.80	±	0.58	54.76	±	2.16	Yes
	05/02/23	1.31	±	0.24	4.85	±	0.90	Yes	15.00	±	0.55	55.50	±	2.05	Yes
	05/09/23	1.17	±	0.26	4.33	±	0.98	Yes	18.10	±	0.66	66.97	±	2.43	Yes
	05/16/23	1.58	±	0.27	5.85	±	1.00	Yes	18.90	±	0.65	69.93	±	2.42	Yes
	05/23/23	2.97	±	0.42	10.99	±	1.57	Yes	25.20	±	0.86	93.24	±	3.17	Yes
	05/30/23	1.16	±	0.29	4.29	±	1.07	Yes	20.80	±	0.81	76.96	±	3.00	Yes
	06/06/23	-0.12	±	0.66	-0.43	±	2.42	No	20.00	±	1.66	74.00	±	6.14	Yes
	06/13/23	1.76	±	0.74	6.51	±	2.72	No	31.90	±	1.67	118.03	±	6.18	Yes
	06/20/23	0.60	±	0.22	2.21	±	0.80	No	15.20	±	0.64	56.24	±	2.38	Yes
06/27/23	1.13	±	0.27	4.18	±	1.01	Yes	17.30	±	0.66	64.01	±	2.44	Yes	
BLUE DOME	04/04/23	1.30	±	0.27	4.81	±	1.00	Yes	14.00	±	0.62	51.80	±	2.31	Yes
	04/11/23	1.50	±	0.32	5.55	±	1.18	Yes	23.00	±	0.79	85.10	±	2.93	Yes
	04/18/23	1.33	±	0.28	4.92	±	1.05	Yes	24.90	±	0.80	92.13	±	2.95	Yes
	04/25/23	0.70	±	0.20	2.59	±	0.74	Yes	11.30	±	0.52	41.81	±	1.91	Yes
	05/02/23	1.65	±	0.28	6.11	±	1.04	Yes	22.60	±	0.69	83.62	±	2.54	Yes
	05/09/23	1.65	±	0.29	6.11	±	1.06	Yes	17.60	±	0.63	65.12	±	2.34	Yes
	05/16/23	1.33	±	0.24	4.92	±	0.90	Yes	15.70	±	0.60	58.09	±	2.20	Yes
	05/23/23	3.35	±	0.42	12.40	±	1.57	Yes	25.10	±	0.82	92.87	±	3.03	Yes
	05/30/23	1.55	±	0.26	5.74	±	0.97	Yes	17.20	±	0.62	63.64	±	2.31	Yes
	06/06/23	0.73	±	0.25	2.71	±	0.93	No	17.50	±	0.65	64.75	±	2.41	Yes
	a 06/13/23		±		0.00	±	0.00	No		±		0.00	±	0.00	No
	06/20/23	2.57	±	0.34	9.51	±	1.27	Yes	18.80	±	0.69	69.56	±	2.55	Yes
06/27/23	1.25	±	0.29	4.63	±	1.06	Yes	19.70	±	0.70	72.89	±	2.60	Yes	
FAA TOWER	04/04/23	1.32	±	0.25	4.88	±	0.92	Yes	13.40	±	0.56	49.58	±	2.08	Yes
	04/11/23	1.17	±	0.28	4.33	±	1.05	Yes	20.50	±	0.73	75.85	±	2.70	Yes
	04/18/23	1.77	±	0.29	6.55	±	1.06	Yes	20.70	±	0.68	76.59	±	2.51	Yes
	04/25/23	1.00	±	0.22	3.69	±	0.83	Yes	12.30	±	0.53	45.51	±	1.95	Yes
	05/02/23	2.10	±	0.31	7.77	±	1.14	Yes	22.90	±	0.69	84.73	±	2.56	Yes
	05/09/23	1.73	±	0.29	6.40	±	1.07	Yes	19.00	±	0.64	70.30	±	2.38	Yes
	05/16/23	1.65	±	0.26	6.11	±	0.96	Yes	17.40	±	0.60	64.38	±	2.22	Yes
	05/23/23	2.48	±	0.39	9.18	±	1.44	Yes	26.00	±	0.85	96.20	±	3.15	Yes
	05/30/23	1.01	±	0.26	3.74	±	0.95	Yes	17.80	±	0.72	65.86	±	2.66	Yes
	a 06/06/23		±		0.00	±	0.00	No		±		0.00	±	0.00	No
	06/13/23	1.89	±	0.34	6.99	±	1.27	Yes	26.50	±	0.81	98.05	±	2.99	Yes
	06/20/23	1.50	±	0.28	5.55	±	1.03	Yes	16.80	±	0.65	62.16	±	2.42	Yes
06/27/23	0.68	±	0.23	2.51	±	0.86	No	18.40	±	0.65	68.08	±	2.40	Yes	
HOWE	04/04/23	0.93	±	0.24	3.43	±	0.87	Yes	9.26	±	0.54	34.26	±	1.99	Yes

Table C-1. Weekly gross alpha and gross beta concentrations in air.

GROSS ALPHA								GROSS BETA							
Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty		Result ± 1s Uncertainty			Result > 3s	Result ± 1s Uncertainty		Result ± 1s Uncertainty			Result > 3s		
		(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)				(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)					
	04/11/23	1.84	±	0.34	6.81	±	1.27	Yes	25.30	±	0.83	93.61	±	3.06	Yes
	04/18/23	1.43	±	0.26	5.29	±	0.95	Yes	18.50	±	0.64	68.45	±	2.35	Yes
	04/25/23	1.34	±	0.25	4.96	±	0.92	Yes	13.70	±	0.55	50.69	±	2.04	Yes
	05/02/23	1.56	±	0.27	5.77	±	1.00	Yes	20.00	±	0.65	74.00	±	2.39	Yes
	05/09/23	1.62	±	0.29	5.99	±	1.06	Yes	20.90	±	0.68	77.33	±	2.50	Yes
	05/16/23	1.27	±	0.24	4.70	±	0.87	Yes	14.60	±	0.57	54.02	±	2.11	Yes
	05/23/23	2.68	±	0.40	9.92	±	1.47	Yes	24.80	±	0.83	91.76	±	3.08	Yes
	05/30/23	0.88	±	0.24	3.27	±	0.87	Yes	49.90	±	0.97	184.63	±	3.57	Yes
	06/06/23	1.09	±	0.28	4.03	±	1.02	Yes	17.20	±	0.65	63.64	±	2.40	Yes
	06/13/23	1.60	±	0.31	5.92	±	1.16	Yes	22.20	±	0.73	82.14	±	2.69	Yes
	06/20/23	2.76	±	0.35	10.21	±	1.31	Yes	19.60	±	0.70	72.52	±	2.60	Yes
	06/27/23	1.51	±	0.30	5.59	±	1.09	Yes	19.60	±	0.69	72.52	±	2.53	Yes
MONTEVIEW	04/04/23	1.72	±	0.30	6.36	±	1.12	Yes	14.60	±	0.64	54.02	±	2.38	Yes
	04/11/23	1.80	±	0.33	6.66	±	1.23	Yes	23.80	±	0.79	88.06	±	2.93	Yes
	04/18/23	1.48	±	0.28	5.48	±	1.04	Yes	22.90	±	0.74	84.73	±	2.73	Yes
	04/25/23	1.26	±	0.25	4.66	±	0.92	Yes	14.50	±	0.58	53.65	±	2.13	Yes
	05/02/23	1.93	±	0.30	7.14	±	1.11	Yes	24.30	±	0.71	89.91	±	2.64	Yes
	05/09/23	1.96	±	0.31	7.25	±	1.14	Yes	21.80	±	0.69	80.66	±	2.55	Yes
	05/16/23	1.56	±	0.26	5.77	±	0.98	Yes	16.70	±	0.62	61.79	±	2.29	Yes
	05/23/23	2.76	±	0.44	10.21	±	1.62	Yes	22.70	±	0.88	83.99	±	3.25	Yes
	05/30/23	1.26	±	0.24	4.66	±	0.90	Yes	19.20	±	0.65	71.04	±	2.39	Yes
	06/06/23	0.95	±	0.26	3.51	±	0.96	Yes	16.50	±	0.63	61.05	±	2.31	Yes
	06/13/23	1.62	±	0.32	5.99	±	1.17	Yes	25.20	±	0.77	93.24	±	2.84	Yes
	06/20/23	1.59	±	0.28	5.88	±	1.04	Yes	14.60	±	0.62	54.02	±	2.28	Yes
06/27/23	1.54	±	0.30	5.70	±	1.11	Yes	19.50	±	0.69	72.15	±	2.56	Yes	
TERRETON	04/04/23	1.19	±	0.39	4.40	±	1.45	Yes	16.10	±	0.99	59.57	±	3.66	Yes
	04/11/23	1.24	±	0.39	4.59	±	1.44	Yes	28.10	±	1.25	103.97	±	4.63	Yes
	04/18/23	1.49	±	0.44	5.51	±	1.61	Yes	21.90	±	1.12	81.03	±	4.14	Yes
	04/25/23	0.80	±	0.28	2.95	±	1.04	No	17.60	±	0.99	65.12	±	3.64	Yes
	05/02/23	1.39	±	0.36	5.14	±	1.35	Yes	19.50	±	1.04	72.15	±	3.85	Yes
	05/09/23	1.51	±	0.42	5.59	±	1.54	Yes	22.60	±	1.11	83.62	±	4.11	Yes
	05/16/23	1.35	±	0.35	5.00	±	1.31	Yes	17.80	±	0.98	65.86	±	3.63	Yes
	05/23/23	2.77	±	0.64	10.25	±	2.38	Yes	24.90	±	1.36	92.13	±	5.03	Yes
	05/30/23	1.88	±	0.44	6.96	±	1.63	Yes	19.60	±	1.05	72.52	±	3.89	Yes
	06/06/23	0.73	±	0.28	2.69	±	1.03	No	21.90	±	1.11	81.03	±	4.11	Yes
	06/13/23	0.40	±	0.26	1.49	±	0.94	No	41.40	±	1.55	153.18	±	5.74	Yes
	06/20/23	1.44	±	0.38	5.33	±	1.41	Yes	18.80	±	1.00	69.56	±	3.70	Yes
06/27/23	0.80	±	0.48	2.95	±	1.76	No	15.30	±	1.48	56.61	±	5.48	Yes	
OFFSITE															
BLACKFOOT	04/04/23	1.86	±	0.47	6.88	±	1.72	Yes	16.00	±	0.98	59.20	±	3.61	Yes
	04/11/23	0.55	±	0.28	2.03	±	1.02	No	25.80	±	1.23	95.46	±	4.55	Yes
	04/18/23	1.82	±	0.46	6.73	±	1.70	Yes	22.20	±	1.10	82.14	±	4.07	Yes
	04/25/23	0.89	±	0.30	3.30	±	1.11	No	16.20	±	0.96	59.94	±	3.54	Yes
	05/02/23	1.77	±	0.45	6.55	±	1.66	Yes	18.20	±	1.02	67.34	±	3.77	Yes
	05/09/23	1.31	±	0.36	4.85	±	1.32	Yes	18.90	±	1.03	69.93	±	3.81	Yes
	05/16/23	0.91	±	0.34	3.38	±	1.26	No	20.80	±	1.06	76.96	±	3.92	Yes
	05/23/23	2.66	±	0.52	9.84	±	1.94	Yes	29.80	±	1.36	110.26	±	5.03	Yes
	05/30/23	1.01	±	0.35	3.74	±	1.30	No	22.10	±	1.11	81.77	±	4.11	Yes
	06/06/23	1.19	±	0.39	4.40	±	1.42	Yes	23.40	±	1.13	86.58	±	4.18	Yes
	06/13/23	2.07	±	0.46	7.66	±	1.72	Yes	28.00	±	1.25	103.60	±	4.63	Yes
	06/20/23	0.95	±	0.33	3.52	±	1.22	No	19.90	±	1.06	73.63	±	3.92	Yes
06/27/23	1.46	±	0.37	5.40	±	1.37	Yes	21.20	±	1.08	78.44	±	4.00	Yes	
CRATERS OF THE MOON	04/04/23	0.27	±	0.20	1.00	±	0.72	No	8.79	±	0.73	32.52	±	2.71	Yes
	04/11/23	0.95	±	0.32	3.52	±	1.20	No	15.00	±	0.93	55.50	±	3.43	Yes

Table C-1. Weekly gross alpha and gross beta concentrations in air.

Sampling Group and Location	Sampling Date	GROSS ALPHA						GROSS BETA					
		Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s		Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s	
		(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)				(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)			
a	04/18/23	0.28 ± 0.19		1.02 ± 0.69		No		0.99 ± 0.36		3.68 ± 1.33		No	
	04/25/23	± 0.40		0.00 ± 0.00		No		± 0.00		0.00 ± 0.00		No	
	05/02/23	1.30 ± 0.40		4.81 ± 1.47		Yes		12.30 ± 0.87		45.51 ± 3.23		Yes	
	05/09/23	0.98 ± 0.30		3.64 ± 1.12		Yes		12.10 ± 0.81		44.77 ± 3.00		Yes	
	05/16/23	0.78 ± 0.31		2.89 ± 1.16		No		17.80 ± 0.96		65.86 ± 3.57		Yes	
	05/23/23	2.54 ± 0.50		9.40 ± 1.85		Yes		30.10 ± 1.34		111.37 ± 4.96		Yes	
	05/30/23	1.49 ± 0.41		5.51 ± 1.51		Yes		20.70 ± 1.06		76.59 ± 3.92		Yes	
	06/06/23	1.18 ± 0.38		4.37 ± 1.42		Yes		24.80 ± 1.15		91.76 ± 4.26		Yes	
	06/13/23	1.95 ± 0.45		7.22 ± 1.66		Yes		31.30 ± 1.31		115.81 ± 4.85		Yes	
	06/20/23	1.63 ± 0.42		6.03 ± 1.54		Yes		19.40 ± 1.03		71.78 ± 3.81		Yes	
DUBOIS	06/27/23	1.36 ± 0.36		5.03 ± 1.32		Yes		26.00 ± 1.18		96.20 ± 4.37		Yes	
	04/04/23	1.34 ± 0.27		4.96 ± 1.01		Yes		12.30 ± 0.60		45.51 ± 2.23		Yes	
	04/11/23	1.50 ± 0.31		5.55 ± 1.15		Yes		22.70 ± 0.77		83.99 ± 2.85		Yes	
	04/18/23	1.87 ± 0.30		6.92 ± 1.11		Yes		22.80 ± 0.73		84.36 ± 2.69		Yes	
	04/25/23	1.41 ± 0.26		5.22 ± 0.96		Yes		14.10 ± 0.57		52.17 ± 2.11		Yes	
	05/02/23	1.77 ± 0.30		6.55 ± 1.09		Yes		24.60 ± 0.73		91.02 ± 2.68		Yes	
	05/09/23	2.14 ± 0.32		7.92 ± 1.17		Yes		22.30 ± 0.69		82.51 ± 2.56		Yes	
	05/16/23	1.52 ± 0.26		5.62 ± 0.97		Yes		15.40 ± 0.60		56.98 ± 2.23		Yes	
	05/23/23	4.55 ± 0.50		16.84 ± 1.85		Yes		25.90 ± 0.87		95.83 ± 3.22		Yes	
	05/30/23	1.34 ± 0.25		4.96 ± 0.93		Yes		20.10 ± 0.66		74.37 ± 2.43		Yes	
DUBOIS (QA 1)	06/06/23	1.05 ± 0.27		3.89 ± 0.99		Yes		18.00 ± 0.65		66.60 ± 2.40		Yes	
	06/13/23	1.39 ± 0.30		5.14 ± 1.11		Yes		23.60 ± 0.74		87.32 ± 2.75		Yes	
	06/20/23	2.36 ± 0.33		8.73 ± 1.23		Yes		20.40 ± 0.71		75.48 ± 2.63		Yes	
	06/27/23	1.25 ± 0.28		4.63 ± 1.04		Yes		20.10 ± 0.70		74.37 ± 2.58		Yes	
	04/04/23	1.46 ± 0.28		5.40 ± 1.02		Yes		14.20 ± 0.62		52.54 ± 2.29		Yes	
	04/11/23	1.69 ± 0.32		6.25 ± 1.20		Yes		23.00 ± 0.78		85.10 ± 2.87		Yes	
	04/18/23	1.77 ± 0.30		6.55 ± 1.10		Yes		21.20 ± 0.71		78.44 ± 2.63		Yes	
	04/25/23	1.02 ± 0.23		3.77 ± 0.85		Yes		13.90 ± 0.56		51.43 ± 2.09		Yes	
	05/02/23	1.36 ± 0.27		5.03 ± 1.00		Yes		22.70 ± 0.70		83.99 ± 2.59		Yes	
	05/09/23	1.84 ± 0.30		6.81 ± 1.10		Yes		20.30 ± 0.66		75.11 ± 2.46		Yes	
IDAHO FALLS	05/16/23	1.05 ± 0.22		3.89 ± 0.82		Yes		12.30 ± 0.54		45.51 ± 1.99		Yes	
	05/23/23	3.75 ± 0.47		13.88 ± 1.73		Yes		25.50 ± 0.88		94.35 ± 3.24		Yes	
	05/30/23	2.66 ± 0.82		9.84 ± 3.05		Yes		20.90 ± 1.88		77.33 ± 6.96		Yes	
	06/06/23	0.93 ± 0.27		3.44 ± 0.98		Yes		15.60 ± 0.63		57.72 ± 2.33		Yes	
	06/13/23	1.68 ± 0.33		6.22 ± 1.21		Yes		25.00 ± 0.78		92.50 ± 2.88		Yes	
	06/20/23	2.54 ± 0.36		9.40 ± 1.32		Yes		20.00 ± 0.74		74.00 ± 2.73		Yes	
	06/27/23	1.22 ± 0.29		4.51 ± 1.07		Yes		17.80 ± 0.68		65.86 ± 2.53		Yes	
	04/04/23	1.49 ± 0.43		5.51 ± 1.58		Yes		15.60 ± 0.96		57.72 ± 3.56		Yes	
	04/11/23	3.05 ± 0.59		11.29 ± 2.17		Yes		26.90 ± 1.22		99.53 ± 4.51		Yes	
	04/18/23	2.70 ± 0.51		9.99 ± 1.90		Yes		25.30 ± 1.22		93.61 ± 4.51		Yes	
IRC	04/25/23	1.47 ± 0.40		5.44 ± 1.48		Yes		16.50 ± 0.94		61.05 ± 3.48		Yes	
	05/02/23	1.44 ± 0.38		5.33 ± 1.40		Yes		20.90 ± 1.10		77.33 ± 4.07		Yes	
	05/09/23	1.85 ± 0.46		6.85 ± 1.71		Yes		20.70 ± 1.07		76.59 ± 3.96		Yes	
	05/16/23	1.15 ± 0.33		4.26 ± 1.20		Yes		20.10 ± 1.02		74.37 ± 3.77		Yes	
	05/23/23	2.82 ± 0.62		10.43 ± 2.31		Yes		25.30 ± 1.32		93.61 ± 4.88		Yes	
	05/30/23	1.34 ± 0.37		4.96 ± 1.37		Yes		21.10 ± 1.06		78.07 ± 3.92		Yes	
	06/06/23	0.93 ± 0.31		3.42 ± 1.16		No		23.90 ± 1.18		88.43 ± 4.37		Yes	
	06/13/23	2.37 ± 0.50		8.77 ± 1.86		Yes		27.10 ± 1.19		100.27 ± 4.40		Yes	
	06/20/23	1.49 ± 0.38		5.51 ± 1.42		Yes		21.60 ± 1.06		79.92 ± 3.92		Yes	
	06/27/23	1.54 ± 0.39		5.70 ± 1.44		Yes		21.00 ± 1.02		77.70 ± 3.77		Yes	
IRC	04/04/23	1.76 ± 0.46		6.51 ± 1.69		Yes		15.30 ± 0.96		56.61 ± 3.55		Yes	
	04/11/23	2.23 ± 0.51		8.25 ± 1.90		Yes		25.60 ± 1.23		94.72 ± 4.55		Yes	
	04/18/23	1.59 ± 0.43		5.88 ± 1.60		Yes		20.30 ± 1.05		75.11 ± 3.89		Yes	
	04/25/23	0.97 ± 0.31		3.58 ± 1.14		Yes		15.30 ± 0.93		56.61 ± 3.43		Yes	

Table C-1. Weekly gross alpha and gross beta concentrations in air.

GROSS ALPHA							GROSS BETA						
Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty		Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result ± 1s Uncertainty			
		(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)		Result > 3s	(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)		Result > 3s		
	05/02/23	1.26	± 0.39	4.66	± 1.43	Yes	19.00	± 1.05	70.30	± 3.89	Yes		
	05/09/23	1.71	± 0.41	6.33	± 1.51	Yes	19.70	± 1.07	72.89	± 3.96	Yes		
	05/16/23	1.82	± 0.44	6.73	± 1.63	Yes	18.70	± 0.98	69.19	± 3.61	Yes		
	05/23/23	3.38	± 0.62	12.51	± 2.29	Yes	29.30	± 1.43	108.41	± 5.29	Yes		
	05/30/23	1.09	± 0.36	4.03	± 1.33	Yes	22.80	± 1.12	84.36	± 4.14	Yes		
	06/06/23	0.83	± 0.35	3.06	± 1.28	No	22.50	± 1.14	83.25	± 4.22	Yes		
	06/13/23	2.54	± 0.50	9.40	± 1.85	Yes	34.20	± 1.34	126.54	± 4.96	Yes		
	06/20/23	2.01	± 0.47	7.44	± 1.74	Yes	19.40	± 1.05	71.78	± 3.89	Yes		
06/27/23	1.44	± 0.38	5.33	± 1.39	Yes	21.00	± 1.10	77.70	± 4.07	Yes			
IRC NORTH	04/04/23	1.77	± 0.46	6.55	± 1.69	Yes	15.50	± 0.97	57.35	± 3.57	Yes		
	04/11/23	1.48	± 0.43	5.48	± 1.59	Yes	25.40	± 1.23	93.98	± 4.55	Yes		
	04/18/23	2.38	± 0.54	8.81	± 1.99	Yes	24.10	± 1.18	89.17	± 4.37	Yes		
	04/25/23	1.57	± 0.39	5.81	± 1.46	Yes	18.20	± 1.03	67.34	± 3.81	Yes		
	05/02/23	1.87	± 0.49	6.92	± 1.82	Yes	18.90	± 1.10	69.93	± 4.07	Yes		
	05/09/23	1.35	± 0.43	5.00	± 1.61	Yes	19.50	± 1.25	72.15	± 4.63	Yes		
	05/16/23	1.53	± 0.42	5.66	± 1.56	Yes	14.20	± 0.89	52.54	± 3.29	Yes		
	05/23/23	2.31	± 0.53	8.55	± 1.97	Yes	29.80	± 1.48	110.26	± 5.48	Yes		
	05/30/23	0.86	± 0.34	3.17	± 1.25	No	20.90	± 1.13	77.33	± 4.18	Yes		
	06/06/23	1.66	± 0.49	6.14	± 1.81	Yes	22.70	± 1.22	83.99	± 4.51	Yes		
	06/13/23	1.75	± 0.50	6.48	± 1.84	Yes	28.30	± 1.38	104.71	± 5.11	Yes		
	06/20/23	1.94	± 0.50	7.18	± 1.84	Yes	21.40	± 1.18	79.18	± 4.37	Yes		
06/27/23	1.18	± 0.40	4.37	± 1.48	No	22.00	± 1.29	81.40	± 4.77	Yes			
JACKSON, WY	04/04/23	1.65	± 0.30	6.11	± 1.12	Yes	16.00	± 0.67	59.20	± 2.49	Yes		
	04/11/23	1.53	± 0.33	5.66	± 1.22	Yes	21.30	± 0.79	78.81	± 2.93	Yes		
	04/18/23	1.54	± 0.29	5.70	± 1.07	Yes	23.70	± 0.76	87.69	± 2.82	Yes		
	04/25/23	1.04	± 0.25	3.85	± 0.92	Yes	13.90	± 0.60	51.43	± 2.22	Yes		
	05/02/23	1.59	± 0.28	5.88	± 1.05	Yes	21.50	± 0.69	79.55	± 2.55	Yes		
	05/09/23	1.17	± 0.26	4.33	± 0.95	Yes	17.00	± 0.63	62.90	± 2.32	Yes		
	05/16/23	1.21	± 0.25	4.48	± 0.91	Yes	16.40	± 0.63	60.68	± 2.33	Yes		
	05/23/23	2.70	± 0.38	9.99	± 1.41	Yes	25.30	± 0.80	93.61	± 2.96	Yes		
	05/30/23	1.60	± 0.27	5.92	± 0.99	Yes	19.20	± 0.65	71.04	± 2.40	Yes		
	06/06/23	1.06	± 0.28	3.92	± 1.02	Yes	21.20	± 0.70	78.44	± 2.59	Yes		
	06/13/23	0.71	± 0.25	2.64	± 0.93	No	16.30	± 0.64	60.31	± 2.37	Yes		
	06/20/23	1.79	± 0.30	6.62	± 1.11	Yes	20.40	± 0.71	75.48	± 2.63	Yes		
06/27/23	1.42	± 0.30	5.25	± 1.12	Yes	20.40	± 0.72	75.48	± 2.67	Yes			
SUGAR CITY	04/04/23	0.88	± 0.31	3.26	± 1.16	No	16.10	± 1.00	59.57	± 3.70	Yes		
	04/11/23	1.06	± 0.34	3.92	± 1.25	Yes	25.80	± 1.24	95.46	± 4.59	Yes		
	04/18/23	2.09	± 0.50	7.73	± 1.86	Yes	21.00	± 1.12	77.70	± 4.14	Yes		
	04/25/23	1.66	± 0.41	6.14	± 1.50	Yes	15.80	± 0.93	58.46	± 3.43	Yes		
	05/02/23	2.81	± 0.68	10.40	± 2.51	Yes	29.40	± 1.53	108.78	± 5.66	Yes		
	05/09/23	1.53	± 0.39	5.66	± 1.45	Yes	19.30	± 1.01	71.41	± 3.74	Yes		
	05/16/23	1.26	± 0.38	4.66	± 1.42	Yes	19.10	± 1.04	70.67	± 3.85	Yes		
	05/23/23	2.16	± 0.56	7.99	± 2.08	Yes	24.80	± 1.41	91.76	± 5.22	Yes		
	05/30/23	1.07	± 0.36	3.96	± 1.33	No	22.80	± 1.12	84.36	± 4.14	Yes		
	06/06/23	1.29	± 0.39	4.77	± 1.44	Yes	25.70	± 1.16	95.09	± 4.29	Yes		
	06/13/23	1.52	± 0.39	5.62	± 1.46	Yes	30.30	± 1.34	112.11	± 4.96	Yes		
	06/20/23	0.97	± 0.34	3.58	± 1.27	No	20.40	± 1.06	75.48	± 3.92	Yes		
06/27/23	0.96	± 0.32	3.56	± 1.20	No	19.10	± 1.02	70.67	± 3.77	Yes			
ONSITE													
ATR COMPLEX	04/04/23	1.02	± 0.38	3.77	± 1.39	No	13.70	± 0.95	50.69	± 3.50	Yes		
	04/11/23	2.11	± 0.50	7.81	± 1.84	Yes	26.70	± 1.22	98.79	± 4.51	Yes		
	04/18/23	2.28	± 0.51	8.44	± 1.87	Yes	23.80	± 1.15	88.06	± 4.26	Yes		
	04/25/23	0.84	± 0.30	3.09	± 1.10	No	13.40	± 0.86	49.58	± 3.19	Yes		
	05/02/23	2.53	± 0.54	9.36	± 1.99	Yes	20.50	± 1.08	75.85	± 4.00	Yes		

Table C-1. Weekly gross alpha and gross beta concentrations in air.

GROSS ALPHA								GROSS BETA					
Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty		Result ± 1s Uncertainty			Result > 3s	Result ± 1s Uncertainty		Result ± 1s Uncertainty			
		(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)				(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)			Result > 3s
	05/09/23	1.53	± 0.41	5.66	± 1.50	Yes	20.80	± 1.08	76.96	± 4.00	Yes		
	05/16/23	2.20	± 0.50	8.14	± 1.84	Yes	20.30	± 1.06	75.11	± 3.92	Yes		
	05/23/23	2.45	± 0.54	9.07	± 1.99	Yes	29.90	± 1.38	110.63	± 5.11	Yes		
	05/30/23	1.05	± 0.35	3.89	± 1.30	No	21.10	± 1.07	78.07	± 3.96	Yes		
	06/06/23	0.87	± 0.35	3.23	± 1.30	No	21.10	± 1.12	78.07	± 4.14	Yes		
	06/13/23	1.34	± 0.38	4.96	± 1.39	Yes	27.60	± 1.28	102.12	± 4.74	Yes		
	06/20/23	1.48	± 0.43	5.48	± 1.59	Yes	19.90	± 1.09	73.63	± 4.03	Yes		
	06/27/23	0.62	± 0.28	2.28	± 1.02	No	20.60	± 1.07	76.22	± 3.96	Yes		
CFA	04/04/23	1.78	± 0.45	6.59	± 1.65	Yes	16.70	± 0.97	61.79	± 3.60	Yes		
	04/11/23	0.69	± 0.28	2.55	± 1.05	No	19.30	± 1.01	71.41	± 3.74	Yes		
	04/18/23	1.88	± 0.45	6.96	± 1.65	Yes	23.80	± 1.16	88.06	± 4.29	Yes		
	04/25/23	0.85	± 0.32	3.14	± 1.20	No	15.20	± 0.89	56.24	± 3.31	Yes		
	05/02/23	2.00	± 0.44	7.40	± 1.64	Yes	22.20	± 1.08	82.14	± 4.00	Yes		
	05/09/23	1.87	± 0.45	6.92	± 1.66	Yes	18.40	± 0.99	68.08	± 3.68	Yes		
	05/16/23	1.44	± 0.38	5.33	± 1.41	Yes	21.60	± 1.07	79.92	± 3.96	Yes		
	05/23/23	1.90	± 0.53	7.03	± 1.95	Yes	31.00	± 1.49	114.70	± 5.51	Yes		
	05/30/23	0.37	± 0.21	1.38	± 0.78	No	22.30	± 1.11	82.51	± 4.11	Yes		
	06/06/23	0.46	± 0.23	1.68	± 0.85	No	23.10	± 1.11	85.47	± 4.11	Yes		
	06/13/23	2.43	± 0.53	8.99	± 1.95	Yes	27.40	± 1.23	101.38	± 4.55	Yes		
	06/20/23	1.25	± 0.34	4.63	± 1.27	Yes	21.50	± 1.07	79.55	± 3.96	Yes		
06/27/23	0.57	± 0.46	2.09	± 1.69	No	13.70	± 1.40	50.69	± 5.18	Yes			
EBR-I	04/04/23	1.33	± 0.39	4.92	± 1.44	Yes	16.60	± 1.01	61.42	± 3.74	Yes		
	04/11/23	1.95	± 0.47	7.22	± 1.72	Yes	27.00	± 1.26	99.90	± 4.66	Yes		
	04/18/23	1.24	± 0.45	4.59	± 1.65	No	22.90	± 1.25	84.73	± 4.63	Yes		
	04/25/23	1.34	± 0.45	4.96	± 1.65	Yes	17.90	± 1.25	66.23	± 4.63	Yes		
	05/02/23	2.78	± 0.66	10.29	± 2.45	Yes	20.50	± 1.29	75.85	± 4.77	Yes		
	05/09/23	2.26	± 0.53	8.36	± 1.95	Yes	19.40	± 1.20	71.78	± 4.44	Yes		
	05/16/23	1.23	± 0.39	4.55	± 1.44	Yes	21.40	± 1.08	79.18	± 4.00	Yes		
	05/23/23	2.86	± 0.72	10.58	± 2.65	Yes	31.40	± 1.86	116.18	± 6.88	Yes		
	05/30/23	1.47	± 0.51	5.44	± 1.88	No	22.20	± 1.37	82.14	± 5.07	Yes		
	06/06/23	0.82	± 0.34	3.05	± 1.27	No	20.00	± 1.08	74.00	± 4.00	Yes		
	06/13/23	1.96	± 0.46	7.25	± 1.72	Yes	26.80	± 1.25	99.16	± 4.63	Yes		
	06/20/23	1.42	± 0.40	5.25	± 1.49	Yes	21.10	± 1.11	78.07	± 4.11	Yes		
06/27/23	1.27	± 0.36	4.70	± 1.32	Yes	24.30	± 1.18	89.91	± 4.37	Yes			
EFS	04/04/23	1.34	± 0.40	4.96	± 1.48	Yes	11.40	± 0.83	42.18	± 3.05	Yes		
	04/11/23	1.89	± 0.47	6.99	± 1.75	Yes	25.10	± 1.19	92.87	± 4.40	Yes		
	04/18/23	1.56	± 0.43	5.77	± 1.58	Yes	23.50	± 1.15	86.95	± 4.26	Yes		
	04/25/23	1.08	± 0.33	4.00	± 1.21	Yes	13.30	± 0.85	49.21	± 3.13	Yes		
	05/02/23	2.38	± 0.52	8.81	± 1.92	Yes	22.20	± 1.11	82.14	± 4.11	Yes		
	05/09/23	1.63	± 0.41	6.03	± 1.50	Yes	21.00	± 1.05	77.70	± 3.89	Yes		
	05/16/23	2.51	± 0.53	9.29	± 1.95	Yes	16.50	± 0.97	61.05	± 3.58	Yes		
	05/23/23	1.01	± 0.34	3.74	± 1.25	No	12.00	± 0.87	44.40	± 3.20	Yes		
	05/30/23	1.93	± 0.46	7.14	± 1.69	Yes	18.00	± 0.99	66.60	± 3.64	Yes		
	06/06/23	0.92	± 0.34	3.41	± 1.27	No	23.30	± 1.13	86.21	± 4.18	Yes		
	06/13/23	1.66	± 0.51	6.14	± 1.90	Yes	31.20	± 1.50	115.44	± 5.55	Yes		
	06/20/23	2.26	± 0.50	8.36	± 1.84	Yes	19.20	± 1.02	71.04	± 3.77	Yes		
06/27/23	1.38	± 0.37	5.11	± 1.37	Yes	20.20	± 1.02	74.74	± 3.77	Yes			
GATE 4	04/04/23	1.22	± 0.40	4.51	± 1.48	Yes	16.00	± 1.00	59.20	± 3.70	Yes		
	04/11/23	1.93	± 0.48	7.14	± 1.78	Yes	30.80	± 1.32	113.96	± 4.88	Yes		
	04/18/23	2.15	± 0.51	7.96	± 1.90	Yes	24.10	± 1.18	89.17	± 4.37	Yes		
	04/25/23	1.13	± 0.33	4.18	± 1.22	Yes	13.00	± 0.86	48.10	± 3.17	Yes		
	05/02/23	2.12	± 0.45	7.84	± 1.65	Yes	20.30	± 1.08	75.11	± 4.00	Yes		
	05/09/23	1.66	± 0.44	6.14	± 1.64	Yes	20.70	± 1.08	76.59	± 4.00	Yes		
	05/16/23	1.16	± 0.34	4.29	± 1.26	Yes	20.30	± 1.07	75.11	± 3.96	Yes		

Table C-1. Weekly gross alpha and gross beta concentrations in air.

GROSS ALPHA								GROSS BETA					
Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty		Result ± 1s Uncertainty			Result > 3s	Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s	
		(x 10 ⁻¹⁵ μCi/mL)		(x 10 ⁻¹¹ Bq/mL)				(x 10 ⁻¹⁵ μCi/mL)		(x 10 ⁻¹¹ Bq/mL)			
	05/23/23	4.44	± 0.82	16.43	± 3.03	Yes	27.80	± 1.46	102.86	± 5.40	Yes		
	05/30/23	1.08	± 0.34	4.00	± 1.24	Yes	22.60	± 1.10	83.62	± 4.07	Yes		
	06/06/23	1.09	± 0.33	4.03	± 1.24	Yes	21.80	± 1.12	80.66	± 4.14	Yes		
	06/13/23	1.40	± 0.42	5.18	± 1.54	Yes	28.10	± 1.28	103.97	± 4.74	Yes		
	06/20/23	1.45	± 0.39	5.37	± 1.42	Yes	19.60	± 1.03	72.52	± 3.81	Yes		
	06/27/23	2.05	± 0.48	7.59	± 1.76	Yes	21.30	± 1.10	78.81	± 4.07	Yes		
HIGHWAY 26 REST AREA	04/04/23	1.44	± 0.39	5.33	± 1.45	Yes	15.90	± 0.95	58.83	± 3.53	Yes		
	04/11/23	0.36	± 0.22	1.34	± 0.80	No	19.30	± 1.03	71.41	± 3.81	Yes		
	04/18/23	1.41	± 0.38	5.22	± 1.40	Yes	23.00	± 1.16	85.10	± 4.29	Yes		
	04/25/23	1.45	± 0.40	5.37	± 1.47	Yes	15.80	± 0.92	58.46	± 3.39	Yes		
	05/02/23	2.00	± 0.43	7.40	± 1.59	Yes	21.20	± 1.09	78.44	± 4.03	Yes		
	05/09/23	1.09	± 0.36	4.03	± 1.33	Yes	21.10	± 1.07	78.07	± 3.96	Yes		
	05/16/23	1.20	± 0.34	4.44	± 1.25	Yes	20.30	± 1.05	75.11	± 3.89	Yes		
	05/23/23	2.14	± 0.51	7.92	± 1.89	Yes	31.50	± 1.36	116.55	± 5.03	Yes		
	05/30/23	1.00	± 0.33	3.70	± 1.22	Yes	22.20	± 1.10	82.14	± 4.07	Yes		
	06/06/23	0.89	± 0.30	3.28	± 1.11	No	20.40	± 1.07	75.48	± 3.96	Yes		
	06/13/23	2.55	± 0.54	9.44	± 2.01	Yes	32.50	± 1.35	120.25	± 5.00	Yes		
	06/20/23	0.69	± 0.28	2.57	± 1.02	No	21.60	± 1.07	79.92	± 3.96	Yes		
	06/27/23	1.39	± 0.39	5.14	± 1.45	Yes	22.30	± 1.11	82.51	± 4.11	Yes		
INTEC (NE CORNER)	04/04/23	0.32	± 0.23	1.17	± 0.85	No	17.60	± 1.08	65.12	± 4.00	Yes		
	04/11/23	1.78	± 0.47	6.59	± 1.73	Yes	28.40	± 1.35	105.08	± 5.00	Yes		
	a 04/18/23		±	0.00	± 0.00	No		±	0.00	± 0.00	No		
	a 04/25/23		±	0.00	± 0.00	No		±	0.00	± 0.00	No		
	a 05/02/23		±	0.00	± 0.00	No		±	0.00	± 0.00	No		
	a 05/09/23		±	0.00	± 0.00	No		±	0.00	± 0.00	No		
	a 05/16/23		±	0.00	± 0.00	No		±	0.00	± 0.00	No		
	a 05/23/23		±	0.00	± 0.00	No		±	0.00	± 0.00	No		
	a 05/30/23		±	0.00	± 0.00	No		±	0.00	± 0.00	No		
	a 06/06/23		±	0.00	± 0.00	No		±	0.00	± 0.00	No		
	a 06/06/23		±	0.00	± 0.00	No		±	0.00	± 0.00	No		
	a 06/20/23		±	0.00	± 0.00	No		±	0.00	± 0.00	No		
	a 06/27/23		±	0.00	± 0.00	No		±	0.00	± 0.00	No		
INTEC (QA 2)	04/04/23	1.50	± 0.42	5.55	± 1.54	Yes	17.30	± 1.00	64.01	± 3.70	Yes		
	04/11/23	1.60	± 0.43	5.92	± 1.59	Yes	28.40	± 1.26	105.08	± 4.66	Yes		
	04/18/23	1.52	± 0.43	5.62	± 1.60	Yes	24.40	± 1.19	90.28	± 4.40	Yes		
	04/25/23	0.89	± 0.30	3.29	± 1.11	No	14.90	± 0.89	55.13	± 3.28	Yes		
	05/02/23	1.97	± 0.45	7.29	± 1.67	Yes	20.50	± 1.06	75.85	± 3.92	Yes		
	05/09/23	1.78	± 0.44	6.59	± 1.63	Yes	22.80	± 1.10	84.36	± 4.07	Yes		
	05/16/23	1.53	± 0.39	5.66	± 1.45	Yes	19.70	± 1.02	72.89	± 3.77	Yes		
	05/23/23	2.80	± 0.63	10.36	± 2.32	Yes	26.60	± 1.37	98.42	± 5.07	Yes		
	05/30/23	0.88	± 0.30	3.26	± 1.10	No	22.80	± 1.12	84.36	± 4.14	Yes		
	06/06/23	1.31	± 0.37	4.85	± 1.35	Yes	23.30	± 1.12	86.21	± 4.14	Yes		
	06/13/23	2.56	± 0.54	9.47	± 2.01	Yes	26.60	± 1.22	98.42	± 4.51	Yes		
	06/20/23	0.85	± 0.29	3.13	± 1.08	No	21.10	± 1.07	78.07	± 3.96	Yes		
	06/27/23	1.50	± 0.42	5.55	± 1.55	Yes	24.20	± 1.15	89.54	± 4.26	Yes		
INTEC (WEST SIDE)	04/04/23	1.56	± 0.42	5.77	± 1.57	Yes	17.40	± 1.04	64.38	± 3.85	Yes		
	04/11/23	1.36	± 0.40	5.03	± 1.48	Yes	27.20	± 1.28	100.64	± 4.74	Yes		
	04/18/23	1.02	± 0.33	3.77	± 1.21	Yes	21.40	± 1.11	79.18	± 4.11	Yes		
	04/25/23	1.57	± 0.41	5.81	± 1.53	Yes	14.00	± 0.87	51.80	± 3.22	Yes		
	05/02/23	1.22	± 0.36	4.51	± 1.32	Yes	19.70	± 1.09	72.89	± 4.03	Yes		
	05/09/23	1.48	± 0.41	5.48	± 1.52	Yes	20.90	± 1.06	77.33	± 3.92	Yes		
	05/16/23	0.70	± 0.27	2.60	± 1.00	No	18.80	± 1.02	69.56	± 3.77	Yes		
	05/23/23	3.37	± 0.68	12.47	± 2.52	Yes	30.50	± 1.45	112.85	± 5.37	Yes		
	05/30/23	0.49	± 0.26	1.81	± 0.97	No	20.50	± 1.13	75.85	± 4.18	Yes		

Table C-1. Weekly gross alpha and gross beta concentrations in air.

GROSS ALPHA										GROSS BETA					
Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty		Result ± 1s Uncertainty			Result > 3s	Result ± 1s Uncertainty		Result ± 1s Uncertainty					
		(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)				(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)			Result > 3s		
MAIN GATE	06/06/23	1.14	±	0.37	4.22	±	1.35	Yes	21.50	±	1.19	79.55	±	4.40	Yes
	06/13/23	1.84	±	0.44	6.81	±	1.64	Yes	27.10	±	1.19	100.27	±	4.40	Yes
	06/20/23	1.19	±	0.34	4.40	±	1.26	Yes	21.40	±	1.04	79.18	±	3.85	Yes
	06/27/23	1.11	±	0.36	4.11	±	1.32	Yes	21.30	±	1.10	78.81	±	4.07	Yes
	04/04/23	3.72	±	1.92	13.76	±	7.10	No	17.90	±	4.16	66.23	±	15.39	Yes
	04/11/23	1.43	±	0.41	5.29	±	1.53	Yes	26.30	±	1.06	97.31	±	3.92	Yes
	04/18/23	1.54	±	0.28	5.70	±	1.04	Yes	18.80	±	0.68	69.56	±	2.52	Yes
	04/25/23	0.65	±	0.20	2.42	±	0.74	Yes	14.90	±	0.57	55.13	±	2.10	Yes
	05/02/23	1.28	±	0.25	4.74	±	0.93	Yes	18.40	±	0.62	68.08	±	2.29	Yes
	05/09/23	1.76	±	0.29	6.51	±	1.07	Yes	19.90	±	0.65	73.63	±	2.42	Yes
	05/16/23	1.61	±	0.27	5.96	±	0.98	Yes	17.20	±	0.62	63.64	±	2.30	Yes
	05/23/23	2.38	±	0.39	8.81	±	1.44	Yes	23.10	±	0.83	85.47	±	3.05	Yes
	05/30/23	1.22	±	0.25	4.51	±	0.92	Yes	18.70	±	0.66	69.19	±	2.44	Yes
	06/06/23	1.02	±	0.27	3.77	±	1.01	Yes	18.50	±	0.67	68.45	±	2.48	Yes
	06/13/23	1.65	±	0.31	6.11	±	1.16	Yes	25.90	±	0.77	95.83	±	2.84	Yes
	06/20/23	1.71	±	0.29	6.33	±	1.09	Yes	19.10	±	0.69	70.67	±	2.56	Yes
06/27/23	1.07	±	0.29	3.96	±	1.07	Yes	19.10	±	0.72	70.67	±	2.66	Yes	
MFC NORTH	04/04/23	0.49	±	0.24	1.81	±	0.89	No	13.00	±	0.89	48.10	±	3.30	Yes
	04/11/23	0.87	±	0.31	3.20	±	1.14	No	23.40	±	1.18	86.58	±	4.37	Yes
	04/18/23	1.97	±	0.50	7.29	±	1.83	Yes	19.40	±	1.15	71.78	±	4.26	Yes
	04/25/23	1.52	±	0.44	5.62	±	1.64	Yes	11.20	±	0.84	41.44	±	3.11	Yes
	05/02/23	2.87	±	0.54	10.62	±	2.00	Yes	18.20	±	1.01	67.34	±	3.74	Yes
	05/09/23	2.08	±	0.47	7.70	±	1.74	Yes	19.50	±	1.02	72.15	±	3.77	Yes
	05/16/23	1.00	±	0.33	3.70	±	1.21	Yes	16.40	±	0.95	60.68	±	3.51	Yes
	05/23/23	1.91	±	0.49	7.07	±	1.82	Yes	28.10	±	1.32	103.97	±	4.88	Yes
	05/30/23	0.96	±	0.30	3.54	±	1.12	Yes	18.50	±	1.01	68.45	±	3.74	Yes
	06/06/23	1.29	±	0.39	4.77	±	1.45	Yes	21.60	±	1.17	79.92	±	4.33	Yes
	a 06/13/23		±		0.00	±	0.00	No		±		0.00	±	0.00	No
	06/20/23	1.82	±	0.42	6.73	±	1.54	Yes	21.50	±	1.10	79.55	±	4.07	Yes
	06/27/23	2.12	±	0.49	7.84	±	1.80	Yes	19.10	±	1.03	70.67	±	3.81	Yes
	MFC SOUTH	04/04/23	1.05	±	0.33	3.89	±	1.23	Yes	16.10	±	0.99	59.57	±	3.67
04/11/23		1.16	±	0.35	4.29	±	1.31	Yes	24.80	±	1.22	91.76	±	4.51	Yes
a 04/18/23			±		0.00	±	0.00	No		±		0.00	±	0.00	No
04/25/23		1.27	±	0.36	4.70	±	1.32	Yes	14.70	±	0.89	54.39	±	3.29	Yes
05/02/23		2.73	±	0.56	10.10	±	2.06	Yes	20.00	±	1.07	74.00	±	3.96	Yes
05/09/23		1.36	±	0.37	5.03	±	1.38	Yes	20.80	±	1.05	76.96	±	3.89	Yes
05/16/23		0.60	±	0.27	2.22	±	1.01	No	19.80	±	1.03	73.26	±	3.81	Yes
05/23/23		2.12	±	0.52	7.84	±	1.92	Yes	27.70	±	1.37	102.49	±	5.07	Yes
05/30/23		1.18	±	0.37	4.37	±	1.38	Yes	19.40	±	1.04	71.78	±	3.85	Yes
06/06/23		1.26	±	0.40	4.66	±	1.47	Yes	19.20	±	1.05	71.04	±	3.89	Yes
06/13/23		1.22	±	0.35	4.51	±	1.31	Yes	30.10	±	1.32	111.37	±	4.88	Yes
06/20/23		1.61	±	0.43	5.96	±	1.60	Yes	19.40	±	1.04	71.78	±	3.85	Yes
06/27/23		0.93	±	0.31	3.43	±	1.16	No	21.90	±	1.06	81.03	±	3.92	Yes
NRF		04/04/23	1.81	±	0.46	6.70	±	1.68	Yes	14.60	±	0.92	54.02	±	3.42
	04/11/23	1.06	±	0.36	3.92	±	1.32	No	28.30	±	1.25	104.71	±	4.63	Yes
	04/18/23	2.43	±	0.54	8.99	±	1.99	Yes	24.40	±	1.18	90.28	±	4.37	Yes
	04/25/23	0.86	±	0.29	3.17	±	1.06	No	14.70	±	0.89	54.39	±	3.30	Yes
	05/02/23	2.64	±	0.55	9.77	±	2.02	Yes	21.70	±	1.11	80.29	±	4.11	Yes
	05/09/23	1.22	±	0.34	4.51	±	1.27	Yes	20.60	±	1.07	76.22	±	3.96	Yes
	05/16/23	1.78	±	0.44	6.59	±	1.64	Yes	16.80	±	0.95	62.16	±	3.50	Yes
	05/23/23	2.57	±	0.55	9.51	±	2.04	Yes	29.90	±	1.46	110.63	±	5.40	Yes
	05/30/23	1.17	±	0.36	4.33	±	1.34	Yes	19.40	±	1.02	71.78	±	3.77	Yes
	06/06/23	1.69	±	0.45	6.25	±	1.65	Yes	22.90	±	1.11	84.73	±	4.11	Yes
	06/13/23	1.50	±	0.39	5.55	±	1.44	Yes	29.70	±	1.25	109.89	±	4.63	Yes

Table C-1. Weekly gross alpha and gross beta concentrations in air.

Sampling Group and Location	Sampling Date	GROSS ALPHA					GROSS BETA				
		Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s	Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)			(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)		
PBF	06/20/23	1.05 ± 0.34		3.89 ± 1.27		Yes	22.40 ± 1.11		82.88 ± 4.11		Yes
	06/27/23	0.92 ± 0.30		3.42 ± 1.10		Yes	23.80 ± 1.12		88.06 ± 4.14		Yes
	04/04/23	1.06 ± 0.36		3.92 ± 1.32		No	16.60 ± 0.98		61.42 ± 3.61		Yes
	04/11/23	1.33 ± 0.39		4.92 ± 1.44		Yes	20.50 ± 1.06		75.85 ± 3.92		Yes
	04/18/23	1.70 ± 0.45		6.29 ± 1.66		Yes	22.10 ± 1.12		81.77 ± 4.14		Yes
	04/25/23	0.99 ± 0.32		3.66 ± 1.17		Yes	15.20 ± 0.90		56.24 ± 3.32		Yes
	05/02/23	2.37 ± 0.49		8.77 ± 1.82		Yes	22.50 ± 1.11		83.25 ± 4.11		Yes
	05/09/23	0.71 ± 0.30		2.62 ± 1.11		No	21.90 ± 1.11		81.03 ± 4.11		Yes
	05/16/23	0.81 ± 0.30		2.99 ± 1.10		No	20.20 ± 1.04		74.74 ± 3.85		Yes
	05/23/23	3.51 ± 0.69		12.99 ± 2.55		Yes	24.50 ± 1.30		90.65 ± 4.81		Yes
	05/30/23	1.45 ± 0.35		5.37 ± 1.31		Yes	20.90 ± 1.03		77.33 ± 3.81		Yes
	06/06/23	1.11 ± 0.33		4.11 ± 1.20		Yes	20.80 ± 1.02		76.96 ± 3.77		Yes
	06/13/23	1.93 ± 0.46		7.14 ± 1.72		Yes	27.50 ± 1.20		101.75 ± 4.44		Yes
	06/20/23	1.20 ± 0.33		4.44 ± 1.23		Yes	20.90 ± 1.04		77.33 ± 3.85		Yes
	06/27/23	1.75 ± 0.45		6.48 ± 1.68		Yes	19.00 ± 1.04		70.30 ± 3.85		Yes
RHLLW	04/04/23	1.19 ± 0.36		4.40 ± 1.35		Yes	15.50 ± 0.96		57.35 ± 3.56		Yes
	04/11/23	1.36 ± 0.39		5.03 ± 1.42		Yes	27.00 ± 1.23		99.90 ± 4.55		Yes
	04/18/23	1.30 ± 0.36		4.81 ± 1.34		Yes	21.30 ± 1.11		78.81 ± 4.11		Yes
	04/25/23	1.04 ± 0.34		3.85 ± 1.25		Yes	16.70 ± 0.93		61.79 ± 3.44		Yes
	05/02/23	2.10 ± 0.44		7.77 ± 1.64		Yes	23.60 ± 1.15		87.32 ± 4.26		Yes
	05/09/23	2.41 ± 0.51		8.92 ± 1.89		Yes	21.20 ± 1.07		78.44 ± 3.96		Yes
	05/16/23	0.80 ± 0.31		2.97 ± 1.14		No	21.20 ± 1.16		78.44 ± 4.29		Yes
	05/23/23	3.27 ± 0.69		12.10 ± 2.55		Yes	27.60 ± 1.42		102.12 ± 5.25		Yes
	05/30/23	1.92 ± 0.90		7.10 ± 3.33		No	22.30 ± 2.29		82.51 ± 8.47		Yes
	06/06/23	1.22 ± 0.35		4.51 ± 1.28		Yes	23.50 ± 1.14		86.95 ± 4.22		Yes
	06/13/23	2.21 ± 0.45		8.18 ± 1.68		Yes	28.00 ± 1.25		103.60 ± 4.63		Yes
	06/20/23	0.98 ± 0.32		3.61 ± 1.19		Yes	21.30 ± 1.07		78.81 ± 3.96		Yes
	06/27/23	1.10 ± 0.34		4.07 ± 1.25		Yes	22.30 ± 1.07		82.51 ± 3.96		Yes
	04/04/23	1.63 ± 0.43		6.03 ± 1.60		Yes	17.40 ± 0.99		64.38 ± 3.65		Yes
	04/11/23	1.40 ± 0.40		5.18 ± 1.49		Yes	27.00 ± 1.20		99.90 ± 4.44		Yes
RWMC	04/18/23	1.66 ± 0.44		6.14 ± 1.62		Yes	21.00 ± 1.08		77.70 ± 4.00		Yes
	04/25/23	1.46 ± 0.38		5.40 ± 1.41		Yes	15.10 ± 0.90		55.87 ± 3.33		Yes
	05/02/23	2.73 ± 0.56		10.10 ± 2.06		Yes	22.40 ± 1.12		82.88 ± 4.14		Yes
	05/09/23	0.80 ± 0.29		2.95 ± 1.09		No	21.40 ± 1.06		79.18 ± 3.92		Yes
	05/16/23	0.72 ± 0.30		2.68 ± 1.11		No	16.80 ± 0.97		62.16 ± 3.60		Yes
	05/23/23	2.25 ± 0.52		8.33 ± 1.92		Yes	27.20 ± 1.33		100.64 ± 4.92		Yes
	05/30/23	1.61 ± 0.43		5.96 ± 1.61		Yes	24.20 ± 1.16		89.54 ± 4.29		Yes
	06/06/23	1.26 ± 0.40		4.66 ± 1.47		Yes	22.80 ± 1.13		84.36 ± 4.18		Yes
	06/13/23	1.30 ± 0.35		4.81 ± 1.29		Yes	28.90 ± 1.24		106.93 ± 4.59		Yes
	06/20/23	2.04 ± 0.47		7.55 ± 1.74		Yes	21.40 ± 1.06		79.18 ± 3.92		Yes
	06/27/23	0.84 ± 0.47		3.12 ± 1.75		No	16.70 ± 1.44		61.79 ± 5.33		Yes
	04/04/23	0.98 ± 0.33		3.61 ± 1.23		No	14.60 ± 0.93		54.02 ± 3.45		Yes
	04/11/23	1.36 ± 0.39		5.03 ± 1.42		Yes	24.80 ± 1.18		91.76 ± 4.37		Yes
	04/18/23	1.31 ± 0.38		4.85 ± 1.41		Yes	22.80 ± 1.15		84.36 ± 4.26		Yes
	04/25/23	1.03 ± 0.37		3.81 ± 1.36		No	15.00 ± 0.93		55.50 ± 3.44		Yes
RWMC (QA 3)	05/02/23	2.65 ± 0.54		9.81 ± 1.98		Yes	22.20 ± 1.10		82.14 ± 4.07		Yes
	05/09/23	1.10 ± 0.32		4.07 ± 1.19		Yes	20.10 ± 1.04		74.37 ± 3.85		Yes
	05/16/23	1.15 ± 0.38		4.26 ± 1.41		Yes	20.10 ± 1.06		74.37 ± 3.92		Yes
	05/23/23	2.06 ± 0.49		7.62 ± 1.80		Yes	28.90 ± 1.41		106.93 ± 5.22		Yes
	05/30/23	0.36 ± 0.23		1.33 ± 0.83		No	21.50 ± 1.07		79.55 ± 3.96		Yes
	06/06/23	1.56 ± 0.43		5.77 ± 1.58		Yes	23.40 ± 1.11		86.58 ± 4.11		Yes
	06/13/23	1.46 ± 0.38		5.40 ± 1.40		Yes	26.40 ± 1.17		97.68 ± 4.33		Yes
	06/20/23	2.15 ± 0.48		7.96 ± 1.77		Yes	18.40 ± 1.01		68.08 ± 3.74		Yes
	06/27/23	0.75 ± 0.43		2.76 ± 1.59		No	19.40 ± 1.54		71.78 ± 5.70		Yes

Table C-1. Weekly gross alpha and gross beta concentrations in air.

Sampling Group and Location	Sampling Date	GROSS ALPHA						GROSS BETA					
		Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s		Result ± 1s Uncertainty		Result ± 1s Uncertainty		Result > 3s	
		(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)				(x 10 ⁻¹⁵ µCi/mL)		(x 10 ⁻¹¹ Bq/mL)			
RWMC SOUTH	04/04/23	1.27 ± 0.35		4.70 ± 1.31		Yes		17.60 ± 1.01		65.12 ± 3.74		Yes	
	04/11/23	1.32 ± 0.36		4.88 ± 1.32		Yes		27.50 ± 1.22		101.75 ± 4.51		Yes	
	04/18/23	1.99 ± 0.45		7.36 ± 1.66		Yes		22.50 ± 1.11		83.25 ± 4.11		Yes	
	04/25/23	1.39 ± 0.47		5.14 ± 1.73		No		17.80 ± 1.12		65.86 ± 4.14		Yes	
	05/02/23	1.95 ± 0.43		7.22 ± 1.60		Yes		20.20 ± 1.02		74.74 ± 3.77		Yes	
	05/09/23	1.83 ± 0.44		6.77 ± 1.62		Yes		17.40 ± 0.96		64.38 ± 3.53		Yes	
	05/16/23	1.31 ± 0.36		4.85 ± 1.33		Yes		20.70 ± 1.03		76.59 ± 3.81		Yes	
	05/23/23	2.75 ± 0.60		10.18 ± 2.22		Yes		27.70 ± 1.35		102.49 ± 5.00		Yes	
	05/30/23	0.88 ± 0.30		3.27 ± 1.10		No		20.70 ± 1.07		76.59 ± 3.96		Yes	
	06/06/23	1.33 ± 0.36		4.92 ± 1.33		Yes		24.20 ± 1.11		89.54 ± 4.11		Yes	
	06/13/23	2.21 ± 0.49		8.18 ± 1.81		Yes		26.10 ± 1.17		96.57 ± 4.33		Yes	
	06/20/23	1.28 ± 0.34		4.74 ± 1.25		Yes		19.60 ± 1.00		72.52 ± 3.70		Yes	
	06/27/23	1.45 ± 0.39		5.37 ± 1.44		Yes		20.60 ± 1.01		76.22 ± 3.74		Yes	
SMC	04/04/23	1.60 ± 0.44		5.92 ± 1.63		Yes		14.50 ± 0.93		53.65 ± 3.44		Yes	
	04/11/23	1.88 ± 0.47		6.96 ± 1.74		Yes		29.60 ± 1.28		109.52 ± 4.74		Yes	
	04/18/23	1.02 ± 0.32		3.77 ± 1.20		Yes		25.10 ± 1.20		92.87 ± 4.44		Yes	
	04/25/23	1.58 ± 0.42		5.85 ± 1.54		Yes		13.50 ± 0.86		49.95 ± 3.19		Yes	
	05/02/23	2.00 ± 0.43		7.40 ± 1.59		Yes		21.50 ± 1.09		79.55 ± 4.03		Yes	
	05/09/23	1.80 ± 0.45		6.66 ± 1.66		Yes		20.00 ± 1.04		74.00 ± 3.85		Yes	
	05/16/23	1.28 ± 0.37		4.74 ± 1.38		Yes		19.50 ± 1.11		72.15 ± 4.11		Yes	
	05/23/23	2.36 ± 0.62		8.73 ± 2.29		Yes		26.90 ± 1.46		99.53 ± 5.40		Yes	
	05/30/23	1.53 ± 0.39		5.66 ± 1.45		Yes		21.60 ± 1.07		79.92 ± 3.96		Yes	
	06/06/23	1.86 ± 0.42		6.88 ± 1.56		Yes		22.00 ± 1.11		81.40 ± 4.11		Yes	
	06/13/23	2.77 ± 0.56		10.25 ± 2.09		Yes		30.10 ± 1.31		111.37 ± 4.85		Yes	
	06/20/23	1.94 ± 0.44		7.18 ± 1.64		Yes		19.60 ± 1.04		72.52 ± 3.85		Yes	
	06/27/23	1.26 ± 0.37		4.66 ± 1.36		Yes		20.90 ± 1.06		77.33 ± 3.92		Yes	
VAN BUREN	04/04/23	0.56 ± 0.25		2.07 ± 0.92		No		14.10 ± 0.91		52.17 ± 3.36		Yes	
	04/11/23	1.74 ± 0.41		6.44 ± 1.53		Yes		26.50 ± 1.23		98.05 ± 4.55		Yes	
	04/18/23	2.38 ± 0.49		8.81 ± 1.81		Yes		23.10 ± 1.18		85.47 ± 4.37		Yes	
	04/25/23	1.38 ± 0.39		5.11 ± 1.45		Yes		15.30 ± 0.91		56.61 ± 3.38		Yes	
	05/02/23	2.17 ± 0.50		8.03 ± 1.84		Yes		22.20 ± 1.11		82.14 ± 4.11		Yes	
	05/09/23	1.29 ± 0.37		4.77 ± 1.36		Yes		20.10 ± 1.04		74.37 ± 3.85		Yes	
	05/16/23	1.20 ± 0.37		4.44 ± 1.36		Yes		19.40 ± 1.02		71.78 ± 3.77		Yes	
	05/23/23	3.02 ± 0.62		11.17 ± 2.29		Yes		31.30 ± 1.47		115.81 ± 5.44		Yes	
	05/30/23	1.16 ± 0.37		4.29 ± 1.36		Yes		20.20 ± 1.05		74.74 ± 3.89		Yes	
	06/06/23	1.04 ± 0.37		3.85 ± 1.35		No		23.70 ± 1.15		87.69 ± 4.26		Yes	
	06/13/23	2.15 ± 0.45		7.96 ± 1.67		Yes		28.80 ± 1.27		106.56 ± 4.70		Yes	
	06/20/23	2.14 ± 0.49		7.92 ± 1.82		Yes		20.00 ± 1.06		74.00 ± 3.92		Yes	
	06/27/23	0.62 ± 0.28		2.28 ± 1.02		No		19.90 ± 1.06		73.63 ± 3.92		Yes	
VAN BUREN (QA 4)	04/04/23	0.39 ± 0.22		1.46 ± 0.81		No		7.64 ± 0.71		28.27 ± 2.62		Yes	
	04/11/23	1.15 ± 0.35		4.26 ± 1.29		Yes		28.10 ± 1.29		103.97 ± 4.77		Yes	
	04/18/23	0.87 ± 0.31		3.21 ± 1.14		No		19.60 ± 1.08		72.52 ± 4.00		Yes	
	04/25/23	1.06 ± 0.35		3.92 ± 1.28		Yes		15.80 ± 0.92		58.46 ± 3.39		Yes	
	05/02/23	2.18 ± 0.49		8.07 ± 1.80		Yes		20.40 ± 1.04		75.48 ± 3.85		Yes	
	05/09/23	1.01 ± 0.33		3.74 ± 1.22		Yes		20.70 ± 1.06		76.59 ± 3.92		Yes	
	05/16/23	1.07 ± 0.34		3.96 ± 1.27		Yes		19.20 ± 1.00		71.04 ± 3.70		Yes	
	05/23/23	2.21 ± 0.54		8.18 ± 2.00		Yes		25.20 ± 1.34		93.24 ± 4.96		Yes	
	05/30/23	1.16 ± 0.37		4.29 ± 1.37		Yes		20.00 ± 1.05		74.00 ± 3.89		Yes	
	06/06/23	1.57 ± 0.43		5.81 ± 1.61		Yes		22.70 ± 1.13		83.99 ± 4.18		Yes	
	06/13/23	0.04 ± 0.12		0.14 ± 0.46		No		0.48 ± 0.35		1.77 ± 1.30		No	
	06/20/23	1.49 ± 0.42		5.51 ± 1.54		Yes		21.30 ± 1.08		78.81 ± 4.00		Yes	
	06/27/23	0.49 ± 0.25		1.83 ± 0.92		No		21.50 ± 1.07		79.55 ± 3.96		Yes	

a. Invalid sample identified in red

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty (x 10 ⁻¹⁵ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹¹ Bq/mL)			Result > 3s
BOUNDARY								
ARCO	04/04/23	1.28	±	1.09	4.74	±	4.03	No
	04/11/23	0.89	±	1.40	3.30	±	5.18	No
	04/18/23	0.05	±	1.07	0.18	±	3.96	No
	04/25/23	-0.34	±	0.82	-1.24	±	3.03	No
	05/02/23	2.37	±	1.27	8.77	±	4.70	No
	05/09/23	0.90	±	1.03	3.32	±	3.81	No
	05/16/23	-0.60	±	0.92	-2.23	±	3.39	No
	05/23/23	0.14	±	1.07	0.53	±	3.96	No
	05/30/23	-0.53	±	0.89	-1.95	±	3.27	No
	06/06/23	0.03	±	0.84	0.12	±	3.09	No
	06/13/23	0.28	±	0.91	1.02	±	3.35	No
	06/20/23	-0.60	±	1.01	-2.22	±	3.74	No
	06/27/23	0.07	±	1.09	0.27	±	4.03	No
ATOMIC CITY	04/04/23	1.32	±	1.12	4.88	±	4.14	No
	04/11/23	0.93	±	1.46	3.44	±	5.40	No
	04/18/23	0.05	±	1.09	0.18	±	4.03	No
	04/25/23	-0.36	±	0.89	-1.35	±	3.28	No
	05/02/23	2.08	±	1.11	7.70	±	4.11	No
	05/09/23	0.98	±	1.12	3.63	±	4.14	No
	05/16/23	-0.62	±	0.95	-2.30	±	3.50	No
	05/23/23	0.16	±	1.17	0.58	±	4.33	No
	05/30/23	-0.73	±	1.23	-2.71	±	4.55	No
	06/06/23	0.12	±	3.09	0.43	±	11.43	No
	06/13/23	0.88	±	2.88	3.25	±	10.66	No
	06/20/23	-0.66	±	1.11	-2.44	±	4.11	No
	06/27/23	0.08	±	1.13	0.28	±	4.18	No
BLUE DOME	04/04/23	1.41	±	1.20	5.22	±	4.44	No
	04/11/23	0.94	±	1.47	3.47	±	5.44	No
	04/18/23	0.05	±	1.19	0.20	±	4.40	No
	04/25/23	-0.35	±	0.85	-1.30	±	3.15	No
	05/02/23	2.27	±	1.21	8.40	±	4.48	No
	05/09/23	0.94	±	1.07	3.47	±	3.96	No
	05/16/23	-0.60	±	0.91	-2.21	±	3.36	No
	05/23/23	0.15	±	1.08	0.54	±	4.00	No
	05/30/23	-0.53	±	0.90	-1.97	±	3.32	No
	06/06/23	0.03	±	0.86	0.12	±	3.17	No
	a 06/13/23		±		0.00	±	0.00	No
	06/20/23	-0.64	±	1.07	-2.35	±	3.96	No
	06/27/23	0.08	±	1.15	0.29	±	4.26	No
FAA TOWER	04/04/23	1.23	±	1.05	4.55	±	3.89	No
	04/11/23	0.88	±	1.39	3.27	±	5.14	No
	04/18/23	0.05	±	1.02	0.17	±	3.77	No
	04/25/23	-0.35	±	0.84	-1.28	±	3.12	No
	05/02/23	2.28	±	1.22	8.44	±	4.51	No
	05/09/23	0.92	±	1.05	3.39	±	3.89	No
	05/16/23	-0.57	±	0.87	-2.11	±	3.20	No
	05/23/23	0.15	±	1.14	0.57	±	4.22	No
	05/30/23	-0.66	±	1.11	-2.44	±	4.11	No
	a 06/06/23		±		0.00	±	0.00	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
		(x 10 ⁻¹⁵ µCi/mL)			(x 10 ⁻¹¹ Bq/mL)			
HOWE	06/13/23	0.30	±	0.98	1.11	±	3.63	No
	06/20/23	-0.63	±	1.07	-2.35	±	3.96	No
	06/27/23	0.07	±	1.06	0.26	±	3.92	No
	04/04/23	1.39	±	1.18	5.14	±	4.37	No
	04/11/23	0.95	±	1.49	3.51	±	5.51	No
	04/18/23	0.05	±	0.99	0.17	±	3.66	No
	04/25/23	-0.35	±	0.85	-1.29	±	3.13	No
	05/02/23	2.23	±	1.19	8.25	±	4.40	No
	05/09/23	0.94	±	1.08	3.47	±	4.00	No
	05/16/23	-0.58	±	0.89	-2.16	±	3.28	No
	05/23/23	0.15	±	1.13	0.56	±	4.18	No
	05/30/23	-0.53	±	0.90	-1.97	±	3.31	No
	06/06/23	0.03	±	0.85	0.12	±	3.16	No
	06/13/23	0.29	±	0.94	1.05	±	3.46	No
06/20/23	-0.64	±	1.08	-2.36	±	4.00	No	
06/27/23	0.07	±	1.11	0.28	±	4.11	No	
MONTEVIEW	04/04/23	1.45	±	1.22	5.37	±	4.51	No
	04/11/23	0.92	±	1.44	3.39	±	5.33	No
	04/18/23	0.05	±	1.10	0.19	±	4.07	No
	04/25/23	-0.36	±	0.87	-1.32	±	3.23	No
	05/02/23	2.30	±	1.23	8.51	±	4.55	No
	05/09/23	0.94	±	1.07	3.46	±	3.96	No
	05/16/23	-0.61	±	0.93	-2.27	±	3.44	No
	05/23/23	0.17	±	1.30	0.64	±	4.81	No
	05/30/23	-0.53	±	0.89	-1.96	±	3.30	No
	06/06/23	0.03	±	0.83	0.12	±	3.06	No
	06/13/23	0.29	±	0.93	1.05	±	3.46	No
	06/20/23	-0.62	±	1.05	-2.31	±	3.89	No
	06/27/23	0.08	±	1.13	0.28	±	4.18	No
	TERRETON	04/04/23	-55.64	±	124.34	-205.85	±	460.06
04/11/23		97.91	±	120.39	362.25	±	445.44	No
04/18/23		-6.24	±	111.10	-23.08	±	411.07	No
04/25/23		-155.80	±	130.66	-576.46	±	483.44	No
05/02/23		-87.53	±	133.94	-323.87	±	495.58	No
05/09/23		-9.28	±	121.22	-34.33	±	448.51	No
05/16/23		41.57	±	110.10	153.81	±	407.37	No
05/23/23		11.87	±	169.56	43.92	±	627.37	No
05/30/23		1.33	±	111.79	4.93	±	413.62	No
06/06/23		-89.52	±	124.20	-331.22	±	459.54	No
06/13/23		-92.97	±	133.61	-343.99	±	494.36	No
06/20/23		18.83	±	111.11	69.67	±	411.11	No
06/27/23		-7.44	±	259.10	-27.54	±	958.67	No
OFFSITE								
BLACKFOOT	04/04/23	69.57	±	135.30	257.42	±	500.61	No
	04/11/23	-16.02	±	115.20	-59.26	±	426.24	No
	04/18/23	-58.63	±	129.49	-216.92	±	479.11	No
	04/25/23	24.20	±	115.07	89.54	±	425.76	No
	05/02/23	-222.52	±	140.06	-823.32	±	518.22	No
	05/09/23	-37.78	±	117.43	-139.79	±	434.49	No
	05/16/23	-145.55	±	133.83	-538.54	±	495.17	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result \pm 1s Uncertainty ($\times 10^{-15}$ μ Ci/mL)			Result \pm 1s Uncertainty ($\times 10^{-11}$ Bq/mL)			Result > 3s
	05/23/23	-171.01	\pm	139.47	-632.74	\pm	516.04	No
	05/30/23	-38.92	\pm	115.95	-144.00	\pm	429.02	No
	06/06/23	-31.06	\pm	112.26	-114.90	\pm	415.36	No
	06/13/23	8.05	\pm	119.52	29.80	\pm	442.22	No
	06/20/23	6.62	\pm	107.69	24.50	\pm	398.45	No
	06/27/23	-23.27	\pm	126.26	-86.11	\pm	467.16	No
CRATERS OF THE MOON	04/04/23	17.89	\pm	126.51	66.20	\pm	468.09	No
	04/11/23	-9.84	\pm	127.25	-36.42	\pm	470.83	No
	04/18/23	-62.66	\pm	120.33	-231.84	\pm	445.22	No
	a 04/25/23		\pm		0.00	\pm	0.00	No
	05/02/23	2.49	\pm	113.99	9.21	\pm	421.76	No
	05/09/23	101.18	\pm	106.37	374.37	\pm	393.57	No
	05/16/23	604.35	\pm	217.14	2236.10	\pm	803.42	No
	05/23/23	8.06	\pm	130.14	29.80	\pm	481.52	No
	05/30/23	-20.85	\pm	96.03	-77.16	\pm	355.30	No
	06/06/23	35.85	\pm	129.76	132.65	\pm	480.11	No
	06/13/23	-10.22	\pm	129.03	-37.82	\pm	477.41	No
	06/20/23	-33.17	\pm	113.57	-122.71	\pm	420.21	No
	06/27/23	22.89	\pm	120.67	84.69	\pm	446.48	No
DUBOIS	04/04/23	1.44	\pm	1.22	5.33	\pm	4.51	No
	04/11/23	0.90	\pm	1.41	3.33	\pm	5.22	No
	04/18/23	0.05	\pm	1.07	0.18	\pm	3.96	No
	04/25/23	-0.36	\pm	0.87	-1.32	\pm	3.22	No
	05/02/23	2.35	\pm	1.26	8.70	\pm	4.66	No
	05/09/23	0.93	\pm	1.06	3.42	\pm	3.92	No
	05/16/23	-0.62	\pm	0.94	-2.29	\pm	3.48	No
	05/23/23	0.16	\pm	1.17	0.58	\pm	4.33	No
	05/30/23	-0.53	\pm	0.89	-1.96	\pm	3.29	No
	06/06/23	0.03	\pm	0.83	0.12	\pm	3.07	No
	06/13/23	0.28	\pm	0.93	1.05	\pm	3.43	No
	06/20/23	-0.64	\pm	1.08	-2.36	\pm	4.00	No
	06/27/23	0.08	\pm	1.12	0.28	\pm	4.14	No
DUBOS (QA-1)	04/04/23	1.38	\pm	1.17	5.11	\pm	4.33	No
	04/11/23	0.91	\pm	1.42	3.35	\pm	5.25	No
	04/18/23	0.05	\pm	1.09	0.18	\pm	4.03	No
	04/25/23	-0.36	\pm	0.87	-1.32	\pm	3.22	No
	05/02/23	2.35	\pm	1.25	8.70	\pm	4.63	No
	05/09/23	0.92	\pm	1.06	3.42	\pm	3.92	No
	05/16/23	-0.59	\pm	0.90	-2.18	\pm	3.32	No
	05/23/23	0.16	\pm	1.19	0.59	\pm	4.40	No
	05/30/23	-2.42	\pm	4.07	-8.95	\pm	15.06	No
	06/06/23	0.03	\pm	0.86	0.12	\pm	3.19	No
	06/13/23	0.29	\pm	0.96	1.09	\pm	3.56	No
	06/20/23	-0.69	\pm	1.16	-2.54	\pm	4.29	No
	06/27/23	0.08	\pm	1.17	0.29	\pm	4.33	No
IDAHO FALLS	04/04/23	1.34	\pm	139.79	4.96	\pm	517.22	No
	04/11/23	-31.01	\pm	120.79	-114.75	\pm	446.92	No
	04/18/23	25.92	\pm	133.84	95.90	\pm	495.21	No
	04/25/23	50.16	\pm	110.52	185.60	\pm	408.92	No
	05/02/23	-76.57	\pm	119.00	-283.32	\pm	440.30	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result \pm 1s Uncertainty ($\times 10^{-15}$ μ Ci/mL)			Result \pm 1s Uncertainty ($\times 10^{-11}$ Bq/mL)			Result > 3s
	05/09/23	-2.44	\pm	138.45	-9.04	\pm	512.27	No
	05/16/23	-135.64	\pm	97.63	-501.87	\pm	361.22	No
	05/23/23	124.81	\pm	146.60	461.80	\pm	542.42	No
	05/30/23	-17.30	\pm	119.64	-63.99	\pm	442.67	No
	06/06/23	-92.79	\pm	116.70	-343.31	\pm	431.79	No
	06/13/23	-78.17	\pm	107.88	-289.22	\pm	399.16	No
	06/20/23	15.09	\pm	91.32	55.83	\pm	337.89	No
	06/27/23	-28.78	\pm	83.63	-106.48	\pm	309.42	No
IRC	04/04/23	52.30	\pm	130.43	193.50	\pm	482.59	No
	04/11/23	-104.26	\pm	115.10	-385.76	\pm	425.87	No
	04/18/23	-31.19	\pm	123.82	-115.40	\pm	458.13	No
	04/25/23	-4.87	\pm	125.04	-18.02	\pm	462.65	No
	05/02/23	-84.92	\pm	129.16	-314.22	\pm	477.89	No
	05/09/23	40.35	\pm	131.62	149.29	\pm	486.99	No
	05/16/23	28.90	\pm	106.68	106.93	\pm	394.72	No
	05/23/23	-148.83	\pm	161.66	-550.67	\pm	598.14	No
	05/30/23	-102.68	\pm	109.11	-379.92	\pm	403.71	No
	06/06/23	-106.28	\pm	122.99	-393.24	\pm	455.06	No
	06/13/23	70.16	\pm	129.80	259.60	\pm	480.26	No
	06/20/23	-7.26	\pm	130.76	-26.85	\pm	483.81	No
	06/27/23	-119.12	\pm	134.96	-440.74	\pm	499.35	No
IRC NORTH	04/04/23	-67.41	\pm	133.81	-249.42	\pm	495.10	No
	04/11/23	11.19	\pm	122.09	41.40	\pm	451.73	No
	04/18/23	-18.16	\pm	112.42	-67.19	\pm	415.95	No
	04/25/23	-123.11	\pm	114.82	-455.51	\pm	424.83	No
	05/02/23	-56.43	\pm	127.21	-208.78	\pm	470.68	No
	05/09/23	-20.55	\pm	192.61	-76.02	\pm	712.66	No
	05/16/23	-75.80	\pm	133.79	-280.46	\pm	495.02	No
	05/23/23	42.55	\pm	138.18	157.44	\pm	511.27	No
	05/30/23	-4.90	\pm	125.89	-18.12	\pm	465.79	No
	06/06/23	-0.72	\pm	150.69	-2.65	\pm	557.55	No
	06/13/23	-136.53	\pm	158.14	-505.16	\pm	585.12	No
	06/20/23	-125.78	\pm	155.40	-465.39	\pm	574.98	No
	06/27/23	12.81	\pm	154.33	47.38	\pm	571.02	No
JACKSON, WY	04/04/23	1.48	\pm	1.25	5.48	\pm	4.63	No
	04/11/23	0.98	\pm	1.54	3.64	\pm	5.70	No
	04/18/23	0.05	\pm	1.13	0.19	\pm	4.18	No
	04/25/23	-0.40	\pm	0.96	-1.46	\pm	3.56	No
	05/02/23	2.37	\pm	1.26	8.77	\pm	4.66	No
	05/09/23	0.94	\pm	1.08	3.49	\pm	4.00	No
	05/16/23	-0.64	\pm	0.97	-2.36	\pm	3.60	No
	05/23/23	0.14	\pm	1.04	0.52	\pm	3.85	No
	05/30/23	-0.53	\pm	0.89	-1.96	\pm	3.30	No
	06/06/23	0.03	\pm	0.85	0.12	\pm	3.16	No
	06/13/23	0.28	\pm	0.93	1.05	\pm	3.45	No
	06/20/23	-0.64	\pm	1.08	-2.38	\pm	4.00	No
	06/27/23	0.08	\pm	1.18	0.29	\pm	4.37	No
SUGAR CITY	04/04/23	-3.28	\pm	122.11	-12.14	\pm	451.81	No
	04/11/23	-40.51	\pm	135.25	-149.88	\pm	500.43	No
	04/18/23	-108.60	\pm	120.38	-401.82	\pm	445.41	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result \pm 1s Uncertainty ($\times 10^{-15}$ μ Ci/mL)			Result \pm 1s Uncertainty ($\times 10^{-11}$ Bq/mL)			Result > 3s
	04/25/23	-24.48	\pm	112.55	-90.59	\pm	416.44	No
	05/02/23	-4.66	\pm	172.73	-17.23	\pm	639.10	No
	05/09/23	-42.36	\pm	117.35	-156.74	\pm	434.20	No
	05/16/23	61.66	\pm	123.35	228.13	\pm	456.40	No
	05/23/23	10.21	\pm	170.44	37.77	\pm	630.63	No
	05/30/23	-76.91	\pm	114.81	-284.57	\pm	424.80	No
	06/06/23	51.50	\pm	118.43	190.55	\pm	438.19	No
	06/13/23	32.72	\pm	113.76	121.05	\pm	420.91	No
	06/20/23	-48.96	\pm	141.92	-181.14	\pm	525.10	No
	06/27/23	-149.20	\pm	119.79	-552.04	\pm	443.22	No
ONSITE								
ATR COMPLEX	04/04/23	10.74	\pm	124.17	39.74	\pm	459.43	No
	04/11/23	-1.58	\pm	118.34	-5.86	\pm	437.86	No
	04/18/23	-100.31	\pm	139.57	-371.15	\pm	516.41	No
	04/25/23	-47.56	\pm	110.60	-175.97	\pm	409.22	No
	05/02/23	-106.82	\pm	132.70	-395.23	\pm	490.99	No
	05/09/23	86.26	\pm	130.81	319.16	\pm	484.00	No
	05/16/23	-82.13	\pm	117.84	-303.86	\pm	436.01	No
	05/23/23	27.88	\pm	140.45	103.16	\pm	519.67	No
	05/30/23	53.81	\pm	117.83	199.09	\pm	435.97	No
	06/06/23	-68.56	\pm	121.98	-253.68	\pm	451.33	No
	06/13/23	-126.19	\pm	125.80	-466.90	\pm	465.46	No
	06/20/23	94.70	\pm	124.41	350.39	\pm	460.32	No
	06/27/23	-81.35	\pm	123.64	-300.99	\pm	457.47	No
CFA	04/04/23	33.52	\pm	127.42	124.04	\pm	471.45	No
	04/11/23	-8.79	\pm	83.27	-32.51	\pm	308.09	No
	04/18/23	-26.87	\pm	125.00	-99.40	\pm	462.50	No
	04/25/23	2.93	\pm	99.72	10.83	\pm	368.96	No
	05/02/23	23.32	\pm	110.66	86.28	\pm	409.44	No
	05/09/23	36.42	\pm	82.88	134.74	\pm	306.65	No
	05/16/23	-99.26	\pm	120.25	-367.27	\pm	444.93	No
	05/23/23	-123.59	\pm	136.07	-457.28	\pm	503.46	No
	05/30/23	7.33	\pm	121.05	27.11	\pm	447.89	No
	06/06/23	-5.53	\pm	110.82	-20.47	\pm	410.03	No
	06/13/23	117.21	\pm	113.73	433.68	\pm	420.80	No
	06/20/23	41.83	\pm	131.60	154.77	\pm	486.92	No
	06/27/23	172.65	\pm	282.00	638.81	\pm	1043.40	No
EBR-I	04/04/23	-5.83	\pm	130.61	-21.57	\pm	483.26	No
	04/11/23	-2.66	\pm	130.25	-9.85	\pm	481.93	No
	04/18/23	-171.36	\pm	153.13	-634.03	\pm	566.58	No
	04/25/23	-20.61	\pm	186.92	-76.26	\pm	691.60	No
	05/02/23	21.19	\pm	173.67	78.39	\pm	642.58	No
	05/09/23	57.23	\pm	137.48	211.76	\pm	508.68	No
	05/16/23	-4.58	\pm	121.48	-16.96	\pm	449.48	No
	05/23/23	-173.04	\pm	220.32	-640.25	\pm	815.18	No
	05/30/23	-8.90	\pm	183.56	-32.92	\pm	679.17	No
	06/06/23	-6.62	\pm	123.47	-24.48	\pm	456.84	No
	06/13/23	-114.91	\pm	145.10	-425.17	\pm	536.87	No
	06/20/23	11.10	\pm	141.34	41.07	\pm	522.96	No
	06/27/23	-3.18	\pm	144.57	-11.78	\pm	534.91	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result \pm 1s Uncertainty ($\times 10^{-15}$ μ Ci/mL)			Result \pm 1s Uncertainty ($\times 10^{-11}$ Bq/mL)			Result > 3s
EFS	04/04/23	19.83	\pm	111.58	73.37	\pm	412.85	No
	04/11/23	12.89	\pm	140.23	47.70	\pm	518.85	No
	04/18/23	-41.07	\pm	117.20	-151.96	\pm	433.64	No
	04/25/23	63.92	\pm	117.98	236.50	\pm	436.53	No
	05/02/23	16.74	\pm	111.71	61.94	\pm	413.33	No
	05/09/23	146.34	\pm	110.61	541.46	\pm	409.26	No
	05/16/23	-68.56	\pm	135.66	-253.69	\pm	501.94	No
	05/23/23	0.95	\pm	147.37	3.53	\pm	545.27	No
	05/30/23	-82.01	\pm	95.06	-303.44	\pm	351.71	No
	06/06/23	66.64	\pm	135.21	246.58	\pm	500.28	No
	06/13/23	32.53	\pm	156.93	120.38	\pm	580.64	No
	06/20/23	-36.20	\pm	138.43	-133.94	\pm	512.19	No
	06/27/23	-22.78	\pm	122.60	-84.27	\pm	453.62	No
GATE 4	04/04/23	-6.37	\pm	119.59	-23.57	\pm	442.48	No
	04/11/23	30.95	\pm	135.58	114.52	\pm	501.65	No
	04/18/23	-38.25	\pm	135.30	-141.52	\pm	500.61	No
	04/25/23	-76.17	\pm	116.49	-281.83	\pm	431.01	No
	05/02/23	-1.16	\pm	119.80	-4.30	\pm	443.26	No
	05/09/23	-27.35	\pm	99.35	-101.21	\pm	367.60	No
	05/16/23	-72.18	\pm	134.19	-267.05	\pm	496.50	No
	05/23/23	-59.05	\pm	179.49	-218.50	\pm	664.11	No
	05/30/23	-38.58	\pm	114.28	-142.73	\pm	422.84	No
	06/06/23	-55.00	\pm	105.73	-203.51	\pm	391.20	No
	06/13/23	-9.34	\pm	133.25	-34.55	\pm	493.03	No
	06/20/23	-74.35	\pm	123.51	-275.09	\pm	456.99	No
	06/27/23	-193.24	\pm	122.17	-714.99	\pm	452.03	No
HIGHWAY 26 REST AREA	04/04/23	-8.11	\pm	109.70	-30.02	\pm	405.89	No
	04/11/23	4.89	\pm	139.15	18.09	\pm	514.86	No
	04/18/23	-9.53	\pm	119.88	-35.28	\pm	443.56	No
	04/25/23	-68.03	\pm	110.20	-251.71	\pm	407.74	No
	05/02/23	-2.43	\pm	122.40	-8.98	\pm	452.88	No
	05/09/23	36.05	\pm	126.11	133.37	\pm	466.61	No
	05/16/23	36.68	\pm	111.77	135.72	\pm	413.55	No
	05/23/23	163.09	\pm	124.30	603.43	\pm	459.91	No
	05/30/23	-2.68	\pm	116.35	-9.92	\pm	430.50	No
	06/06/23	-166.72	\pm	139.40	-616.86	\pm	515.78	No
	06/13/23	-21.98	\pm	120.75	-81.32	\pm	446.78	No
	06/20/23	43.04	\pm	116.50	159.25	\pm	431.05	No
	06/27/23	-67.49	\pm	125.91	-249.71	\pm	465.87	No
INTEC (NE CORNER)	04/04/23	-58.74	\pm	140.05	-217.35	\pm	518.19	No
	04/11/23	-169.31	\pm	158.22	-626.45	\pm	585.41	No
	a 04/18/23		\pm		0.00	\pm	0.00	No
	a 04/25/23		\pm		0.00	\pm	0.00	No
	a 05/02/23		\pm		0.00	\pm	0.00	No
	a 05/09/23		\pm		0.00	\pm	0.00	No
	a 05/16/23		\pm		0.00	\pm	0.00	No
	a 05/23/23		\pm		0.00	\pm	0.00	No
	a 05/30/23		\pm		0.00	\pm	0.00	No
	a 06/06/23		\pm		0.00	\pm	0.00	No
	a 06/06/23		\pm		0.00	\pm	0.00	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result \pm 1s Uncertainty ($\times 10^{-15}$ μ Ci/mL)			Result \pm 1s Uncertainty ($\times 10^{-11}$ Bq/mL)			Result > 3s
	a 06/20/23		\pm		0.00	\pm	0.00	No
	a 06/27/23		\pm		0.00	\pm	0.00	No
INTEC (QA-2)	04/04/23	-13.48	\pm	116.70	-49.88	\pm	431.79	No
	04/11/23	-1.67	\pm	103.51	-6.17	\pm	382.99	No
	04/18/23	6.58	\pm	116.77	24.34	\pm	432.05	No
	04/25/23	-150.30	\pm	120.94	-556.11	\pm	447.48	No
	05/02/23	-53.46	\pm	118.32	-197.79	\pm	437.78	No
	05/09/23	-67.06	\pm	116.04	-248.10	\pm	429.35	No
	05/16/23	-14.46	\pm	127.69	-53.52	\pm	472.45	No
	05/23/23	67.05	\pm	153.56	248.09	\pm	568.17	No
	05/30/23	-10.50	\pm	116.31	-38.84	\pm	430.35	No
	06/06/23	-101.50	\pm	118.02	-375.55	\pm	436.67	No
	06/13/23	-84.70	\pm	135.32	-313.38	\pm	500.68	No
	06/20/23	-66.05	\pm	125.54	-244.40	\pm	464.50	No
	06/27/23	32.68	\pm	118.19	120.91	\pm	437.30	No
INTEC (WEST SIDE)	04/04/23	14.72	\pm	131.35	54.45	\pm	486.00	No
	04/11/23	39.64	\pm	144.20	146.68	\pm	533.54	No
	04/18/23	-78.18	\pm	138.76	-289.25	\pm	513.41	No
	04/25/23	-12.96	\pm	120.66	-47.94	\pm	446.44	No
	05/02/23	-5.30	\pm	133.78	-19.60	\pm	494.99	No
	05/09/23	-108.34	\pm	125.38	-400.86	\pm	463.91	No
	05/16/23	7.99	\pm	117.83	29.56	\pm	435.97	No
	05/23/23	17.12	\pm	149.32	63.35	\pm	552.48	No
	05/30/23	-5.12	\pm	122.48	-18.94	\pm	453.18	No
	06/06/23	3.64	\pm	159.69	13.48	\pm	590.85	No
	06/13/23	-79.42	\pm	111.91	-293.85	\pm	414.07	No
	06/20/23	-102.06	\pm	131.04	-377.62	\pm	484.85	No
	06/27/23	-158.12	\pm	144.32	-585.04	\pm	533.98	No
MAIN GATE	04/04/23	15.30	\pm	13.00	56.61	\pm	48.10	No
	04/11/23	1.38	\pm	2.16	5.11	\pm	7.99	No
	04/18/23	0.05	\pm	1.09	0.18	\pm	4.03	No
	04/25/23	-0.35	\pm	0.85	-1.29	\pm	3.14	No
	05/02/23	2.20	\pm	1.17	8.14	\pm	4.33	No
	05/09/23	0.91	\pm	1.05	3.38	\pm	3.89	No
	05/16/23	-0.61	\pm	0.92	-2.25	\pm	3.42	No
	05/23/23	0.16	\pm	1.16	0.58	\pm	4.29	No
	05/30/23	-0.56	\pm	0.94	-2.06	\pm	3.46	No
	06/06/23	0.03	\pm	0.86	0.12	\pm	3.20	No
	06/13/23	0.28	\pm	0.91	1.03	\pm	3.38	No
	06/20/23	-0.64	\pm	1.08	-2.36	\pm	4.00	No
	06/27/23	0.08	\pm	1.23	0.31	\pm	4.55	No
MFC NORTH	04/04/23	-48.43	\pm	140.55	-179.20	\pm	520.04	No
	04/11/23	-125.84	\pm	146.61	-465.61	\pm	542.46	No
	04/18/23	-16.72	\pm	137.83	-61.85	\pm	509.97	No
	04/25/23	-28.01	\pm	122.20	-103.63	\pm	452.14	No
	05/02/23	-9.65	\pm	115.37	-35.72	\pm	426.87	No
	05/09/23	-16.06	\pm	111.20	-59.42	\pm	411.44	No
	05/16/23	-107.48	\pm	131.68	-397.68	\pm	487.22	No
	05/23/23	0.91	\pm	118.70	3.36	\pm	439.19	No
	05/30/23	15.61	\pm	104.44	57.76	\pm	386.43	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result \pm 1s Uncertainty ($\times 10^{-15}$ μ Ci/mL)			Result \pm 1s Uncertainty ($\times 10^{-11}$ Bq/mL)			Result > 3s
a	06/06/23	49.46	\pm	133.45	182.99	\pm	493.77	No
	06/13/23		\pm		0.00	\pm	0.00	No
	06/20/23	-4.85	\pm	118.88	-17.94	\pm	439.86	No
	06/27/23	-30.94	\pm	109.91	-114.46	\pm	406.67	No
MFC SOUTH	04/04/23	-42.94	\pm	134.60	-158.87	\pm	498.02	No
	04/11/23	0.55	\pm	130.92	2.04	\pm	484.40	No
	a 04/18/23		\pm		0.00	\pm	0.00	No
	04/25/23	117.26	\pm	104.80	433.86	\pm	387.76	No
	05/02/23	-39.94	\pm	140.42	-147.78	\pm	519.55	No
	05/09/23	-102.71	\pm	127.98	-380.03	\pm	473.53	No
	05/16/23	-87.73	\pm	122.84	-324.60	\pm	454.51	No
	05/23/23	73.11	\pm	167.06	270.49	\pm	618.12	No
	05/30/23	-22.42	\pm	128.37	-82.95	\pm	474.97	No
	06/06/23	-120.36	\pm	124.56	-445.33	\pm	460.87	No
	06/13/23	2.58	\pm	137.49	9.56	\pm	508.71	No
	06/20/23	95.44	\pm	123.39	353.13	\pm	456.54	No
	06/27/23	36.05	\pm	102.02	133.38	\pm	377.47	No
NRF	04/04/23	-136.26	\pm	119.98	-504.16	\pm	443.93	No
	04/11/23	-51.84	\pm	136.88	-191.79	\pm	506.46	No
	04/18/23	-97.16	\pm	133.13	-359.47	\pm	492.58	No
	04/25/23	-41.86	\pm	125.35	-154.89	\pm	463.80	No
	05/02/23	-16.02	\pm	130.37	-59.26	\pm	482.37	No
	05/09/23	-24.33	\pm	126.58	-90.01	\pm	468.35	No
	05/16/23	108.29	\pm	119.33	400.67	\pm	441.52	No
	05/23/23	28.66	\pm	146.11	106.03	\pm	540.61	No
	05/30/23	-106.12	\pm	125.65	-392.64	\pm	464.91	No
	06/06/23	14.79	\pm	126.77	54.72	\pm	469.05	No
	06/13/23	59.85	\pm	115.66	221.45	\pm	427.94	No
	06/20/23	-81.47	\pm	111.37	-301.43	\pm	412.07	No
	06/27/23	-129.53	\pm	106.53	-479.26	\pm	394.16	No
PBF	04/04/23	-53.84	\pm	141.40	-199.22	\pm	523.18	No
	04/11/23	46.32	\pm	126.98	171.39	\pm	469.83	No
	04/18/23	-70.84	\pm	141.78	-262.09	\pm	524.59	No
	04/25/23	-36.92	\pm	130.24	-136.62	\pm	481.89	No
	05/02/23	51.06	\pm	109.89	188.91	\pm	406.59	No
	05/09/23	7.24	\pm	131.07	26.78	\pm	484.96	No
	05/16/23	-14.05	\pm	97.81	-51.98	\pm	361.90	No
	05/23/23	45.55	\pm	134.43	168.53	\pm	497.39	No
	05/30/23	37.09	\pm	123.26	137.25	\pm	456.06	No
	06/06/23	-26.92	\pm	107.65	-99.59	\pm	398.31	No
	06/13/23	-6.67	\pm	127.02	-24.69	\pm	469.97	No
	06/20/23	-75.12	\pm	110.18	-277.94	\pm	407.67	No
	06/27/23	41.19	\pm	120.20	152.38	\pm	444.74	No
RHLLW	04/04/23	60.41	\pm	122.36	223.50	\pm	452.73	No
	04/11/23	-11.62	\pm	133.70	-43.01	\pm	494.69	No
	04/18/23	94.56	\pm	110.55	349.88	\pm	409.04	No
	04/25/23	20.78	\pm	118.92	76.89	\pm	440.00	No
	05/02/23	21.54	\pm	127.82	79.68	\pm	472.93	No
	05/09/23	-1.03	\pm	122.00	-3.81	\pm	451.40	No
	05/16/23	-25.31	\pm	143.74	-93.64	\pm	531.84	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result \pm 1s Uncertainty ($\times 10^{-15}$ μ Ci/mL)			Result \pm 1s Uncertainty ($\times 10^{-11}$ Bq/mL)			Result > 3s
	05/23/23	-187.44	\pm	176.80	-693.53	\pm	654.16	No
	05/30/23	-264.13	\pm	479.11	-977.28	\pm	1772.71	No
	06/06/23	-12.54	\pm	134.39	-46.39	\pm	497.24	No
	06/13/23	-44.97	\pm	128.74	-166.40	\pm	476.34	No
	06/20/23	-154.04	\pm	139.05	-569.95	\pm	514.49	No
	06/27/23	2.12	\pm	103.08	7.85	\pm	381.40	No
RWMC	04/04/23	-91.01	\pm	124.20	-336.74	\pm	459.54	No
	04/11/23	-5.56	\pm	115.70	-20.57	\pm	428.09	No
	04/18/23	-67.01	\pm	124.35	-247.92	\pm	460.10	No
	04/25/23	-93.06	\pm	123.90	-344.31	\pm	458.43	No
	05/02/23	70.72	\pm	109.91	261.68	\pm	406.67	No
	05/09/23	-74.72	\pm	112.85	-276.45	\pm	417.55	No
	05/16/23	-45.53	\pm	109.72	-168.45	\pm	405.96	No
	05/23/23	-44.99	\pm	130.26	-166.47	\pm	481.96	No
	05/30/23	-84.72	\pm	117.51	-313.45	\pm	434.79	No
	06/06/23	-40.77	\pm	129.73	-150.86	\pm	480.00	No
	06/13/23	-36.17	\pm	123.42	-133.84	\pm	456.65	No
	06/20/23	71.09	\pm	118.78	263.02	\pm	439.49	No
	06/27/23	-9.83	\pm	242.57	-36.35	\pm	897.51	No
RWMC (QA-3)	04/04/23	-169.47	\pm	136.48	-627.04	\pm	504.98	No
	04/11/23	-26.42	\pm	141.18	-97.76	\pm	522.37	No
	04/18/23	49.21	\pm	116.62	182.07	\pm	431.49	No
	04/25/23	-53.17	\pm	139.58	-196.72	\pm	516.45	No
	05/02/23	-13.27	\pm	115.46	-49.10	\pm	427.20	No
	05/09/23	20.17	\pm	111.10	74.64	\pm	411.07	No
	05/16/23	87.65	\pm	115.56	324.29	\pm	427.57	No
	05/23/23	121.86	\pm	127.26	450.88	\pm	470.86	No
	05/30/23	-83.57	\pm	120.96	-309.21	\pm	447.55	No
	06/06/23	68.18	\pm	129.22	252.25	\pm	478.11	No
	06/13/23	0.57	\pm	120.64	2.12	\pm	446.37	No
	06/20/23	18.00	\pm	117.17	66.61	\pm	433.53	No
	06/27/23	65.44	\pm	247.49	242.11	\pm	915.71	No
RWMC SOUTH	04/04/23	-172.54	\pm	132.09	-638.40	\pm	488.73	No
	04/11/23	66.96	\pm	114.18	247.77	\pm	422.47	No
	04/18/23	-5.84	\pm	114.86	-21.59	\pm	424.98	No
	04/25/23	39.82	\pm	131.23	147.35	\pm	485.55	No
	05/02/23	35.45	\pm	97.26	131.16	\pm	359.85	No
	05/09/23	81.34	\pm	103.20	300.97	\pm	381.84	No
	05/16/23	-15.10	\pm	96.69	-55.86	\pm	357.75	No
	05/23/23	119.93	\pm	141.67	443.74	\pm	524.18	No
	05/30/23	-113.07	\pm	118.17	-418.36	\pm	437.23	No
	06/06/23	41.10	\pm	118.33	152.05	\pm	437.82	No
	06/13/23	12.56	\pm	112.05	46.48	\pm	414.59	No
	06/20/23	-29.32	\pm	132.60	-108.48	\pm	490.62	No
	06/27/23	-77.18	\pm	120.79	-285.55	\pm	446.92	No
SMC	04/04/23	-48.34	\pm	124.21	-178.87	\pm	459.58	No
	04/11/23	78.25	\pm	117.91	289.51	\pm	436.27	No
	04/18/23	121.98	\pm	137.71	451.33	\pm	509.53	No
	04/25/23	-42.97	\pm	130.19	-158.98	\pm	481.70	No
	05/02/23	-58.99	\pm	127.70	-218.27	\pm	472.49	No

Table C-2. Weekly iodine-131 activity in air.

Sampling Group and Location	Sampling Date	Result \pm 1s Uncertainty ($\times 10^{-15}$ μ Ci/mL)			Result \pm 1s Uncertainty ($\times 10^{-11}$ Bq/mL)			Result > 3s
	05/09/23	-143.07	\pm	93.52	-529.36	\pm	346.02	No
	05/16/23	-84.47	\pm	131.55	-312.55	\pm	486.74	No
	05/23/23	-91.79	\pm	183.44	-339.63	\pm	678.73	No
	05/30/23	106.11	\pm	125.20	392.61	\pm	463.24	No
	06/06/23	0.00	\pm	114.26	0.00	\pm	422.76	No
	06/13/23	-4.51	\pm	101.13	-16.68	\pm	374.18	No
	06/20/23	-133.85	\pm	142.68	-495.25	\pm	527.92	No
	06/27/23	-11.61	\pm	90.07	-42.96	\pm	333.26	No
VAN BUREN	04/04/23	14.68	\pm	96.92	54.32	\pm	358.59	No
	04/11/23	57.42	\pm	115.45	212.45	\pm	427.17	No
	04/18/23	67.72	\pm	120.98	250.55	\pm	447.63	No
	04/25/23	0.77	\pm	92.42	2.83	\pm	341.94	No
	05/02/23	-8.11	\pm	105.85	-30.00	\pm	391.65	No
	05/09/23	11.60	\pm	105.62	42.93	\pm	390.79	No
	05/16/23	-4.66	\pm	102.64	-17.24	\pm	379.77	No
	05/23/23	-4.91	\pm	145.54	-18.17	\pm	538.50	No
	05/30/23	-4.74	\pm	115.94	-17.53	\pm	428.98	No
	06/06/23	135.19	\pm	117.20	500.20	\pm	433.64	No
	06/13/23	34.57	\pm	128.70	127.90	\pm	476.19	No
	06/20/23	103.72	\pm	110.94	383.76	\pm	410.48	No
	06/27/23	41.53	\pm	131.82	153.65	\pm	487.73	No
VAN BUREN (QA-4)	04/04/23	-124.35	\pm	117.62	-460.10	\pm	435.19	No
	04/11/23	-108.78	\pm	131.70	-402.49	\pm	487.29	No
	04/18/23	84.98	\pm	134.20	314.44	\pm	496.54	No
	04/25/23	-7.02	\pm	120.32	-25.97	\pm	445.18	No
	05/02/23	15.09	\pm	129.95	55.82	\pm	480.82	No
	05/09/23	-17.57	\pm	134.48	-65.00	\pm	497.58	No
	05/16/23	56.01	\pm	118.40	207.23	\pm	438.08	No
	05/23/23	160.12	\pm	162.07	592.44	\pm	599.66	No
	05/30/23	-2.25	\pm	129.36	-8.32	\pm	478.63	No
	06/06/23	-103.62	\pm	116.82	-383.39	\pm	432.23	No
	06/13/23	31.51	\pm	94.57	116.59	\pm	349.92	No
	06/20/23	124.50	\pm	118.70	460.65	\pm	439.19	No
	06/27/23	-0.93	\pm	126.57	-3.46	\pm	468.31	No

a. Invalid sample identified in red

Table C-3. Quarterly cesium-137, strontium-90, and actinide concentrations in composite air filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty (x 10 ⁻¹⁸ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹⁴ Bq/mL)			Result > 3s
BOUNDARY									
ARCO	06/27/23	Americium-241	2.45	±	2.94	9.07	±	10.88	No
	06/27/23	Cesium-137	-5.74	±	42.00	-21.24	±	155.40	No
	06/27/23	Plutonium-238	-1.95	±	2.16	-7.22	±	7.99	No
	06/27/23	Plutonium-239/240	1.95	±	1.95	7.22	±	7.22	No
	06/27/23	Strontium-90	50.80	±	16.30	187.96	±	60.31	Yes
	06/27/23	Uranium-233/234	8.62	±	4.02	31.89	±	14.87	No
	06/27/23	Uranium-238	11.40	±	4.02	42.18	±	14.87	No
ATOMIC CITY	06/27/23	Americium-241	2.01	±	4.48	7.44	±	16.58	No
	06/27/23	Cesium-137	-269.00	±	93.30	-995.30	±	345.21	No
	06/27/23	Plutonium-238	1.40	±	2.21	5.18	±	8.18	No
	06/27/23	Plutonium-239/240	-0.70	±	2.09	-2.58	±	7.73	No
	06/27/23	Strontium-90	-10.20	±	19.30	-37.74	±	71.41	No
	06/27/23	Uranium-233/234	14.80	±	6.37	54.76	±	23.57	No
	06/27/23	Uranium-238	6.95	±	5.01	25.72	±	18.54	No
BLUE DOME	06/27/23	Americium-241	2.82	±	3.64	10.43	±	13.47	No
	06/27/23	Cesium-137	-360.00	±	159.00	-1332.00	±	588.30	No
	06/27/23	Plutonium-238	1.16	±	3.84	4.29	±	14.21	No
	06/27/23	Plutonium-239/240	4.61	±	3.65	17.06	±	13.51	No
	06/27/23	Strontium-90	31.70	±	29.50	117.29	±	109.15	No
	06/27/23	Uranium-233/234	12.90	±	4.99	47.73	±	18.46	No
	06/27/23	Uranium-238	9.59	±	3.59	35.48	±	13.28	No
FAA TOWER	06/27/23	Americium-241	4.00	±	3.10	14.80	±	11.47	No
	06/27/23	Cesium-137	118.00	±	147.00	436.60	±	543.90	No
	06/27/23	Plutonium-238	3.08	±	3.61	11.40	±	13.36	No
	06/27/23	Plutonium-239/240	0.77	±	2.97	2.84	±	10.99	No
	06/27/23	Strontium-90	-22.60	±	20.20	-83.62	±	74.74	No
	06/27/23	Uranium-233/234	20.40	±	6.91	75.48	±	25.57	No
	06/27/23	Uranium-238	6.91	±	5.35	25.57	±	19.80	No
HOWE	06/27/23	Americium-241	1.46	±	3.72	5.40	±	13.76	No
	06/27/23	Cesium-137	9.93	±	41.90	36.74	±	155.03	No
	06/27/23	Plutonium-238	4.02	±	2.12	14.87	±	7.84	No
	06/27/23	Plutonium-239/240	4.67	±	2.41	17.28	±	8.92	No
	06/27/23	Strontium-90	-64.60	±	27.10	-239.02	±	100.27	No

Table C-3. Quarterly cesium-137, strontium-90, and actinide concentrations in composite air filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty (x 10 ⁻¹⁸ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹⁴ Bq/mL)			Result > 3s
MONTEVIEW	06/27/23	Uranium-233/234	15.80	±	5.46	58.46	±	20.20	No
	06/27/23	Uranium-238	30.40	±	5.97	112.48	±	22.09	Yes
	06/27/23	Americium-241	0.00	±	2.25	0.00	±	8.33	No
	06/27/23	Cesium-137	-250.00	±	85.90	-925.00	±	317.83	No
	06/27/23	Plutonium-238	4.44	±	2.34	16.43	±	8.66	No
	06/27/23	Plutonium-239/240	5.17	±	2.45	19.13	±	9.07	No
	06/27/23	Strontium-90	32.70	±	21.40	120.99	±	79.18	No
	06/27/23	Uranium-233/234	20.40	±	5.82	75.48	±	21.53	Yes
TERRETON	06/27/23	Uranium-238	13.60	±	4.75	50.32	±	17.58	No
	06/30/23	Americium-241	3.89	±	3.02	14.39	±	11.17	No
	06/30/23	Cesium-137	55.10	±	59.00	203.87	±	218.30	No
	06/30/23	Plutonium-238	-1.98	±	2.55	-7.33	±	9.44	No
	06/30/23	Plutonium-239/240	0.66	±	1.98	2.43	±	7.33	No
	06/30/23	Strontium-90	56.20	±	36.80	207.94	±	136.16	No
	06/30/23	Uranium-233/234	-0.07	±	5.20	-0.26	±	19.24	No
	06/30/23	Uranium-238	13.60	±	7.14	50.32	±	26.42	No
OFFSITE									
BLACKFOOT	06/30/23	Americium-241	-4.10	±	3.49	-15.17	±	12.91	No
	06/30/23	Cesium-137	93.50	±	34.40	345.95	±	127.28	No
	06/30/23	Plutonium-238	5.17	±	2.79	19.13	±	10.32	No
	06/30/23	Plutonium-239/240	1.21	±	3.48	4.48	±	12.88	No
	06/30/23	Strontium-90	-0.44	±	34.30	-1.62	±	126.91	No
	06/30/23	Uranium-233/234	14.00	±	13.00	51.80	±	48.10	No
	06/30/23	Uranium-238	6.48	±	9.12	23.98	±	33.74	No
CRATERS OF THE MOON	06/30/23	Americium-241	-0.91	±	3.76	-3.37	±	13.91	No
	06/30/23	Cesium-137	-66.80	±	50.50	-247.16	±	186.85	No
	06/30/23	Plutonium-238	1.88	±	1.85	6.96	±	6.85	No
	06/30/23	Plutonium-239/240	2.93	±	2.27	10.84	±	8.40	No
	06/30/23	Strontium-90	39.90	±	29.40	147.63	±	108.78	No
	06/30/23	Uranium-233/234	8.09	±	9.94	29.93	±	36.78	No
	06/30/23	Uranium-238	8.47	±	8.53	31.34	±	31.56	No
DUBOIS	06/27/23	Americium-241	3.00	±	2.59	11.10	±	9.58	No
	06/27/23	Cesium-137	35.90	±	59.30	132.83	±	219.41	No
	06/27/23	Plutonium-238	2.34	±	2.59	8.66	±	9.58	No

Table C-3. Quarterly cesium-137, strontium-90, and actinide concentrations in composite air filters.

Sampling Group and Location	Sampling Date	Analyte	Result \pm 1s Uncertainty ($\times 10^{-18}$ μ Ci/mL)			Result \pm 1s Uncertainty ($\times 10^{-14}$ Bq/mL)			Result > 3s
	06/27/23	Plutonium-239/240	1.56	\pm	2.46	5.77	\pm	9.10	No
	06/27/23	Strontium-90	-115.00	\pm	24.30	-425.50	\pm	89.91	No
	06/27/23	Uranium-233/234	12.00	\pm	4.07	44.40	\pm	15.06	No
	06/27/23	Uranium-238	10.60	\pm	3.54	39.22	\pm	13.10	No
DUBOIS (QA)	06/27/23	Americium-241	-1.63	\pm	3.06	-6.03	\pm	11.32	No
	06/27/23	Cesium-137	37.10	\pm	80.70	137.27	\pm	298.59	No
	06/27/23	Plutonium-238	2.23	\pm	1.96	8.25	\pm	7.25	No
	06/27/23	Plutonium-239/240	2.96	\pm	2.57	10.95	\pm	9.51	No
	06/27/23	Strontium-90	-42.20	\pm	17.90	-156.14	\pm	66.23	No
	06/27/23	Uranium-233/234	14.30	\pm	4.34	52.91	\pm	16.06	Yes
	06/27/23	Uranium-238	12.30	\pm	3.62	45.51	\pm	13.39	Yes
IDAHO FALLS	06/30/23	Americium-241	-0.53	\pm	2.29	-1.94	\pm	8.47	No
	06/30/23	Cesium-137	-36.30	\pm	44.40	-134.31	\pm	164.28	No
	06/30/23	Plutonium-238	3.26	\pm	3.05	12.06	\pm	11.29	No
	06/30/23	Plutonium-239/240	3.25	\pm	2.30	12.03	\pm	8.51	No
	06/30/23	Strontium-90	-11.60	\pm	36.70	-42.92	\pm	135.79	No
	06/30/23	Uranium-233/234	15.90	\pm	13.40	58.83	\pm	49.58	No
	06/30/23	Uranium-238	9.22	\pm	9.29	34.11	\pm	34.37	No
IRC	06/30/23	Americium-241	2.71	\pm	1.92	10.03	\pm	7.10	No
	06/30/23	Cesium-137	-70.70	\pm	72.40	-261.59	\pm	267.88	No
	06/30/23	Plutonium-238	4.23	\pm	3.27	15.65	\pm	12.10	No
	06/30/23	Plutonium-239/240	3.03	\pm	3.04	11.21	\pm	11.25	No
	06/30/23	Strontium-90	67.00	\pm	32.70	247.90	\pm	120.99	No
	06/30/23	Uranium-233/234	18.40	\pm	8.33	68.08	\pm	30.82	No
	06/30/23	Uranium-238	9.03	\pm	5.87	33.41	\pm	21.72	No
IRC NORTH	06/30/23	Americium-241	-2.43	\pm	3.44	-8.99	\pm	12.73	No
	06/30/23	Cesium-137	-32.60	\pm	77.60	-120.62	\pm	287.12	No
	06/30/23	Plutonium-238	1.68	\pm	2.54	6.22	\pm	9.40	No
	06/30/23	Plutonium-239/240	-2.32	\pm	1.89	-8.58	\pm	6.99	No
	06/30/23	Strontium-90	90.70	\pm	36.40	335.59	\pm	134.68	No
	06/30/23	Uranium-233/234	25.20	\pm	15.40	93.24	\pm	56.98	No
	06/30/23	Uranium-238	4.29	\pm	8.22	15.87	\pm	30.41	No
JACKSON, WY	06/27/23	Americium-241	-0.78	\pm	2.82	-2.89	\pm	10.43	No
	06/27/23	Cesium-137	136.00	\pm	93.20	503.20	\pm	344.84	No

Table C-3. Quarterly cesium-137, strontium-90, and actinide concentrations in composite air filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty (x 10 ⁻¹⁸ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹⁴ Bq/mL)			Result > 3s
	06/27/23	Plutonium-238	0.00	±	2.03	0.00	±	7.51	No
	06/27/23	Plutonium-239/240	3.31	±	3.31	12.25	±	12.25	No
	06/27/23	Strontium-90	3.43	±	15.30	12.69	±	56.61	No
	06/27/23	Uranium-233/234	16.90	±	4.96	62.53	±	18.35	Yes
	06/27/23	Uranium-238	17.20	±	4.88	63.64	±	18.06	Yes
SUGAR CITY	06/30/23	Americium-241	-2.51	±	2.35	-9.29	±	8.70	No
	06/30/23	Cesium-137	112.00	±	58.20	414.40	±	215.34	No
	06/30/23	Plutonium-238	-0.15	±	2.05	-0.54	±	7.59	No
	06/30/23	Plutonium-239/240	2.98	±	2.24	11.03	±	8.29	No
	06/30/23	Strontium-90	37.80	±	28.30	139.86	±	104.71	No
	06/30/23	Uranium-233/234	23.40	±	13.10	86.58	±	48.47	No
	06/30/23	Uranium-238	20.10	±	10.90	74.37	±	40.33	No
ONSITE									
ATR COMPLEX	06/30/23	Americium-241	1.48	±	2.57	5.48	±	9.51	No
	06/30/23	Cesium-137	177.00	±	70.70	654.90	±	261.59	No
	06/30/23	Plutonium-238	0.71	±	3.68	2.62	±	13.62	No
	06/30/23	Plutonium-239/240	-0.71	±	2.12	-2.62	±	7.84	No
	06/30/23	Strontium-90	-60.60	±	33.20	-224.22	±	122.84	No
	06/30/23	Uranium-233/234	10.60	±	7.85	39.22	±	29.05	No
	06/30/23	Uranium-238	8.62	±	6.36	31.89	±	23.53	No
CFA	06/30/23	Americium-241	2.78	±	2.60	10.29	±	9.62	No
	06/30/23	Cesium-137	-105.00	±	58.70	-388.50	±	217.19	No
	06/30/23	Plutonium-238	4.91	±	2.74	18.17	±	10.14	No
	06/30/23	Plutonium-239/240	1.23	±	2.66	4.55	±	9.84	No
	06/30/23	Strontium-90	-27.80	±	31.40	-102.86	±	116.18	No
	06/30/23	Uranium-233/234	-0.81	±	7.06	-2.98	±	26.12	No
	06/30/23	Uranium-238	7.80	±	7.94	28.86	±	29.38	No
EBR-I	06/30/23	Americium-241	1.95	±	3.09	7.22	±	11.43	No
	06/30/23	Cesium-137	102.00	±	105.00	377.40	±	388.50	No
	06/30/23	Plutonium-238	6.10	±	3.40	22.57	±	12.58	No
	06/30/23	Plutonium-239/240	0.61	±	2.34	2.27	±	8.66	No
	06/30/23	Strontium-90	9.01	±	29.20	33.34	±	108.04	No
	06/30/23	Uranium-233/234	-2.73	±	11.80	-10.10	±	43.66	No
	06/30/23	Uranium-238	-2.77	±	9.76	-10.25	±	36.11	No

Table C-3. Quarterly cesium-137, strontium-90, and actinide concentrations in composite air filters.

Sampling Group and Location	Sampling Date	Analyte	Result \pm 1s Uncertainty ($\times 10^{-18}$ μ Ci/mL)			Result \pm 1s Uncertainty ($\times 10^{-14}$ Bq/mL)			Result > 3s
EFS	06/30/23	Americium-241	0.00	\pm	1.94	0.00	\pm	7.18	No
	06/30/23	Cesium-137	38.70	\pm	43.80	143.19	\pm	162.06	No
	06/30/23	Plutonium-238	-0.14	\pm	1.91	-0.50	\pm	7.07	No
	06/30/23	Plutonium-239/240	-0.51	\pm	2.26	-1.88	\pm	8.36	No
	06/30/23	Strontium-90	13.20	\pm	37.50	48.84	\pm	138.75	No
	06/30/23	Uranium-233/234	-0.93	\pm	10.80	-3.46	\pm	39.96	No
	06/30/23	Uranium-238	23.60	\pm	12.50	87.32	\pm	46.25	No
GATE4	06/30/23	Americium-241	-6.61	\pm	3.12	-24.46	\pm	11.54	No
	06/30/23	Cesium-137	-56.80	\pm	72.40	-210.16	\pm	267.88	No
	06/30/23	Plutonium-238	1.37	\pm	2.07	5.07	\pm	7.66	No
	06/30/23	Plutonium-239/240	5.11	\pm	2.92	18.91	\pm	10.80	No
	06/30/23	Strontium-90	57.20	\pm	26.60	211.64	\pm	98.42	No
	06/30/23	Uranium-233/234	1.89	\pm	12.20	6.99	\pm	45.14	No
	06/30/23	Uranium-238	10.10	\pm	10.10	37.37	\pm	37.37	No
HWY 26 REST AREA	06/30/23	Americium-241	-3.63	\pm	2.56	-13.43	\pm	9.47	No
	06/30/23	Cesium-137	-0.97	\pm	38.50	-3.59	\pm	142.45	No
	06/30/23	Plutonium-238	3.07	\pm	2.30	11.36	\pm	8.51	No
	06/30/23	Plutonium-239/240	1.05	\pm	2.57	3.89	\pm	9.51	No
	06/30/23	Strontium-90	26.80	\pm	28.80	99.16	\pm	106.56	No
	06/30/23	Uranium-233/234	21.90	\pm	12.40	81.03	\pm	45.88	No
	06/30/23	Uranium-238	7.48	\pm	7.53	27.68	\pm	27.86	No
INTEC (NE CORNER) ^a	06/30/23	Americium-241	-20.90	\pm	18.10	-77.33	\pm	66.97	No
	06/30/23	Cesium-137	-266.00	\pm	505.00	-984.20	\pm	1868.50	No
	06/30/23	Plutonium-238	20.80	\pm	30.30	76.96	\pm	112.11	No
	06/30/23	Plutonium-239/240	20.80	\pm	18.30	76.96	\pm	67.71	No
	06/30/23	Strontium-90	-30.50	\pm	300.00	-112.85	\pm	1110.00	No
	06/30/23	Uranium-233/234	-8.44	\pm	24.10	-31.23	\pm	89.17	No
	06/30/23	Uranium-238	19.30	\pm	17.10	71.41	\pm	63.27	No
INTEC (QA)	06/30/23	Americium-241	0.84	\pm	4.13	3.09	\pm	15.28	No
	06/30/23	Cesium-137	95.30	\pm	53.10	352.61	\pm	196.47	No
	06/30/23	Plutonium-238	1.00	\pm	3.21	3.70	\pm	11.88	No
	06/30/23	Plutonium-239/240	139.00	\pm	18.50	514.30	\pm	68.45	Yes
	06/30/23	Strontium-90	112.00	\pm	40.60	414.40	\pm	150.22	No
	06/30/23	Uranium-233/234	7.65	\pm	7.36	28.31	\pm	27.23	No

Table C-3. Quarterly cesium-137, strontium-90, and actinide concentrations in composite air filters.

Sampling Group and Location	Sampling Date	Analyte	Result \pm 1s Uncertainty ($\times 10^{-18}$ μ Ci/mL)			Result \pm 1s Uncertainty ($\times 10^{-14}$ Bq/mL)			Result > 3s
INTEC (WEST SIDE)	06/30/23	Uranium-238	0.00	\pm	3.30	0.00	\pm	12.21	No
	06/30/23	Americium-241	0.00	\pm	2.59	0.00	\pm	9.58	No
	06/30/23	Cesium-137	94.00	\pm	50.40	347.80	\pm	186.48	No
	06/30/23	Plutonium-238	2.42	\pm	3.21	8.95	\pm	11.88	No
	06/30/23	Plutonium-239/240	4.14	\pm	3.28	15.32	\pm	12.14	No
	06/30/23	Strontium-90	209.00	\pm	43.50	773.30	\pm	160.95	Yes
	06/30/23	Uranium-233/234	9.21	\pm	9.91	34.08	\pm	36.67	No
	06/30/23	Uranium-238	3.67	\pm	7.03	13.58	\pm	26.01	No
MAIN GATE	06/27/23	Americium-241	-3.52	\pm	2.79	-13.02	\pm	10.32	No
	06/27/23	Cesium-137	55.40	\pm	80.70	204.98	\pm	298.59	No
	06/27/23	Plutonium-238	-0.63	\pm	2.10	-2.34	\pm	7.77	No
	06/27/23	Plutonium-239/240	1.89	\pm	2.09	6.99	\pm	7.73	No
	06/27/23	Strontium-90	56.00	\pm	35.80	207.20	\pm	132.46	No
	06/27/23	Uranium-233/234	19.40	\pm	6.86	71.78	\pm	25.38	No
	06/27/23	Uranium-238	5.01	\pm	5.88	18.54	\pm	21.76	No
MFC NORTH	06/30/23	Americium-241	-6.20	\pm	3.30	-22.94	\pm	12.21	No
	06/30/23	Cesium-137	-9.03	\pm	64.40	-33.41	\pm	238.28	No
	06/30/23	Chlorine-36	23.10	\pm	16.50	85.47	\pm	61.05	No
	06/30/23	Plutonium-238	0.29	\pm	1.80	1.07	\pm	6.66	No
	06/30/23	Plutonium-239/240	0.25	\pm	3.53	0.92	\pm	13.06	No
	06/30/23	Strontium-90	-23.30	\pm	26.80	-86.21	\pm	99.16	No
	06/30/23	Uranium-233/234	6.20	\pm	10.60	22.94	\pm	39.22	No
	06/30/23	Uranium-238	3.79	\pm	9.65	14.02	\pm	35.71	No
MFC SOUTH	06/30/23	Americium-241	1.35	\pm	1.91	5.00	\pm	7.07	No
	06/30/23	Cesium-137	-83.20	\pm	77.60	-307.84	\pm	287.12	No
	06/30/23	Chlorine-36	-15.90	\pm	16.50	-58.83	\pm	61.05	No
	06/30/23	Plutonium-238	-5.87	\pm	4.15	-21.72	\pm	15.36	No
	06/30/23	Plutonium-239/240	-3.66	\pm	2.84	-13.54	\pm	10.51	No
	06/30/23	Strontium-90	25.40	\pm	37.40	93.98	\pm	138.38	No
	06/30/23	Uranium-233/234	15.20	\pm	8.07	56.24	\pm	29.86	No
	06/30/23	Uranium-238	11.90	\pm	7.01	44.03	\pm	25.94	No
NRF	06/30/23	Americium-241	0.60	\pm	2.48	2.23	\pm	9.18	No
	06/30/23	Cesium-137	-25.60	\pm	47.00	-94.72	\pm	173.90	No
	06/30/23	Plutonium-238	-0.34	\pm	3.09	-1.24	\pm	11.43	No

Table C-3. Quarterly cesium-137, strontium-90, and actinide concentrations in composite air filters.

Sampling Group and Location	Sampling Date	Analyte	Result \pm 1s Uncertainty ($\times 10^{-18}$ μ Ci/mL)			Result \pm 1s Uncertainty ($\times 10^{-14}$ Bq/mL)			Result > 3s
	06/30/23	Plutonium-239/240	0.42	\pm	2.99	1.55	\pm	11.06	No
	06/30/23	Strontium-90	-43.10	\pm	22.40	-159.47	\pm	82.88	No
	06/30/23	Uranium-233/234	17.70	\pm	12.50	65.49	\pm	46.25	No
	06/30/23	Uranium-238	-0.68	\pm	8.01	-2.50	\pm	29.64	No
PBF	06/30/23	Americium-241	0.00	\pm	3.40	0.00	\pm	12.58	No
	06/30/23	Cesium-137	61.40	\pm	59.40	227.18	\pm	219.78	No
	06/30/23	Plutonium-238	-0.37	\pm	3.35	-1.35	\pm	12.40	No
	06/30/23	Plutonium-239/240	1.27	\pm	3.14	4.70	\pm	11.62	No
	06/30/23	Strontium-90	79.60	\pm	29.30	294.52	\pm	108.41	No
	06/30/23	Uranium-233/234	8.82	\pm	10.60	32.63	\pm	39.22	No
	06/30/23	Uranium-238	12.50	\pm	9.23	46.25	\pm	34.15	No
RHLLW	06/30/23	Americium-241	2.18	\pm	5.11	8.07	\pm	18.91	No
	06/30/23	Cesium-137	-49.10	\pm	63.40	-181.67	\pm	234.58	No
	06/30/23	Plutonium-238	7.84	\pm	3.54	29.01	\pm	13.10	No
	06/30/23	Plutonium-239/240	8.70	\pm	4.17	32.19	\pm	15.43	No
	06/30/23	Strontium-90	28.80	\pm	26.40	106.56	\pm	97.68	No
	06/30/23	Uranium-233/234	7.05	\pm	10.20	26.09	\pm	37.74	No
	06/30/23	Uranium-238	0.00	\pm	5.05	0.00	\pm	18.69	No
RWMC	06/30/23	Americium-241	-9.60	\pm	3.89	-35.52	\pm	14.39	No
	06/30/23	Cesium-137	89.10	\pm	53.80	329.67	\pm	199.06	No
	06/30/23	Plutonium-238	0.40	\pm	2.84	1.47	\pm	10.51	No
	06/30/23	Plutonium-239/240	3.10	\pm	3.08	11.47	\pm	11.40	No
	06/30/23	Strontium-90	-14.20	\pm	31.80	-52.54	\pm	117.66	No
	06/30/23	Uranium-233/234	-3.41	\pm	9.99	-12.62	\pm	36.96	No
	06/30/23	Uranium-238	9.28	\pm	9.46	34.34	\pm	35.00	No
RWMC (QA)	06/30/23	Americium-241	4.92	\pm	3.22	18.20	\pm	11.91	No
	06/30/23	Cesium-137	-80.50	\pm	66.50	-297.85	\pm	246.05	No
	06/30/23	Plutonium-238	-0.66	\pm	1.99	-2.46	\pm	7.36	No
	06/30/23	Plutonium-239/240	1.99	\pm	2.74	7.36	\pm	10.14	No
	06/30/23	Strontium-90	2.91	\pm	38.40	10.77	\pm	142.08	No
	06/30/23	Uranium-233/234	-15.10	\pm	6.69	-55.87	\pm	24.75	No
	06/30/23	Uranium-238	6.99	\pm	5.79	25.86	\pm	21.42	No
RWMC SOUTH	06/30/23	Americium-241	2.78	\pm	2.60	10.29	\pm	9.62	No
	06/30/23	Cesium-137	87.50	\pm	54.20	323.75	\pm	200.54	No

Table C-3. Quarterly cesium-137, strontium-90, and actinide concentrations in composite air filters.

Sampling Group and Location	Sampling Date	Analyte	Result ± 1s Uncertainty (x 10 ⁻¹⁸ µCi/mL)			Result ± 1s Uncertainty (x 10 ⁻¹⁴ Bq/mL)			Result > 3s
	06/30/23	Plutonium-238	1.06	±	2.62	3.92	±	9.69	No
	06/30/23	Plutonium-239/240	2.69	±	2.70	9.95	±	9.99	No
	06/30/23	Strontium-90	-9.19	±	25.50	-34.00	±	94.35	No
	06/30/23	Uranium-233/234	-5.79	±	9.02	-21.42	±	33.37	No
	06/30/23	Uranium-238	3.56	±	6.83	13.17	±	25.27	No
SMC	06/30/23	Americium-241	-9.32	±	3.57	-34.48	±	13.21	No
	06/30/23	Cesium-137	15.40	±	69.30	56.98	±	256.41	No
	06/30/23	Plutonium-238	-0.64	±	2.86	-2.38	±	10.58	No
	06/30/23	Plutonium-239/240	3.17	±	3.89	11.73	±	14.39	No
	06/30/23	Strontium-90	50.90	±	27.90	188.33	±	103.23	No
	06/30/23	Uranium-233/234	1.40	±	8.49	5.18	±	31.41	No
	06/30/23	Uranium-238	15.20	±	10.10	56.24	±	37.37	No
VAN BUREN GATE	06/30/23	Americium-241	7.07	±	4.16	26.16	±	15.39	No
	06/30/23	Cesium-137	28.10	±	53.80	103.97	±	199.06	No
	06/30/23	Plutonium-238	2.20	±	2.92	8.14	±	10.80	No
	06/30/23	Plutonium-239/240	2.20	±	2.92	8.14	±	10.80	No
	06/30/23	Strontium-90	-14.80	±	28.80	-54.76	±	106.56	No
	06/30/23	Uranium-233/234	6.27	±	10.30	23.20	±	38.11	No
	06/30/23	Uranium-238	5.58	±	7.85	20.65	±	29.05	No
VAN BUREN (QA)	06/30/23	Americium-241	2.05	±	2.27	7.59	±	8.40	No
	06/30/23	Cesium-137	-35.50	±	103.00	-131.35	±	381.10	No
	06/30/23	Plutonium-238	-0.70	±	2.73	-2.60	±	10.10	No
	06/30/23	Plutonium-239/240	1.41	±	2.81	5.22	±	10.40	No
	06/30/23	Strontium-90	0.38	±	35.10	1.41	±	129.87	No
	06/30/23	Uranium-233/234	-5.80	±	9.46	-21.46	±	35.00	No
	06/30/23	Uranium-238	3.80	±	5.45	14.06	±	20.17	No
a. This location had two valid air filters for the composite sample.									

Table C-4. Tritium concentrations in atmospheric moisture.

Sampling Group and Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
		(x 10 ⁻¹³ µCi/mL _{air})			(x 10 ⁻⁹ Bq/mL _{air})			
BOUNDARY								
ATOMIC CITY	04/11/23	1.66	±	1.10	6.14	±	4.07	No
	05/23/23	-2.17	±	1.57	-8.03	±	5.81	No
	06/13/23	3.76	±	3.58	13.91	±	13.25	No
HOWE	05/02/23	-1.10	±	1.46	-4.07	±	5.40	No
	05/30/23	2.53	±	2.70	9.36	±	9.99	No
	06/20/23	-4.89	±	2.91	-18.09	±	10.77	No
OFFSITE								
CRATERS OF THE MOON	04/04/23	-2.97	±	3.88	-10.99	±	14.36	No
	06/06/23	-27.10	±	9.05	-100.27	±	33.49	No
IDAHO FALLS	04/11/23	1.79	±	1.29	6.62	±	4.77	No
	05/09/23	-3.87	±	6.25	-14.32	±	23.13	No
	05/17/23	2.16	±	3.55	7.99	±	13.14	No
	06/07/23	-3.28	±	3.12	-12.14	±	11.54	No
	06/07/23	-12.70	±	9.77	-46.99	±	36.15	No
ONSITE								
EFS	05/02/23	-7.43	±	5.19	-27.49	±	19.20	No
	05/30/23	-11.60	±	8.99	-42.92	±	33.26	No
	06/21/23	12.10	±	11.20	44.77	±	41.44	No
RHLLW	05/09/23	-7.27	±	6.09	-26.90	±	22.53	No
	06/06/23	-11.30	±	9.42	-41.81	±	34.85	No
	06/27/23	-11.20	±	7.00	-41.44	±	25.90	No
VAN BUREN	04/18/23	3.72	±	4.84	13.76	±	17.91	No
	05/25/23	-3.24	±	6.69	-11.99	±	24.75	No
	06/13/23	-11.80	±	13.90	-43.66	±	51.43	No

Table C-5. Monthly and weekly tritium concentrations in precipitation.

Location	Start Date	End Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
			(pCi/L)			(Bq/L)			
BOUNDARY									
ATOMIC CITY	03/29/23	04/04/23	-13.40	±	25.90	-0.50	±	0.96	No
	04/18/23	04/25/23	-57.10	±	24.30	-2.11	±	0.90	No
	05/16/23	05/24/23	19.10	±	27.00	0.71	±	1.00	No
	05/24/23	05/30/23	-6.15	±	25.70	-0.23	±	0.95	No
	06/06/23	06/13/23	36.40	±	27.80	1.35	±	1.03	No
HOWE	04/11/23	04/18/23	-9.92	±	26.20	-0.37	±	0.97	No
	04/18/23	04/25/23	-28.20	±	25.20	-1.04	±	0.93	No
	05/16/23	05/25/23	-26.70	±	25.20	-0.99	±	0.93	No
	05/25/23	05/30/23	-13.00	±	25.40	-0.48	±	0.94	No
	05/30/23	06/06/23	38.30	±	27.90	1.42	±	1.03	No
	06/06/23	06/13/23	34.70	±	27.70	1.28	±	1.02	No
OFFSITE									
IDAHO FALLS	04/01/23	04/30/23	-20.90	±	25.50	-0.77	±	0.94	No
	05/01/23	05/31/23	-9.16	±	25.90	-0.34	±	0.96	No
	06/01/23	06/30/23	16.80	±	27.10	0.62	±	1.00	No
ONSITE									
EFS	04/18/23	04/25/23	-31.90	±	25.20	-1.18	±	0.93	No
	05/02/23	05/09/23	-5.89	±	26.50	-0.22	±	0.98	No
	05/16/23	05/23/23	-9.98	±	25.90	-0.37	±	0.96	No
	05/23/23	05/24/23	-36.10	±	24.20	-1.34	±	0.90	No
	05/24/23	05/30/23	4.37	±	26.20	0.16	±	0.97	No
	05/30/23	06/06/23	14.90	±	26.70	0.55	±	0.99	No
	06/06/23	06/13/23	-32.20	±	24.40	-1.19	±	0.90	No
	06/13/23	06/20/23	-17.90	±	25.00	-0.66	±	0.93	No
	06/20/23	06/27/23	34.80	±	27.60	1.29	±	1.02	No

Table C-6. Gross alpha, gross beta, and tritium concentrations in surface and drinking water.

Location	Sampling Date	Analyte	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s
			(pCi/L)			(Bq/L)			
SURFACE WATER									
ALPHEUS SPRING	05/08/23	Gross Alpha	1.01	±	0.55	0.04	±	0.02	No
	05/08/23	Gross Beta	7.97	±	0.61	0.30	±	0.02	Yes
	05/08/23	Tritium	110.00	±	32.20	4.07	±	1.19	Yes
BILL JONES, JR. TROUT FARM	05/08/23	Gross Alpha	-0.32	±	0.34	-0.01	±	0.01	No
	05/08/23	Gross Beta	3.44	±	0.50	0.13	±	0.02	Yes
	05/08/23	Tritium	7.41	±	25.50	0.27	±	0.94	No
CLEAR SPRINGS	05/08/23	Gross Alpha	0.22	±	0.66	0.01	±	0.02	No
	05/08/23	Gross Beta	4.44	±	0.54	0.16	±	0.02	Yes
	05/08/23	Tritium	143.00	±	32.50	5.30	±	1.20	Yes
DRINKING WATER									
ATOMIC CITY	05/16/23	Gross Alpha	0.61	±	0.42	0.02	±	0.02	No
	05/16/23	Gross Beta	3.99	±	0.45	0.15	±	0.02	Yes
	05/16/23	Tritium	49.50	±	31.80	1.83	±	1.18	No
CONTROL	05/25/23	Gross Alpha	0.37	±	0.15	0.01	±	0.01	No
	05/25/23	Gross Beta	0.78	±	0.35	0.03	±	0.01	No
	05/25/23	Tritium	176.00	±	32.70	6.52	±	1.21	Yes
CRATERS OF THE MOON	05/25/23	Gross Alpha	0.14	±	0.29	0.01	±	0.01	No
	05/25/23	Gross Beta	1.84	±	0.43	0.07	±	0.02	Yes
	05/25/23	Tritium	92.20	±	32.10	3.41	±	1.19	No
HOWE	06/01/23	Gross Alpha	0.68	±	0.41	0.03	±	0.02	No
	06/01/23	Gross Beta	1.01	±	0.42	0.04	±	0.02	No
	06/01/23	Tritium	109.00	±	32.20	4.04	±	1.19	Yes
IDAHO FALLS	06/01/23	Gross Alpha	-0.23	±	0.40	-0.01	±	0.01	No
	06/01/23	Gross Beta	3.51	±	0.50	0.13	±	0.02	Yes
	06/01/23	Tritium	55.10	±	24.50	2.04	±	0.91	No
MINIDOKA	05/08/23	Gross Alpha	-0.04	±	0.58	0.00	±	0.02	No
	05/08/23	Gross Beta	4.24	±	0.49	0.16	±	0.02	Yes
	05/08/23	Tritium	18.70	±	23.80	0.69	±	0.88	No
MINIDOKA (DUPLICATE)	05/08/23	Gross Alpha	1.59	±	0.67	0.06	±	0.02	No
	05/08/23	Gross Beta	5.45	±	0.54	0.20	±	0.02	Yes
	05/08/23	Tritium	58.40	±	24.80	2.16	±	0.92	No
MUD LAKE	05/09/23	Gross Alpha	-0.46	±	0.21	-0.02	±	0.01	No
	05/09/23	Gross Beta	3.96	±	0.41	0.15	±	0.02	Yes
	05/09/23	Tritium	-0.73	±	23.40	-0.03	±	0.87	No
REST AREA	05/16/23	Gross Alpha	1.32	±	0.37	0.05	±	0.01	Yes
	05/16/23	Gross Beta	2.54	±	0.44	0.09	±	0.02	Yes
	05/16/23	Tritium	48.60	±	24.60	1.80	±	0.91	No
SHOSHONE	05/08/23	Gross Alpha	1.73	±	0.49	0.06	±	0.02	Yes
	05/08/23	Gross Beta	3.46	±	0.46	0.13	±	0.02	Yes
	05/08/23	Tritium	41.90	±	24.50	1.55	±	0.91	No

Table C-7. Weekly and monthly iodine-131 and cesium-137 concentrations in milk.

Iodine-131								Cesium-137							
Location	Sampling Date	Result ± 1s Uncertainty			Result ± 1s Uncertainty			Result > 3s	Result ± 1s Uncertainty			Result ± 1s Uncertainty			
		(pCi/L)			(Bq/L)				(pCi/L)			(Bq/L)			
CONTROL	04/18/23	-0.54	±	0.55	-0.02	±	0.02	No	-0.11	±	0.57	0.00	±	0.02	No
	05/16/23	-0.06	±	0.82	0.00	±	0.03	No	0.78	±	0.79	0.03	±	0.03	No
	06/15/23	0.05	±	0.67	0.00	±	0.02	No	0.97	±	0.99	0.04	±	0.04	No
DIETRICH	04/19/23	-0.37	±	0.57	-0.01	±	0.02	No	-0.15	±	0.50	-0.01	±	0.02	No
	05/15/23	-0.49	±	0.83	-0.02	±	0.03	No	-0.06	±	0.64	0.00	±	0.02	No
	06/14/23	0.12	±	0.68	0.00	±	0.03	No	0.69	±	0.51	0.03	±	0.02	No
HOWE	04/19/23	-0.84	±	1.01	-0.03	±	0.04	No	2.48	±	1.03	0.09	±	0.04	No
	05/15/23	1.10	±	1.34	0.04	±	0.05	No	2.09	±	1.03	0.08	±	0.04	No
	06/14/23	0.58	±	0.71	0.02	±	0.03	No	1.52	±	1.06	0.06	±	0.04	No
	duplicate 06/14/23	0.24	±	0.74	0.01	±	0.03	No	0.41	±	0.60	0.02	±	0.02	No
MINIDOKA	04/19/23	-0.58	±	1.56	-0.02	±	0.06	No	1.30	±	1.03	0.05	±	0.04	No
	05/16/23	0.41	±	1.48	0.02	±	0.05	No	-0.37	±	0.82	-0.01	±	0.03	No
	06/14/23	-0.68	±	0.85	-0.03	±	0.03	No	1.01	±	0.65	0.04	±	0.02	No
MONTEVIEW	04/18/23	0.83	±	0.97	0.03	±	0.04	No	4.70	±	1.35	0.17	±	0.05	Yes
	05/16/23	0.37	±	0.67	0.01	±	0.02	No	0.60	±	0.81	0.02	±	0.03	No
	06/15/23	0.28	±	0.63	0.01	±	0.02	No	0.11	±	0.51	0.00	±	0.02	No
RIGBY	04/04/23	-1.62	±	0.93	-0.06	±	0.03	No	-14.80	±	2.33	-0.55	±	0.09	No
	04/12/23	-0.33	±	0.69	-0.01	±	0.03	No	1.70	±	0.91	0.06	±	0.03	No
	04/18/23	-0.33	±	0.55	-0.01	±	0.02	No	0.52	±	0.67	0.02	±	0.02	No
	duplicate 04/18/23	1.26	±	1.29	0.05	±	0.05	No	-0.83	±	1.05	-0.03	±	0.04	No
	04/24/23	0.17	±	0.73	0.01	±	0.03	No	0.86	±	0.88	0.03	±	0.03	No
	05/04/23	0.23	±	0.99	0.01	±	0.04	No	1.89	±	0.89	0.07	±	0.03	No
	05/10/23	0.91	±	0.78	0.03	±	0.03	No	-0.14	±	0.60	-0.01	±	0.02	No
	05/16/23	1.81	±	0.96	0.07	±	0.04	No	1.08	±	0.58	0.04	±	0.02	No
	05/24/23	0.44	±	0.72	0.02	±	0.03	No	0.85	±	0.63	0.03	±	0.02	No
	06/01/23	0.45	±	0.67	0.02	±	0.02	No	3.11	±	1.05	0.12	±	0.04	No
	06/05/23	0.16	±	0.66	0.01	±	0.02	No	0.20	±	0.55	0.01	±	0.02	No
	06/15/23	0.10	±	0.78	0.00	±	0.03	No	1.00	±	0.83	0.04	±	0.03	No
	06/19/23	0.80	±	0.76	0.03	±	0.03	No	0.49	±	0.60	0.02	±	0.02	No
	06/27/23	-1.15	±	0.90	-0.04	±	0.03	No	3.27	±	1.10	0.12	±	0.04	No
TERRETON	04/04/23	-0.01	±	0.90	0.00	±	0.03	No	-0.46	±	0.98	-0.02	±	0.04	No
	04/12/23	-0.16	±	0.81	-0.01	±	0.03	No	-0.35	±	0.80	-0.01	±	0.03	No
	04/18/23	0.28	±	0.90	0.01	±	0.03	No	2.41	±	0.94	0.09	±	0.03	No
	04/24/23	0.03	±	0.60	0.00	±	0.02	No	-0.38	±	0.66	-0.01	±	0.02	No
	05/04/23	0.02	±	0.50	0.00	±	0.02	No	0.28	±	0.50	0.01	±	0.02	No
	05/10/23	0.54	±	0.61	0.02	±	0.02	No	0.32	±	0.53	0.01	±	0.02	No
	05/16/23	-0.78	±	0.97	-0.03	±	0.04	No	0.04	±	0.58	0.00	±	0.02	No
	05/24/23	0.49	±	0.96	0.02	±	0.04	No	-0.75	±	0.93	-0.03	±	0.03	No
	06/01/23	-0.10	±	0.69	0.00	±	0.03	No	-0.29	±	0.71	-0.01	±	0.03	No
	06/05/23	-0.14	±	0.55	-0.01	±	0.02	No	0.11	±	0.50	0.00	±	0.02	No
	06/15/23	-0.77	±	0.61	-0.03	±	0.02	No	0.03	±	0.63	0.00	±	0.02	No
	06/19/23	-0.24	±	0.74	-0.01	±	0.03	No	0.70	±	0.61	0.03	±	0.02	No
	06/27/23	0.83	±	0.75	0.03	±	0.03	No	0.59	±	0.71	0.02	±	0.03	No

Table C-8. Strontium-90 and tritium concentrations in milk.

Location	Sampling Date	Result ± 1s Uncertainty (pCi/L)			Result ± 1s Uncertainty (Bq/L)			Result > 3s
Strontium-90								
CONTROL	05/16/23	0.09	±	0.13	0.00	±	0.00	No
DIETRICH	05/15/23	-0.55	±	0.13	-0.02	±	0.00	No
HOWE	05/15/23	0.15	±	0.07	0.01	±	0.00	No
MINIKOKA	05/16/23	-0.05	±	0.12	0.00	±	0.00	No
MONTEVIEW	05/16/23	-0.08	±	0.11	0.00	±	0.00	No
RIGBY	05/16/23	0.26	±	0.09	0.01	±	0.00	No
TERRETON	05/16/23	0.02	±	0.05	0.00	±	0.00	No
Tritium								
CONTROL (BROOMFIELD)	05/16/23	111.00	±	33.70	4.11	±	1.25	Yes
DIETRICH	05/15/23	23.80	±	25.70	0.88	±	0.95	No
HOWE	05/15/23	68.10	±	33.50	2.52	±	1.24	No
MINIDOKA	05/16/23	72.70	±	33.50	2.69	±	1.24	No
MONTEVIEW	05/16/23	14.90	±	25.60	0.55	±	0.95	No
RIGBY	05/16/23	72.80	±	33.50	2.70	±	1.24	No
TERRETON	05/16/23	95.70	±	34.70	3.54	±	1.29	No

Table C-9. Gamma-emitting radionuclides in large game animals.

Collection				Result ± 1s			Result ± 1s Uncertainty			Result > 3s
Species	Date	Tissue	Analyte	(pCi/kg wet weight)			(x 10 ⁻² Bq/kg wet weight)			
DEER	06/21/23	Liver	Cesium-137	0.03	±	0.96	0.12	±	3.56	No
			Iodine-131	0.17	±	1.16	0.61	±	4.29	No
DEER	06/21/23	Muscle	Cesium-137	0.87	±	1.43	3.20	±	5.29	No
			Iodine-131	0.10	±	1.27	0.38	±	4.70	No
DEER	06/21/23	Thyroid	Cesium-137	6.57	±	13.60	24.31	±	50.32	No
			Iodine-131	10.40	±	13.70	38.48	±	50.69	No

Table C-10. Environmental radiation measurements using OSLDs.

					Radiation Measurement ± 1s			
					Uncertainty		Dose	
Location	Dosimetry Name	Start Date	End Date	Result	Sigma Uncertainty		mrem/day	
					mrem			
BOUNDARY								
Arco	Arco E-1	11/02/22	05/01/23	52.50	±	2.63	0.29	
	Arco O-1	11/02/22	05/01/23	47.40	±	2.37	0.26	
Atomic City	Atomic City E-1	11/02/22	05/01/23	62.90	±	3.15	0.35	
	Atomic City O-2	11/02/22	05/01/23	56.30	±	2.82	0.31	
Blue Dome	Blue Dome E-1	11/01/22	05/01/23	45.00	±	2.25	0.25	
East Butte	RRL5 O-1	11/01/22	05/08/23	72.80	±	3.64	0.39	
Frenchmans Cabin	RRL3 O-1	11/02/22	05/01/23	59.50	±	2.98	0.33	
Howe	Howe E-1	11/01/22	05/01/23	60.20	±	3.01	0.33	
	Howe O-3	11/01/22	05/01/23	53.00	±	2.65	0.29	
	RRL24 O-1	11/01/22	05/01/23	55.70	±	2.79	0.31	
Montevieu	Montevieu E-1	11/01/22	05/01/23	55.70	±	2.79	0.31	
	Montevieu O-4	11/01/22	05/01/23	58.90	±	2.95	0.32	
	RRL17 O-1	11/01/22	05/01/23	55.50	±	2.78	0.31	
Mudlake	Mud Lake E-1	11/01/22	05/01/23	58.10	±	2.91	0.32	
	Mud Lake O-5	11/01/22	05/01/23	65.40	±	3.27	0.36	
Reno Ranch	Reno Ranch E-1	11/01/22	05/01/23	53.30	±	2.67	0.29	
	Reno Ranch O-6	11/01/22	05/01/23	52.60	±	2.63	0.29	
Boundary Average				56.75			0.31	
OFFSITE								
Aberdeen	Aberdeen E-1	11/03/22	05/01/23	56.30	±	2.82	0.31	
Blackfoot	Blackfoot E-1	11/02/22	05/01/23	57.90	±	2.90	0.32	
	Blackfoot O-9	11/02/22	05/01/23	55.00	±	2.75	0.30	
Craters of the Moon	Craters of Moon E-1	11/02/22	05/01/23	48.60	±	2.43	0.27	
	Craters of Moon O-7	11/02/22	05/01/23	48.20	±	2.41	0.27	
Dubois	Dubois E-1	11/02/22	05/01/23	51.90	±	2.60	0.29	
Idaho Falls	Idaho Falls E-1	11/01/22	05/02/23	55.80	±	2.79	0.31	
	Idaho Falls O-10	11/01/22	05/02/23	56.50	±	2.83	0.31	
	IF-603E O-2	11/01/22	05/03/23	49.20	±	2.46	0.27	
	IF-603N O-1	11/01/22	05/03/23	60.80	±	3.04	0.33	
	IF-603S O-3	11/01/22	05/03/23	51.30	±	2.57	0.28	
	IF-603W O-4	11/01/22	05/03/23	52.80	±	2.64	0.29	
	IF-616N O-36	11/01/22	05/02/23	50.80	±	2.54	0.28	
	IF-627 O-30	11/01/22	05/03/23	47.80	±	2.39	0.26	
	IF-638E O-2	11/01/22	05/03/23	53.10	±	2.66	0.29	
	IF-638N O-1	11/01/22	05/03/23	47.20	±	2.36	0.26	

Table C-10. Environmental radiation measurements using OSLDs.

				Radiation Measurement ± 1s			Dose	
				Uncertainty				
				Result	Sigma Uncertainty			
Location	Dosimetry Name	Start Date	End Date		mrem		mrem/day	
	IF-638S O-3	11/01/22	05/03/23	66.30	±	3.32	0.36	
	IF-638W O-4	11/01/22	05/03/23	49.70	±	2.49	0.27	
	IF-652A O-1	11/02/22	05/02/23	70.80	±	3.54	0.39	
	IF-652A O-2	11/01/22	05/02/23	60.30	±	3.02	0.33	
	IF-652A O-4	11/02/22	05/02/23	65.40	±	3.27	0.36	
	IF-665 O-1	11/02/22	05/02/23	49.90	±	2.50	0.27	
	IF-665 O-2	11/02/22	05/02/23	53.00	±	2.65	0.29	
	IF-665 O-3	11/02/22	05/02/23	56.00	±	2.80	0.31	
	IF-665 O-4	11/02/22	05/02/23	56.80	±	2.84	0.31	
	IF-665 O-5	11/02/22	05/02/23	54.40	±	2.72	0.30	
	IF-665W O-37	11/02/22	05/02/23	49.10	±	2.46	0.27	
	IF-670D O-34	11/01/22	05/02/23	54.50	±	2.73	0.30	
	IF-670E O-32	11/01/22	05/02/23	52.50	±	2.63	0.29	
	IF-670N O-31	11/01/22	05/02/23	49.20	±	2.46	0.27	
	IF-670S O-33	11/01/22	05/02/23	57.70	±	2.89	0.32	
	IF-670W O-35	11/01/22	05/02/23	65.10	±	3.26	0.36	
	IF-675D O-33	11/01/22	05/02/23	56.70	±	2.84	0.31	
	IF-675E O-31	11/01/22	05/02/23	49.00	±	2.45	0.27	
	IF-675S O-34	11/01/22	05/02/23	53.00	±	2.65	0.29	
	IF-675W O-35	11/01/22	05/02/23	55.60	±	2.78	0.30	
	IF-688B O-1	11/01/22	05/02/23	49.40	±	2.47	0.27	
	IF-688B O-2	11/01/22	05/02/23	53.00	±	2.65	0.29	
	IF-689 O-7	11/01/22	05/03/23	56.50	±	2.83	0.31	
	IF-689 O-8	11/01/22	05/03/23	46.30	±	2.32	0.25	
	IF-IDA O-38	11/01/22	05/02/23	43.20	±	2.16	0.24	
	IF-IRC O-39	11/01/22	05/03/23	54.60	±	2.73	0.30	
	Jackson	Jackson E-1	11/07/22	05/01/23	54.40	±	2.72	0.31
	Minidoka	Minidoka E-1	11/03/22	05/04/23	51.30	±	2.57	0.28
	Roberts	Roberts E-1	11/01/22	05/01/23	64.00	±	3.20	0.35
		RobNOAA	11/01/22	05/01/23	55.30	±	2.77	0.30
Sugar City	Sugar E-1	11/01/22	05/01/23	67.00	±	3.35	0.37	
Offsite Average				54.54			0.30	
ONSITE								
ARA	ARA I&II O-1	11/02/22	05/01/23	64.70	±	3.24	0.36	
ATR Complex	LincolnBlvd O-5	11/01/22	05/01/23	65.00	±	3.25	0.36	
	TRA O-1	11/01/22	05/01/23	67.10	±	3.36	0.37	

Table C-10. Environmental radiation measurements using OSLDs.

Location	Dosimetry Name	Start Date	End Date	Radiation Measurement ± 1s			Dose	
				Uncertainty				
				Result	Sigma Uncertainty			
				mrem		mrem/day		
	TRA O-10	11/01/22	05/01/23	130.70	±	6.54	0.72	
	TRA O-11	11/01/22	05/01/23	112.30	±	5.62	0.62	
	TRA O-12	11/01/22	05/01/23	68.20	±	3.41	0.38	
	TRA O-13	11/01/22	05/01/23	57.60	±	2.88	0.32	
	TRA O-14	11/01/22	05/01/23	52.80	±	2.64	0.29	
	TRA O-15	11/01/22	05/01/23	63.20	±	3.16	0.35	
	TRA O-16	11/01/22	05/01/23	60.90	±	3.05	0.34	
	TRA O-17	11/01/22	05/01/23	58.30	±	2.92	0.32	
	TRA O-18	11/01/22	05/01/23	61.70	±	3.09	0.34	
	TRA O-19	11/01/22	05/01/23	61.70	±	3.09	0.34	
	TRA O-20	11/01/22	05/01/23	57.80	±	2.89	0.32	
	TRA O-21	11/01/22	05/01/23	64.00	±	3.20	0.35	
	TRA O-22	11/01/22	05/01/23	63.10	±	3.16	0.35	
	TRA O-23	11/01/22	05/01/23	63.90	±	3.20	0.35	
	TRA O-24	11/01/22	05/01/23	67.10	±	3.36	0.37	
	TRA O-25	11/01/22	05/01/23	56.70	±	2.84	0.31	
	TRA O-26	11/01/22	05/01/23	62.00	±	3.10	0.34	
	TRA O-27	11/01/22	05/01/23	64.50	±	3.23	0.36	
	TRA O-28	11/01/22	05/01/23	62.40	±	3.12	0.34	
	TRA O-6	11/01/22	05/01/23	63.30	±	3.17	0.35	
	TRA O-7	11/01/22	05/01/23	67.20	±	3.36	0.37	
	TRA O-8	11/01/22	05/01/23	62.40	±	3.12	0.34	
	TRA O-9	11/01/22	05/01/23	60.40	±	3.02	0.33	
	CFA	CFA O-1	11/02/22	05/01/23	61.60	±	3.08	0.34
		LincolnBlvd O-1	11/02/22	05/01/23	57.60	±	2.88	0.32
	EBR-I	EBR I O-1	11/02/22	05/01/23	58.40	±	2.92	0.32
		EBR I O-2	11/02/22	05/01/23	71.00	±	3.55	0.39
		EBR I O-3	11/02/22	05/01/23	296.60	±	14.83	1.64
EFS	EFS O-1	11/01/22	05/01/23	63.70	±	3.19	0.35	
Gate 4	Gate4 O-1	11/01/22	05/01/23	62.10	±	3.11	0.34	
Highway 26 Rest Area	REST O-1	11/02/22	05/01/23	60.10	±	3.01	0.33	
Highway	Hwy20 Mile O-266	11/01/22	05/02/23	49.40	±	2.47	0.27	
	Hwy20 Mile O-270	11/01/22	05/02/23	50.60	±	2.53	0.28	
	Hwy20 Mile O-276	11/02/22	05/01/23	59.80	±	2.99	0.33	
	Hwy22 T28 O-1	11/01/22	05/01/23	49.90	±	2.50	0.28	
	Hwy28 N2300 O-2	11/01/22	05/01/23	49.90	±	2.50	0.27	

Table C-10. Environmental radiation measurements using OSLDs.

				Radiation Measurement ± 1s			Dose	
				Uncertainty				
				Result	Sigma Uncertainty			
Location	Dosimetry Name	Start Date	End Date		mrem		mrem/day	
INTEC	Hwy33 T17 O-3	11/01/22	05/01/23	48.30	±	2.42	0.27	
	ICPP O-15	11/01/22	05/01/23	177.60	±	8.88	0.98	
	ICPP O-17	11/01/22	05/01/23	66.10	±	3.31	0.36	
	ICPP O-19	11/01/22	05/01/23	82.40	±	4.12	0.45	
	ICPP O-20	11/01/22	05/01/23	256.00	±	12.80	1.41	
	ICPP O-21	11/01/22	05/01/23	90.00	±	4.50	0.50	
	ICPP O-22	11/01/22	05/01/23	79.10	±	3.96	0.44	
	ICPP O-25	11/01/22	05/01/23	80.00	±	4.00	0.44	
	ICPP O-26	11/01/22	05/01/23	64.80	±	3.24	0.36	
	ICPP O-27	11/01/22	05/01/23	180.10	±	9.01	0.99	
	ICPP O-28	11/01/22	05/01/23	175.60	±	8.78	0.97	
	ICPP O-30	11/01/22	05/01/23	196.20	±	9.81	1.08	
	ICPP O-9	11/01/22	05/01/23	66.50	±	3.33	0.37	
	ICPP TreeFarm O-1	11/01/22	05/01/23	100.10	±	5.01	0.55	
	ICPP TreeFarm O-2	11/01/22	05/01/23	78.00	±	3.90	0.43	
	ICPP TreeFarm O-3	11/01/22	05/01/23	81.30	±	4.07	0.45	
	ICPP TreeFarm O-4	11/01/22	05/01/23	105.80	±	5.29	0.58	
		LincolnBlvd O-3	11/01/22	05/01/23	62.00	±	3.10	0.34
Main Gate	Main Gate O-1	11/02/22	05/01/23	60.10	±	3.01	0.33	
MFC	ANL O-12	11/02/22	05/01/23	51.70	±	2.59	0.29	
	ANL O-14	11/02/22	05/01/23	55.50	±	2.78	0.31	
	ANL O-15	11/02/22	05/01/23	60.10	±	3.01	0.33	
	ANL O-16	11/02/22	05/01/23	61.40	±	3.07	0.34	
	ANL O-18	11/02/22	05/01/23	59.60	±	2.98	0.33	
	ANL O-19	11/02/22	05/01/23	50.30	±	2.52	0.28	
	ANL O-20	11/02/22	05/01/23	65.20	±	3.26	0.36	
	ANL O-21	11/02/22	05/01/23	55.20	±	2.76	0.31	
	ANL O-22	11/02/22	05/01/23	62.80	±	3.14	0.35	
	ANL O-23	11/02/22	05/01/23	77.50	±	3.88	0.43	
	ANL O-24	11/02/22	05/01/23	57.00	±	2.85	0.32	
	ANL O-25	11/02/22	05/01/23	59.00	±	2.95	0.33	
	ANL O-26	11/02/22	05/01/23	72.80	±	3.64	0.40	
	ANL O-7	11/02/22	05/01/23	55.50	±	2.78	0.31	
	ANL O-8	11/02/22	05/01/23	61.40	±	3.07	0.34	
		Haul E O-1	11/02/22	05/01/23	55.00	±	2.75	0.30
		RRL6 O-1	11/01/22	05/08/23	53.50	±	2.68	0.28

Table C-10. Environmental radiation measurements using OSLDs.

				Radiation Measurement ± 1s				
				Uncertainty		Dose		
Location	Dosimetry Name	Start Date	End Date	Result	Sigma Uncertainty		mrem/day	
					mrem			
NRF	TREAT O-1	11/02/22	05/02/23	53.60	±	2.68	0.30	
	TREAT O-2	11/02/22	05/02/23	62.10	±	3.11	0.34	
	TREAT O-3	11/02/22	05/02/23	57.70	±	2.89	0.32	
	TREAT O-4	11/02/22	05/02/23	62.10	±	3.11	0.34	
	TREAT O-5	11/02/22	05/02/23	54.20	±	2.71	0.30	
	TREAT O-6	11/02/22	05/02/23	52.50	±	2.63	0.29	
	TREAT O-7	11/02/22	05/02/23	45.40	±	2.27	0.25	
	TREAT O-8	11/02/22	05/02/23	55.60	±	2.78	0.31	
	LincolnBlvd O-15	11/01/22	05/01/23	66.00	±	3.30	0.36	
	LincolnBlvd O-9	11/01/22	05/01/23	63.90	±	3.20	0.35	
	NRF O-11	11/02/22	05/01/23	66.30	±	3.32	0.37	
	NRF O-16	11/02/22	05/01/23	55.00	±	2.75	0.30	
	NRF O-18	11/02/22	05/01/23	64.70	±	3.24	0.36	
	NRF O-19	11/02/22	05/01/23	57.90	±	2.90	0.32	
	NRF O-20	11/02/22	05/01/23	62.70	±	3.14	0.35	
	NRF O-21	11/02/22	05/01/23	61.10	±	3.06	0.34	
	NRF O-22	11/02/22	05/01/23	60.50	±	3.03	0.34	
	NRF O-23	11/02/22	05/01/23	49.60	±	2.48	0.27	
	NRF O-24	11/02/22	05/01/23	56.10	±	2.81	0.31	
	PBF	Haul W O-2	11/02/22	05/01/23	66.10	±	3.31	0.37
		PBF SPERT O-1	11/02/22	05/01/23	59.60	±	2.98	0.33
	RHLLW	RHLLW O-1	11/01/22	05/01/23	66.80	±	3.34	0.37
		RHLLW O-2	11/01/22	05/01/23	54.20	±	2.71	0.30
		RHLLW O-3	11/01/22	05/01/23	63.00	±	3.15	0.35
	RHLLW O-4	11/01/22	05/01/23	64.90	±	3.25	0.36	
	RHLLW O-5	11/01/22	05/01/23	60.10	±	3.01	0.33	
	RHLLW O-6	11/01/22	05/01/23	56.10	±	2.81	0.31	
RWMC	RWMC O-11A	11/02/22	05/01/23	60.60	±	3.03	0.34	
	RWMC O-13A	11/02/22	05/01/23	75.20	±	3.76	0.42	
	RWMC O-19A	11/02/22	05/01/23	50.50	±	2.53	0.28	
	RWMC O-21A	11/02/22	05/01/23	60.00	±	3.00	0.33	
	RWMC O-23A	11/02/22	05/01/23	68.40	±	3.42	0.38	
	RWMC O-25A	11/02/22	05/01/23	57.80	±	2.89	0.32	
	RWMC O-27A	11/02/22	05/01/23	60.10	±	3.01	0.33	
	RWMC O-29A	11/02/22	05/01/23	57.40	±	2.87	0.32	
	RWMC O-39	11/02/22	05/01/23	56.40	±	2.82	0.31	

Table C-10. Environmental radiation measurements using OSLDs.

				Radiation Measurement ± 1s			Dose
				Uncertainty			
				Result	Sigma Uncertainty		
Location	Dosimetry Name	Start Date	End Date		mrem		mrem/day
	RWMC O-3A	11/02/22	05/01/23	63.00	±	3.15	0.35
	RWMC O-41	11/02/22	05/01/23	109.30	±	5.47	0.61
	RWMC O-43	11/02/22	05/01/23	61.00	±	3.05	0.34
	RWMC O-46	11/02/22	05/01/23	56.90	±	2.85	0.32
	RWMC O-47	11/02/22	05/01/23	54.60	±	2.73	0.30
	RWMC O-5A	11/02/22	05/01/23	49.10	±	2.46	0.27
	RWMC O-7A	11/02/22	05/01/23	56.40	±	2.82	0.31
	RWMC O-9A	11/02/22	05/01/23	78.90	±	3.95	0.44
	TAN	LincolnBlvd O-25	11/01/22	05/01/23	58.80	±	2.94
	TAN LOFT O-10	11/01/22	05/02/23	63.90	±	3.20	0.35
	TAN LOFT O-11	11/01/22	05/02/23	62.40	±	3.12	0.34
	TAN LOFT O-12	11/01/22	05/02/23	54.10	±	2.71	0.30
	TAN LOFT O-13	11/01/22	05/02/23	60.40	±	3.02	0.33
	TAN LOFT O-6	11/01/22	05/02/23	65.70	±	3.29	0.36
	TAN LOFT O-7	11/01/22	05/02/23	61.10	±	3.06	0.33
	TAN LOFT O-8	11/01/22	05/02/23	59.40	±	2.97	0.33
	TAN LOFT O-9	11/01/22	05/02/23	51.50	±	2.58	0.28
Van Buren	VANB O-1	11/02/22	05/01/23	58.50	±	2.93	0.32
	Onsite Average			70.25			0.39

Appendix D

Statistical Analysis Results

Table D-1. Results of the Kruskal-Wallis one-way analysis of variance by ranks between onsite, boundary, and offsite sample groups by quarter and by month.

GROSS ALPHA					
Quarter	Valid N	Sum of Ranks	Mean Ranks	H ^a	P ^b
Boundary	89	20394.50	229.1517	1.444429	0.6952
Onsite	221	51916.00	234.9140		
Offsite	103	24854.50	241.3058		
April	Valid N	Sum of Ranks	Mean Ranks	H ^a	P ^b
Boundary	28	1853.500	66.19643	4.367897	0.2244
Onsite	69	5091.000	73.78261		
Offsite	31	2561.500	82.62903		
May	Valid N	Sum of Ranks	Mean Ranks	H ^a	P ^b
Boundary	35	3356.000	95.88571	0.9575264	0.8115
Onsite	85	7797.500	91.73529		
Offsite	40	3408.500	85.21250		
June	Valid N	Sum of Ranks	Mean Ranks	H ^a	P ^b
Boundary	26	1658.500	63.78846	1.301194	0.7288
Onsite	67	4780.000	71.34328		
Offsite	32	2433.000	76.03125		
GROSS BETA					
Quarter	Valid N	Sum of Ranks	Mean Ranks	H ^a	P ^b
Boundary	89	17350.50	194.9494	9.333720	0.0252
Onsite	221	54396.50	246.1380		
Offsite	103	24294.50	235.8689		
April	Valid N	Sum of Ranks	Mean Ranks	H ^a	P ^b
Boundary	28	1745.000	62.32143	2.454926	0.4835
Onsite	69	5308.500	76.93478		
Offsite	31	2227.500	71.85484		
May	Valid N	Sum of Ranks	Mean Ranks	H ^a	P ^b
Boundary	35	2772.000	79.20000	3.284012	0.3499
Onsite	85	8085.500	95.12353		
Offsite	40	3434.500	85.86250		

Table D-1. continued.

June	Valid N	Sum of Ranks	Mean Ranks	H ^a	P ^b
Boundary	26	1196.500	46.01923	13.02877	0.0046
Onsite	67	5222.500	77.94776		
Offsite	32	2524.000	78.87500		
a. Kruskal Wallis test statistic calculated using mean ranks. This test assumes H is approximately distributed as χ^2 .					
b. A p-value (probability value) greater than 0.05 signifies no statistical difference between data groups. Any values below 0.05 are indicated in red.					

Table D-2. Results of multiple comparisons of gross alpha results between locations during the second quarter. A 'p' value greater than 0.05 signifies no statistical difference between data groups. Any values below 0.05 are indicated in red. 'R' represents the average rank for each location.

[illegible]

Table D-3. Results of multiple comparisons of gross beta results between locations during the second quarter. A 'p' value greater than 0.05 signifies no statistical difference between data groups. Any values below 0.05 are indicated in red. 'R' represents the average rank for each location.

[illegible]