



Fuel Performance Modeling Status Update and Potential Model Improvements

July 2024

Changing the World's Energy Future

William F Skerjanc



DISCLAIMER

This information was prepared as an account of work sponsored by an agency of the U.S. Government. Neither the U.S. Government nor any agency thereof, nor any of their employees, makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness, of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. References herein to any specific commercial product, process, or service by trade name, trade mark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the U.S. Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the U.S. Government or any agency thereof.

Fuel Performance Modeling Status Update and Potential Model Improvements

William F Skerjanc

July 2024

**Idaho National Laboratory
Idaho Falls, Idaho 83415**

<http://www.inl.gov>

**Prepared for the
U.S. Department of Energy
Under DOE Idaho Operations Office
Contract DE-AC07-05ID14517**



GAS-COOLED REACTOR

ADVANCED REACTOR TECHNOLOGIES PROGRAM

July 16, 2024

Fuel Performance Modeling Status Update and Potential Model Improvements

79233

William F. Skerjanc

ART TRISO Fuel Performance Modeling Technical Lead - INL






DOE ART GCR Review Meeting

Hybrid Meeting at INL

July 16–18, 2024


Outline

- Introduction
- Overview of TRISO fuel performance modeling
- TRISO fuel performance modeling codes PARFUME/BISON
- AGR experiment support
- Identified modeling improvements
- BISON smeared cracking model
- BISON fission product source term
- AGR-3/4 reirradiation heating test
- Summary






Introduction

- Why fuel performance modeling?
 - Addresses:
 - Fuel particle failure
 - Structural
 - Thermal
 - Chemical
 - Fission product transport
 - Fuel-compact matrix
 - Fuel-element graphite
 - Assists in the:
 - Fuel design and fabrication
 - Optimization
 - Experiment design
 - Fuel behavior
- Objective:
 - Enhance the understanding of fuel behavior and fission product transport
 - Improve the fuel performance and fission product models
 - Develop advanced models using new methods
 - Provide validated tools to industry




TRISO Fuel Performance Modeling

- Basic fuel particle behavior
 - Several physical phenomena influence the behavior of the particles including fission gas production and irradiation effects
- Applications of fuel performance modeling
 - Optimize particle design
 - Plan irradiation experiments
 - Identify tolerances of specifications
 - Estimate reactor fuel performance
- Existing TRISO fuel performance codes
 - PARFUME: Spherical symmetry to reduce the particle response to a 1D model and uses closed-form analytical solution for the stress-strain-displacement relationship.
 - BISON: uses finite element method to solve the basic thermo-mechanics and mass diffusion equations. This avoids the simplifications necessary for a closed form solution.




PARFUME – PARticle FUEl ModEl

- Fuel Performance Code PARFUME
 - An integrated mechanistic code that evaluates the thermal, mechanical, and physico-chemical behavior of TRISO fuel particles
 - Capable of evaluating fuel particle failure under both irradiation and accident conditions
 - Tracks the probability of fuel particle failure given the particle-to-particle statistical variations in physical dimensions and material properties.



BISON

- Overarching objective to deliver an integrated set of predictive computational tools for nuclear fuel performance analysis and design.
- One of its major goals is to have a great amount of flexibility in how it is used, including in the types of fuel it can analyze, the geometry of the fuel being modeled, the modeling approach employed, and the dimensionality and size of the models.
- Fuel forms that can be modeled include standard light water reactor fuel, emerging light water reactor fuels, tri-structural isotropic fuel particles, and metallic fuels.



Lower-length scale modeling

- **Fission gas release model:**
Xe, Kr diffusivity in UCO
- **Fission product diffusivity:**
Silver diffusion in SiC, Pd Penetration


TRISO particle

- **Thermal-mechanical modeling**
 - **Failure analysis:** asphericity, IPyC cracking and debonding
- **Fission product diffusion through layers**

Pebble and Compact modeling

- **Failure probability calculation:**
Monte Carlo and Fast Integration Approach
- **Fission product diffusion through matrix**
- **Particle-Matrix interaction**





[1] R.L. Williamson et al, Multidimensional multiphysics simulation of nuclear fuel behavior, JNM, 2012

[2] J.D. Hales et al, Multidimensional multiphysics simulation of TRISO particle fuel, JNM, 2013

[3] R.L. Williamson, et al, Bison: A Flexible Code for Advanced Simulation of the Performance of Multiple Nuclear Fuel Forms, NT, 2020

[4] W. Jiang et al, TRISO particle fuel performance and failure analysis with BISON, JNM, 548, 152795, 2021

[5] X.Y. Liu et al, Atomistic and cluster dynamics modeling of fission gas (Xe) diffusivity in TRISO fuel kernels, JNM, 561, 153539, 2022

[6] J.D. Hales et al, Modeling fission product diffusion in TRISO fuel particles with BISON, JNM, 548, 152840, 2021

[7] A. Toptan et al, FEA-aided investigation of the effective thermal conductivity in a medium with embedded spheres, NED, 381, 2021

[8] J. D. Hales, et al, Numerical Evaluation of AGR-2 Fission Product Release, JNM, 558, 153325, 2022

[9] W Jiang, et al, Efficient High-Fidelity TRISO Statistical Failure Analysis using Bison: Applications to AGR-2 Irradiation Testing, JNM, 153585, 2022.

[10] P.-C. A. Simon et al., Mechanistic calculation of the effective silver diffusion coefficient in polycrystalline silicon carbide: application to silver release in AGR-1 TRISO particles, JNM, 153669, 2022

[11] S.L.N. Dhulipala et al, Accelerated Statistical Failure Analysis of Multifidelity TRISO Fuel Models, JNM, 153604, 2022

[12] A Toptan et, al, Verification of MOOSE/Bison's heat conduction solver using combined spatiotemporal convergence analysis, JVVUQ, 2002

[13] A Toptan et al, Verification of Bison fission product species conservation under TRISO reactor conditions, JNM, 154105, 2023

Fuel Performance Modeling to Support AGR Experiments

AGR-1

- Pre-irradiation prediction (**EDF-5741**)
- Fission product release comparison to in-pile PIE (**INL/EXT-14-31975**)
- Fission product release comparison to safety test PIE (**INL/EXT-14-31976**)

AGR-2

- Pre-irradiation prediction (**ECAR-1020**)
- Safety test predictions (**INL/EXT-14-33082**)
- Fission product release comparison to in-pile and safety test PIE (**INL/EXT-20-59448**)
- Comparison between PARFUME and Bison (**INL/EXT-20-59890**)

AGR-3/4

- Pre-irradiation prediction (**INL/EXT-16-38280**)
- Irradiation as-run predictions (**INL/EXT-21-65160 BISON**)
- In-pile irradiation PIE comparison (**INL/RPT-22-69003**)
- Fission product transport model [ongoing] (**INL/RPT-22-69040, INL/RPT-23-74853**)
- Heating test PIE comparisons of as-irradiated compacts to model predictions (**INL/RPT-23-74505**)
- Heating test PIE comparisons to re-irradiated compacts to model predictions (**FY-24**)


AGR-5/6/7

- Pre-irradiation prediction (**INL/EXT-17-43189**)
- Fuel performance basis for fuel specification (**ECAR-2341**)
- Irradiation as-run predictions (**INL/EXT-21-64576**)
- Safety test predictions (**FY-25**)
- Fission product release comparison to in-pile PIE (**FY26**)
- Fission product release comparison to safety test PIE (**FY-27**)









INL AGR-BISON TRISO Fuel Performance Modeling Workshop

- Workshop held at INL with AGR program staff and the BISON development team
- Objective:
 - Identify modeling gaps
 - Prioritize AGR experimental data to be incorporated in models
- NEAMS BISON 5-year plan
 - **Improve failure predictions**
 - Large moisture ingress events
 - **Improve fission product transport**
 - Extend capabilities to UN fuel
 - Material models for graphite pebbles and compacts
 - **V&V particle fuel simulation capabilities**
- AGR-3/4 experiment
 - Fission product sorption isotherm models
 - Kernel/layer diffusivities
 - Vapor phase transport
 - Incorporation of AGR-3/4 PIE data



Modeling Improvements


Modeling Improvements	Data Availability	Impact to Model
PyC creep rate	Low	High
IPyC failure prediction validation	Medium	High
Thermomechanical buffer layer modeling	High	Medium
SiC-OPyC separation and OPyC-matrix interaction	Medium	Low
Particle faceting	Medium	Low
Localized Pd attack with IPyC failure	Medium	Low/High
Kernel migration in UCO fuel	Medium	Low
Fission product transport model	High	High
Fission product generation	High	Medium
Release-to-birth ratio	High	Medium



Evaluation of Fission Product Diffusion through Fractured SiC

➤ Ryan Sweet – INL

- Current diffusion models consider bulk diffusion across TRISO layers which affect FP migration calculations.
 - Enable statistical fracture of SiC layer (and eventually PyC layers)
 - Surface diffusion through cracked SiC effectively “short circuits” through layer diffusion path
 - Independent of crack width, but needs to reliably identify fracture and crack penetration
 - Analogous process underway to simulate statistical debonding process




Hong, Seong-Gu, et al. "Evaluation of the fracture strength for silicon carbide layers in the tri-isotropic-coated fuel particle." Journal of the American Ceramic Society 90.1 (2007): 184-191.
Davis, Brian C., et al. "Fracture strength and principal stress fields during crush testing of the SiC layer in TRISO-coated fuel particles." Journal of Nuclear Materials 477 (2016): 263-272.


Nuclide-specific fission product source term development

➤ Jacob Hirschhorn and Javier Ortensi – INL


- Developed representative cross sections for AGR-2 as functions of burnup and temperature
- Modeled decay and transmutation of 1690 nuclides during AGR-2 irradiation in Griffin
- Validated predictions against EOL MCNP/ORIGEN calculations and PIE measurements for key nuclides
- Ongoing work
 - Validate predictions against time-resolved MCNP/ORIGEN calculations for additional nuclides
 - Use predictions to develop simplified burnup-dependent fission yields for use in BISON
 - Apply the models to interpret AGR-3/4 re-irradiations
- Future work: assess additional AGR experiments and refine models to develop generalized nuclide-specific source terms for use in BISON



Fuel Burnout and Breeding






Cs Nuclide Content by Various Methods




AGR-3/4 Compact Reirradiation Heating Tests

- Model AGR-3/4 compacts from ATR irradiation to FACS heating test

ATR Irradiation	Storage	NRAD Irradiation	Storage	FACS Heating Test
369.1 days	~1900 days	~120 hours	~5 days	~210 hours



- Predict release of short-lived fission products I-131 (8.02 days) and Xe-133 (5.24 days)
- Use nuclide specific FP source term development for FP accounting (generation, decay, release, retained)
- Diffusivities obtained from IAEA-TECDOC-978
 - I-131 & Kr-85 uses Xe 133 diffusivities





J.D. Stempien, et al, Reirradiated and Heating Testing of AGR-3/4 TRISO Fuels, Proceedings of HTR 2021, HTR-2021-3004



Summary

- Continued support of AGR experiments and PIE activities
- New TRISO fuel performance models and methods continue to be developed
 - These models require advanced simulation capabilities available in BISON
 - Continued collaboration with NEAMS to identify and leverage capabilities for stakeholders
- Potential modeling improvements have been identified and prioritized based on AGR data availability





GAS-COOLED REACTOR

**ADVANCED REACTOR
TECHNOLOGIES PROGRAM**

Thank You

William F. Skerjanc

william.skerjanc@inl.gov

NEAMS BISON TRISO Development:

- Jacob Hirschhorn (INL)
- Ryan Sweet (INL)
- Wen Jiang (NC State, INL)

