



2021 Source Term Template.xlsx

October 2021

Changing the World's Energy Future

Timothy A Solle



DISCLAIMER

This information was prepared as an account of work sponsored by an agency of the U.S. Government. Neither the U.S. Government nor any agency thereof, nor any of their employees, makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness, of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. References herein to any specific commercial product, process, or service by trade name, trade mark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the U.S. Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the U.S. Government or any agency thereof.

2021 Source Term Template.xlsx

Timothy A Solle

October 2021

**Idaho National Laboratory
Idaho Falls, Idaho 83415**

<http://www.inl.gov>

**Prepared for the
U.S. Department of Energy
Under DOE Idaho Operations Office
Contract DE-AC07-05ID14517**

INL Source Term Template for NESHAP Calculation/Reporting for CY-21

This is a screening spreadsheet and is used as a tool to calculate the source term for annual reporting, a new proposed project (APAD) or to calculate a periodic confirmatory measurement (PCM). To use this spreadsheet, fill in the green cells by either typing it in or using the dropdown menu (questions 2, 5, 6, 7, 9 require using the dropdown menu). If heated, enter the maximum temperature to which the radionuclides will be heated for question 8 and enter the number of creditable HEPA filters for question 9.

1. Title	Example			2. Organization	U000	3. Date		4. NEPA/APAD/TEV/ FRM # (if applicable)	
5. Mission Center	MFC_MS	6. Building or Location	FCF	7. Laboratory (only for REC)		8. Maximum Operating Temperature (°C)	1234	9. Number of HEPA Filters	2

To calculate the source term, copy and paste your list of radionuclides in the nuclide column (column A). Then, copy and paste the amount you have for each radionuclide. If your amount was given in grams, paste values in column C. If your amount was given in curies, paste values in column E. Make sure your amount is in years (g/yr or Ci/yr) and you entered the maximum operating temperature in celsius. If a radionuclide is not calculated, then there is no dose conversion factor or specific activity conversion factor for that radionuclide. The total dose is summed in the row below and a cleaner version of the total is visible on the 'Documentation for APAD' sheet.

Total Unabated Dose (mrem/yr) =	4.91E+01	Total Abated Dose (mrem/yr) =	4.91E+01	Unabated Dose % of 0.1 mrem	49111.00%
---------------------------------	----------	-------------------------------	----------	-----------------------------	-----------

For column B, enter in the operating temperature for the radionuclide if it's not heated to the maximum operating temperature in question 8 (should be less than the maximum operating temperature).

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]