

# Deliverable M3SF-23IN010103018 Helium Leak Test Bell Jar

February 2024

Devin D Imholte





### DISCLAIMER

This information was prepared as an account of work sponsored by an agency of the U.S. Government. Neither the U.S. Government nor any agency thereof, nor any of their employees, makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness, of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. References herein to any specific commercial product, process, or service by trade name, trade mark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the U.S. Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the U.S. Government or any agency thereof.

## Deliverable M3SF-23IN010103018 Helium Leak Test Bell Jar

**Devin D Imholte** 

February 2024

Idaho National Laboratory Idaho Falls, Idaho 83415

http://www.inl.gov

Prepared for the U.S. Department of Energy Under DOE Idaho Operations Office Contract DE-AC07-05ID14517



May 30<sup>th</sup>, 2023

Ned Larson Federal Program Manager U.S. Department of Energy 1000 Independence Ave SW Washington, D.C. 20585

SUBJECT: Deliverable M3SF-23IN010103018—Helium Leak Test Bell Jar

Dear Ned:

This memorandum serves as a notification of the completion of deliverable M3SF-23IN010103018, entitled "Helium Leak Test Bell Jar."

The Helium Leak Test Bell Jar ("Bell Jar") was designed by Idaho National Laboratory (INL) for performing leak tests of the closure welds on the Department of Energy Standard Canister (DOESC). The Bell Jar will be used in the upcoming DOE Spent Nuclear Fuel Packaging Demonstration. A prototype of the Helium Leak Test Bell Jar was fabricated by INL Fabrication Services. Fabrication included procurement, machining, welding, examination, and leak testing. This prototype will now be used for follow-on qualification testing of the DOESC Closure Leak Test process. Please see the attached photograph of the Helium Leak Test Bell Jar and the associated photocopy of the Quality Acceptance tag.

If you should have any questions regarding this topic, please feel free to contact me.

Regards,

D. Devin Imholte, PE

Mechanical Engineer | Used Fuel Management

Devin.imholte@inl.gov | Cell: 703-635-4295

Idaho National Laboratory | 1955 Fremont Ave. | Idaho Falls, ID | 83415

### Attachments:

- 1. Photograph of Helium Leak Test Bell Jar assembly (INL Fabrication Work Request 23-151)
- 2. INL Quality Accepted Tag for DOESC Closure Leak Test Assembly ("Bell Jar")

#### **Distribution List:**

cc: Dave Sassani, National Technical Director Andrew Orrell, Control Account Manager Dan Thomas, Work Package Manager/Department Manager



Attachment 1: Photograph of Helium Leak Test Bell Jar assembly (INL Fabrication Work Request 23-151)

W.O./Purchase Order N	lo. Revision No.	1	Receipt No.	Quality Level	
23-151	3		NIA	1 2 3	
Line Item No.	Quantity Inspected		g I.D. No.	QAUTO NO. 23-15]	
Item Description Fabricated   Specification/Drawing		) Jar !	Enclos we Heat No.	Assembly Serial No.	
1014421	Inspector Sign	000A		Date	
Facility/Area/System  ATR	Bru B.	2010	130701	5/30/23	

Attachment 2: INL Quality Accepted Tag for DOESC Closure Leak Test Assembly ("Bell Jar")