



AGR 34 Analysis Progress Presentation

July 2023

Changing the World's Energy Future

Adriaan Anthony Riet



INL is a U.S. Department of Energy National Laboratory operated by Battelle Energy Alliance, LLC

DISCLAIMER

This information was prepared as an account of work sponsored by an agency of the U.S. Government. Neither the U.S. Government nor any agency thereof, nor any of their employees, makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness, of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. References herein to any specific commercial product, process, or service by trade name, trade mark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the U.S. Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the U.S. Government or any agency thereof.

AGR 34 Analysis Progress Presentation

Adriaan Anthony Riet

July 2023

**Idaho National Laboratory
Idaho Falls, Idaho 83415**

<http://www.inl.gov>

**Prepared for the
U.S. Department of Energy
Under DOE Idaho Operations Office
Contract DE-AC07-05ID14517**

July 25, 2023

Adriaan Riet

ART PIE | Fusion-Adapted MELCOR PI
Idaho National Laboratory

AGR-3/4 PIE and Data Analysis

DOE ART Gas-Cooled Reactor (GCR) Review Meeting

Virtual Meeting

July 25 – 27, 2023













BISON Improvements

- Freundlich isotherm model now built into BISON
- Working with NEAMS team to incorporate a model explicit in the gas phase which can be used to model vapor-phase transport
- TRISO particle improvements




BISON Assessment Case Development

- Worked with BISON team to refine the AGR 3/4 TRISO Assessment case model and add measurements from capsule 4 inner and outer rings




2D Model Creation

- Extracted axial temperature profiles from as-run ABAQUS thermal analysis results
- Uses measurements from post-irradiation metrology where available
- Some uncertainty due to discrepancies between metrology and destructive analysis measurements
- Developed to test theory of short-circuit gas-phase diffusion around compacts



2D Model Proof-of-concept

- Modeling sorption across gaps explicitly
- Plans for a parametric study of 2D effects of gap sizes (short-circuit transport), axial distribution profiles
- No short-circuit pathway allowed through the sink ring











2D Model Limitations

- No available data for sorption isotherms of isotopes (and concentrations) of interest
- Correlation approach; Narrow gap sizes make full CFD calculations computationally expensive
- Solubility/trapping information also missing



Axial thermal profile calculations

- Full 2D thermal profile is calculated using time-dependent axial temperature distributions at compact and ring boundaries from As-Run Thermal Analysis (Hawkes 2016) as boundary conditions
- Temperature transients are not expected to significantly impact transport
 - Total time of transient is approximately 15 minutes
 - Instantaneous inventory of fission products in the gas phase (outside of rings) is small enough to be negligible
- Not explicitly modeling the grafoil on top/bottom of ring (which is modeled in the As-run analysis) except via temperature at the inner/outer boundary
 - Grafoil is thermally anisotropic ($>10\times$) and accounts for some of the axial thermal variations









Capsule 3











Order of magnitude (superscript)



Capsule 4











Capsule 5











Compact
concentration profile









Capsule 7










Capsule 8



Capsule 10



Capsule 12





Further Work Planned

- 2D Air-gap explicit full model
 - Natural convection effects
- Sorption-based activity coefficient model
 - Does not address Eu-154 diffusion
- Gas permeation model (related to sorption-based activity coefficient)