

INL/RPT-23-74310

***Gamma-Ray Emitting
Radionuclides Concentrations
and Decontamination Factors
of ATR Loop Liquid Samples
Cycle 171A***

B. J. Walker and M. A. Reichenberger

August 17, 2023

ATR FINAL LOOP ACTIVITY REPORT

FOR THE PERIOD

Apr. 21, 2023, to Jun. 19, 2023

CYCLE 171A-1

DATE OF REPORT

August 17,2023

GAMMA-RAY EMITTING RADIONUCLIDES CONCENTRATIONS AND
DECONTAMINATION FACTORS OF ATR LOOP LIQUID SAMPLES
CYCLE 171A-1

This report contains the gamma-ray emitting radionuclides concentration and decontamination factor results from gamma-ray spectrometry measurements of ATR loop liquid samples by the Radiation Measurements Laboratory (RML) for ATR Cycle 171A April 21, 2023 to June 19, 2023. This report consists of five subsections, one for each loop. Each subsection contains the results for each sampling of the loop along with the date and time of sampling, spectral data identifications, sample type, and reactor power (MW). The results are reported in units of disintegrations per minute per milliliter of sample. The results are obtained with the gamma-ray spectral data analysis routines of the RML computer. Some of this report is also generated by RML data storage and handling routines.

For certain types of samples, no results appear for certain radionuclides because meaningful results for the radionuclides cannot be obtained from the sample type. The nomenclatures of the sample types are listed below.

BIX = water sample before ion exchange
BIX-7= recount after allowing 7 days for decay
AIX = water sample after ion exchange
PIX = pressurized water sample
DFX = decontamination factor for water samples

All radionuclides concentration results have been decay-corrected back to the time of sampling.

The decontamination factor (DFX) calculation consists of the following logic where $B = BIX$ and $A = AIX$,

If ($B > 0$ and $A > 0$), $DFX = B/A$
If ($B > 0$ and $A = 0$), no DFX is reported
If ($B > 0$ and A is a limit value), $DFX = >B/A$
If (B is a limit value or $B = 0$), no DFX is reported

In these results a limit value is designated by the < symbol. A limit value is a type of detection limit which is defined in the computer analysis documentation of the RML. The limit value for a given radionuclide will vary from sample to sample because of the detection systems, counting geometry, counting time, the radionuclide mix, and intensity in the samples.

The results in this report have been obtained by use of the RML procedures for ATR loop radionuclide analysis. The results have been reviewed and checked for correctness by the RML staff.

The uncertainties for these results are for the random counting component obtained from the photopeak-fitting procedure. No other components are included.

There is only one PIX sample per cycle for each loop. Therefore, PIX results will be found with one sampling of each loop.

Due to unplanned outage 2D-SW and 2E-NW only sampled twice (instead of the typical 3 times).

PAGE **1**

FROM APR 21, 2023 TO JUN 19, 2023

LOOP	IC-W	CYCLE	171A	POWER	127.5 MW
1	1	1	1	1	1
2	2	2	2	2	2
3	3	3	3	3	3
4	4	4	4	4	4
5	5	5	5	5	5
6	6	6	6	6	6
7	7	7	7	7	7
8	8	8	8	8	8
9	9	9	9	9	9
10	10	10	10	10	10
11	11	11	11	11	11
12	12	12	12	12	12
13	13	13	13	13	13
14	14	14	14	14	14
15	15	15	15	15	15
16	16	16	16	16	16
17	17	17	17	17	17
18	18	18	18	18	18
19	19	19	19	19	19
20	20	20	20	20	20
21	21	21	21	21	21
22	22	22	22	22	22
23	23	23	23	23	23
24	24	24	24	24	24
25	25	25	25	25	25
26	26	26	26	26	26
27	27	27	27	27	27
28	28	28	28	28	28
29	29	29	29	29	29
30	30	30	30	30	30
31	31	31	31	31	31
32	32	32	32	32	32
33	33	33	33	33	33
34	34	34	34	34	34
35	35	35	35	35	35
36	36	36	36	36	36
37	37	37	37	37	37
38	38	38	38	38	38
39	39	39	39	39	39
40	40	40	40	40	40
41	41	41	41	41	41
42	42	42	42	42	42
43	43	43	43	43	43
44	44	44	44	44	44
45	45	45	45	45	45
46	46	46	46	46	46
47	47	47	47	47	47
48	48	48	48	48	48
49	49	49	49	49	49
50	50	50	50	50	50
51	51	51	51	51	51
52	52	52	52	52	52
53	53	53	53	53	53
54	54	54	54	54	54
55	55	55	55	55	55
56	56	56	56	56	56
57	57	57	57	57	57
58	58	58	58	58	58
59	59	59	59	59	59
60	60	60	60	60	60
61	61	61	61	61	61
62	62	62	62	62	62
63	63	63	63	63	63
64	64	64	64	64	64
65	65	65	65	65	65
66	66	66	66	66	66
67	67	67	67	67	67
68	68	68	68	68	68
69	69	69	69	69	69
70	70	70	70	70	70
71	71	71	71	71	71
72	72	72	72	72	72
73	73	73	73	73	73
74	74	74	74	74	74

SAMPLE TYPE		PIX		BIX		AIX		BIX-7	
SAMPLE ID	DATE SAMPLED	DPH/ML	%ERR	DPH/ML	%ERR	DPH/ML	%ERR	DPH/ML	%ERR
00/00/00	00:00	05/04/23	14:18	05/04/23	14:13	05/04/23	14:18	05/04/23	14:18
11 Na	24	0.0		5.94E+01	7.1	<6.07E-01		1.32E-01	14.9
21 Sc	46			<6.75E+00		<5.75E-01	Undeterminable	1.79E+01	1.9
24 Cr	51							5.35E+00	1.8
25 Mn	54								
25 Mn	56								
26 Fe	59			3.64E+02	4.7	<2.97E+00	>1.25E+02	3.99E+00	2.5
27 Co	58							8.07E-01	4.5
27 Co	60							1.05E+01	1.1
27 Co	65							3.13E-01	15.6
30 Zn	65			9.06E+00	33.4	6.28E-01	34.3		
37 Rb	88	0.0		<1.06E+01		<5.58E-01	Undeterminable		
37 Rb	89			1.72E+02	24.8	<1.84E+01	>9.32E+00		
37 Rb	88	0.0		4.20E+02	5.3	1.04E+01	32.9	4.02E+01	33.3
38 Sr	91			<4.69E+01		<1.41E+00	Undeterminable		
38 Sr	92			1.98E+01	16.9	<6.15E-01	>3.22E+01		
39 Y	90			<5.88E+00		<2.81E-01	Undeterminable		
39 Y	92			<5.25E+01		<3.30E+00	Undeterminable		
39 Y	93			<7.51E+01		<6.43E+00	Undeterminable		
40 Zr	95			<1.27E+01		<6.81E-01	Undeterminable		
40 Zr	95			2.66E+02	39.4	<2.81E+01	>9.47E+00	2.09E-01	27.7
42 Zr	97								
41 Nb	95							3.81E-01	7.3
42 Mo	99							5.55E+02	1.9
43 Tcm	99			<6.63E+01		<3.95E-01	Undeterminable		
44 Ru	103			<9.53E+00		<4.67E-01	Undeterminable	<5.42E-02	
45 Rh	106							<4.43E-01	
47 Ag	110							<7.33E-02	
51 Sb	122							1.10E+01	3.5
51 Sb	124							4.52E+01	8.0
52 Te	132							<2.89E-01	
53 I	131			<8.61E+00		<4.48E-01	Undeterminable	4.64E+00	2.8
53 I	132	0.0		2.14E+02	3.6	<6.05E-01	>3.54E+02		
53 I	133			7.47E+01	4.9	<3.25E-01	>2.30E+02		
53 I	134	0.0		5.96E+02	4.9	<9.14E-01	>6.53E+02		
53 I	135	0.0		1.73E+02	6.5	<1.33E+00	>1.30E+02		
55 Cs	134			<2.75E+00		<7.13E-01	Undeterminable		
55 Cs	136							2.51E-01	9.6
55 Cs	137							<1.74E-01	
55 Cs	138	0.0		5.30E+02	4.9	1.07E+01	33.3	7.44E-01	5.1
56 Ba	140			<2.51E+01		<1.86E+00	Undeterminable		
56 Ba	141			<3.68E+01		<1.98E+00	Undeterminable	1.86E+00	8.0

07/24/23

ATR FINAL LOOP ACTIVITY REPORT

PAGE 2

FROM APR 21, 2023 TO JUN 19, 2023

LOOP 1C-W CYCLE 171A POWER 107.5 MW

SAMPLE TYPE SAMPLE ID DATE SAMPLED TIME SAMPLED	PIX		BIX		AIX		BIX-7	
	DPH/ML	ERR	DPH/ML	ERR	DPH/ML	ERR	DPH/ML	ERR
RADIONUCLIDE	DPH/ML	ERR	DPH/ML	ERR	DPH/ML	ERR	DPH/ML	ERR
57 La 140			<5.41E+00		<5.34E-01		<6.02E+00	
57 La 142			<4.45E+01		<8.41E+00		Undeterminable	
58 Ce 141			<8.15E+00		<8.84E-01		Undeterminable	
58 Ce 143			<1.80E+01		<6.95E-01		Undeterminable	
58 Ce 144								
63 EuM 152			<3.13E+01		<2.86E+00		<1.19E+00	
63 Eu 152			<4.37E+01		<1.57E+00		Undeterminable	
63 Eu 154			<1.04E+01		<6.84E-01		Undeterminable	
63 Eu 155							Undeterminable	
63 Eu 156			<9.16E+01		<8.22E+00		Undeterminable	
68 Er 171			<1.03E+01		<4.30E-01		Undeterminable	
71 Lu 177			<4.39E+01		<2.62E+00		Undeterminable	
72 Hf 175							Undeterminable	
72 Hf 181			<6.59E+00		<2.14E-01		<6.10E-01	
73 Ta 182							<5.30E-02	26.9
73 Ta 183							9.42E-02	
74 W 187							<2.20E-01	
93 Np 239							3.74E-01	37.4
18 Ar 41			1.91E+03	1.3	<1.41E+00		1.76E+03	1.5
36 KrM 85			<3.96E+01		<1.61E+00		<1.88E+00	
36 Kr 87	0.0							
36 Kr 88	0.0							
36 Kr 89	0.0							
54 Xe 133	0.0							
54 XeM 135	0.0							
54 Xe 135	0.0							
54 Xe 138	0.0							

07/24/23

ATR FINAL LOOP ACTIVITY REPORT

PAGE 4

FROM APR 21, 2023 TO JUN 19, 2023

LOOP 1C-W CYCLE 171A POWER 107.5 MW

SAMPLE TYPE	PIX	BIX	AXX	BIX-7
SAMPLE ID	052223012	052223010	052223011	053023019
DATE SAMPLED	05/22/23	05/22/23	05/22/23	05/22/23
TIME SAMPLED	14:30	14:43	14:37	14:43
RADIONUCLIDE	DPM/HL	DPM/HL	DPM/HL	DPM/HL
	ERR	ERR	ERR	ERR
57 La 140		<4.89E+00	<4.62E-01	<9.78E+00
57 La 142		<3.26E+01	<8.32E+00	Undeterminable
58 Ce 141		<1.10E+01	<8.25E-01	Undeterminable
58 Ce 143		<1.33E+01	<8.53E-01	Undeterminable
58 Ce 144				<8.44E+00
63 EuM 152		<4.81E+01	<3.44E+00	Undeterminable
63 Eu 152		<8.77E+00	<3.21E+00	Undeterminable
63 Eu 154		<6.64E+00	<1.82E+00	Undeterminable
63 Eu 155				Undeterminable
68 Er 156		<8.93E+01	<1.12E+01	Undeterminable
68 Er 171		<9.02E+00	<7.45E-01	Undeterminable
71 Lu 177		<3.72E+01	<5.55E+00	Undeterminable
72 Hf 175		<5.89E+00	<4.59E-01	Undeterminable
72 Hf 181				<6.65E-01
73 Ta 182				<4.68E-02
73 Ta 183				<7.17E-02
74 W 187				<1.48E-01
93 Nb 239		1.22E+03	<2.05E+00	<5.62E-01
18 Ar 41		<2.99E+01	<2.76E+00	1.14E+03
36 KrM 85	6.82E+02			<2.25E+00
36 Kr 87	<2.09E+02	10.9		
36 Kr 88	2.22E+02	36.2		
54 Xe 133	<2.47E+02			
54 XeM 135	<1.10E+03			
54 Xe 135	<5.07E+02			
54 Xe 138	3.32E+02	12.9		
	<2.49E+03			

07/24/23

ATR FINAL LOOP ACTIVITY REPORT

PAGE 5

FROM APR 21, 2023 TO JUN 19 2023

LOOP IC-W	CYCLE 171A	POWER 107.5 MW
-----------	------------	----------------

[illegible]

PAGE 6

FROM APR 21, 2023 TO JUN 19, 2023

LOOP 1C-W CYCLE 171A .POWER 107.5 MW

SAMPLE TYPE	PIX	DATE SAMPLED	TIME SAMPLED	RADIONUCLIDE			PIX			AIX			BIX-7		
				DPH/ML	%ERR		DPH/ML	%ERR		DPH/ML	%ERR		DPH/ML	%ERR	
57 La	00/00/00	061223009	00:00	4.46E+00			6.74E-01			6.74E-01			5.51E+00		
57 La	00/00/00	061223010	00:00	4.90E+01			2.07E-01			2.07E-01			5.66E-02		
58 Ce	00/00/00	061223011	00:00	9.97E+00			9.18E-01			9.18E-01			5.66E-02		
58 Ce	00/00/00	061223012	00:00	1.48E+01			9.03E-01		39.9	9.03E-01			5.66E-02		
58 Ce	00/00/00	061223013	00:00	4.03E+01			5.29E+00			5.29E+00			5.66E-02		
63 EuH	00/00/00	061223014	00:00	1.84E+01			4.36E+00			4.36E+00			5.66E-02		
63 Eu	00/00/00	061223015	00:00	1.40E+01			1.35E+00			1.35E+00			5.66E-02		
63 Eu	00/00/00	061223016	00:00	5.01E+01			1.66E+01			1.66E+01			5.66E-02		
68 Er	00/00/00	061223017	00:00	7.24E+00			6.27E-01			6.27E-01			5.66E-02		
71 Lu	00/00/00	061223018	00:00	4.55E+01			2.88E+00			2.88E+00			5.66E-02		
72 Hf	00/00/00	061223019	00:00	4.42E+00			4.74E-01			4.74E-01			5.66E-02		
73 Ta	00/00/00	061223020	00:00	9.10E+02		1.5	1.83E+00			1.83E+00			5.66E-02		
74 W	00/00/00	061223021	00:00	3.11E+01			1.92E+00			1.92E+00			5.66E-02		
87 Y	00/00/00	061223022	00:00	1.83E+00			1.92E+00			1.92E+00			5.66E-02		
93 Np	00/00/00	061223023	00:00	1.83E+00			1.92E+00			1.92E+00			5.66E-02		
18 Ar	00/00/00	061223024	00:00	1.83E+00			1.92E+00			1.92E+00			5.66E-02		
36 KrH	00/00/00	061223025	00:00	1.83E+00			1.92E+00			1.92E+00			5.66E-02		
36 Kr	00/00/00	061223026	00:00	1.83E+00			1.92E+00			1.92E+00			5.66E-02		
36 Kr	00/00/00	061223027	00:00	1.83E+00			1.92E+00			1.92E+00			5.66E-02		
54 Xe	00/00/00	061223028	00:00	1.83E+00			1.92E+00			1.92E+00			5.66E-02		
54 XeH	00/00/00	061223029	00:00	1.83E+00			1.92E+00			1.92E+00			5.66E-02		
54 Xe	00/00/00	061223030	00:00	1.83E+00			1.92E+00			1.92E+00			5.66E-02		
54 Xe	00/00/00	061223031	00:00	1.83E+00			1.92E+00			1.92E+00			5.66E-02		

FROM APR 21, 2023 TO JUN 19, 2023
LOOP 1D-N CYCLE 171A POWER 107.5 MW

[illegible]

07/24/23

ATR FINAL LOOP ACTIVITY REPORT

PAGE 10

FROM APR 21, 2023 TO JUN 19, 2023

LOOP ID-N CYCLE 171A POWER 107.5 MW

SAMPLE TYPE	PIX	BIX	AIX	BIX-7
SAMPLE ID	052323013	052323012	052323014	053023020
DATE SAMPLED	05/23/23	05/23/23	05/23/23	05/23/23
TIME SAMPLED	14:25	14:24	14:20	14:24
RADIONUCLIDE	DPH/ML	DPH/ML	DPH/ML	DPH/ML
	ERR	ERR	ERR	ERR
57 La 140		<6.92E+00	<6.06E-01	<1.48E+01
57 La 142		<2.48E+01	<7.62E+00	Undeterminable
58 Ce 141		<1.67E+01	<1.20E+00	Undeterminable
58 Ce 143		<1.25E+01	<9.27E-01	<1.49E-01
58 Ce 144				<7.75E-01
63 EuH 152		<3.64E+01	<4.07E+00	Undeterminable
63 Eu 152		<2.20E+01	<2.47E+00	<2.39E-01
63 Eu 154		<9.75E+00	<1.84E+00	<3.87E-01
63 Eu 155				<2.71E-01
63 Eu 156		<8.67E+01	<9.39E+00	<2.31E+00
68 Er 171		<9.87E+00	<1.44E+00	<1.45E+00
71 Lu 177		<4.39E+01	<8.87E+00	<7.08E-02
72 Hf 175				1.34E-01
72 Hf 181		<5.04E+00	<6.50E-01	8.90E-01
73 Ta 182				1.04E+01
73 Ta 183				7.74E+02
74 W 187				<3.71E+00
93 Np 239		8.56E+02	<1.76E+00	36.3
18 Ar 41		<3.57E+01	<3.58E+00	30.6
36 Kr 85	5.55E+02			3.7
36 Kr 87	<9.77E+01			5.4
36 Kr 88	1.50E+02			
54 Xe 133	<2.69E+02			
54 XeH 135	<7.32E+02			
54 Xe 135	<1.95E+02			
54 Xe 138	1.88E+02			
	<9.75E+02			
		2.1		
			>4.85E+02	
			Undeterminable	

07/24/23

ATR FINAL LOOP ACTIVITY REPORT

PAGE 12

FROM APR 21, 2023 TO JUN 19, 2023

LOOP ID-N CYCLE 171A POWER 107.5 MW

SAMPLE TYPE SAMPLE ID DATE SAMPLED TIME SAMPLED	PIX		BIX		AIX		BIX-7	
	DPH/HL	ERR	DPH/HL	ERR	DPH/HL	ERR	DPH/HL	ERR
57 La 140			<2.11E+00		<1.15E+00		<4.36E+00	
57 La 142			<2.34E+01		<4.48E+00		Undeterminable	
58 Ce 141			<8.59E+00		<5.08E-01		Undeterminable	
58 Ce 143			<1.51E+01		<6.26E-01		Undeterminable	
58 Ce 144							<2.60E-01	
63 EuH 152			<1.39E+01		<2.92E+00		Undeterminable	
63 Eu 152			<1.27E+01		<3.05E+00		Undeterminable	
63 Eu 154			<4.84E+00		<1.98E+00		Undeterminable	
63 Eu 155							Undeterminable	
63 Eu 156			<4.30E+01		<7.40E+00		Undeterminable	
68 Er 171			<1.57E+01		<4.97E-01		Undeterminable	
71 Lu 177			<5.52E+01		<2.58E+00		Undeterminable	
72 Hf 175							Undeterminable	
72 Hf 181							Undeterminable	
73 Ta 182			<4.61E+00		<3.74E-01		Undeterminable	
73 Ta 183							Undeterminable	
74 W 187							<4.68E-02	
93 Np 239							<4.13E-02	
18 Ar 41							<1.30E-01	
26 KrH 85							<3.03E-01	
36 Kr 87	0.0		1.14E+02	10.0	<1.48E+00		8.09E+01	12.0
36 Kr 88	0.0		<4.72E+01		<1.83E+00		<2.00E+00	
54 Xe 133	0.0							
54 XeH 135	0.0							
54 Xe 135	0.0							
54 Xe 136	0.0							

07/24/23

ATR FINAL LOOP ACTIVITY REPORT

PAGE 13

FROM APR 21, 2023 TO JUN 19, 2023
 LOOP 2B-SE CYCLE 171A POWER 107.5 MW

SAMPLE TYPE	PIX	BIX	AIX	BIX-7
SAMPLE ID	050923012	050923013	051623018	
DATE SAMPLED	05/09/23	05/09/23	05/09/23	
TIME SAMPLED	14:09	14:04	14:09	
RADIONUCLIDE	DPM/HL	%ERR	DPM/HL	%ERR
11 Na	0.0			
24				
21 Sc	4.14E+01	10.2	1.71E+00	30.3
24 Cr	<1.70E+01		<1.70E+00	Undeterminable
51				
25 Mn	7.71E+02	4.0	<6.62E+00	>1.17E+02
25 Mn				
26 Fe				
59				
27 Co				
60				
30 Zn	1.96E+01	21.7	2.34E+01	5.2
65	<1.63E+01		<7.12E+00	8.34E-01
88	9.95E+02	9.7	1.81E+02	15.7
37 Rb	2.88E+03	2.4	6.32E+01	13.6
89	8.71E+01	20.9	<3.98E+00	>2.15E+01
38 Sr	9.06E+01	8.5	<2.68E+00	>3.38E+01
91	<1.64E+01		<8.85E-01	Undeterminable
39 Y	<7.56E+01		<1.10E+01	Undeterminable
92	<1.63E+02		<1.08E+01	Undeterminable
93	<2.35E+01		<1.94E+00	Undeterminable
40 Zr	<3.81E+02		<1.03E+02	Undeterminable
97				
41 Nb				
95				
42 Mo				
99				
43 Tcm	<1.30E+02		<7.83E-01	2.54E-01
99	<1.87E+01		<7.74E-01	22.9
44 Ru				
103				
45 Rh				
106				
47 Ag				
110				
51 Sb				
124				
51 Sb				
124				
52 Te				
132				
53 I	3.11E+01	21.6	<9.66E-01	<7.58E-02
131	8.78E+02	1.6	<1.63E+00	<1.06E+00
132	2.35E+02	4.5	<1.68E+00	6.18E-02
53 I				
133	2.81E+03	1.4	<2.56E+00	1.14E+00
53 I	6.17E+02	5.4	<3.46E+00	1.14E+00
134				
53 I				
135				
55 Cs	<1.80E+01		<3.84E+00	<3.56E-01
134				
55 Cs				
136				
55 Cs	2.69E+03	1.9	<1.14E+02	1.20E+01
137	<4.05E+01		<2.74E+00	<1.75E-01
56 Ba	<5.24E+01		<4.88E+00	2.80E+00
140				
56 Ba				
141				

THIS DOCUMENT IS SUBJECT TO SPECIAL EXPORT CONTROLS AND EACH

07/24/23

ATR FINAL LOOP ACTIVITY REPORT

PAGE 15

FROM APR 21, 2023 TO JUN 19, 2023

LOOP 2B-SE CYCLE 171A POWER 108.0 MW

SAMPLE TYPE SAMPLE ID DATE SAMPLED TIME SAMPLED	PIX		BIX		AIX		BIX-7	
	DPH/HL	ERR	DPH/HL	ERR	DPH/HL	ERR	DPH/HL	ERR
11 Na 24	<4.24E+01		4.37E+01	11.3	<6.18E-01		<1.38E-01	
21 Sc 46			<1.23E+01		<1.06E+00		3.99E+00	8.0
24 Cr 51							2.64E+01	1.5
25 Mn 54								
26 Fe 56							1.12E+01	3.1
26 Fe 58							5.96E+00	1.5
27 Co 58							4.57E+01	1.9
27 Co 60							<2.25E-01	
30 Zn 65								
37 Rb 88								
37 Rb 89								
38 Sr 91								
38 Sr 92								
39 Y 90								
39 Y 92								
39 Y 93								
40 Zr 95								
40 Zr 97								
41 Nb 95								
42 Mo 99								
43 Tc 99								
44 Ru 101								
45 Rh 106								
47 Ag 110								
51 Sb 122								
51 Sb 124								
52 Te 132								
53 I 131								
53 I 132								
53 I 133								
53 I 134								
53 I 135								
55 Cs 134								
55 Cs 136								
55 Cs 137								
55 Cs 138								
56 Ba 140								
56 Ba 141								
58 Ce 137								
58 Ce 138								
58 Ce 139								
58 Ce 140								
58 Ce 141								
58 Ce 142								
58 Ce 143								
58 Ce 144								
58 Ce 145								
58 Ce 146								
58 Ce 147								
58 Ce 148								
58 Ce 149								
58 Ce 150								
58 Ce 151								
58 Ce 152								
58 Ce 153								
58 Ce 154								
58 Ce 155								
58 Ce 156								
58 Ce 157								
58 Ce 158								
58 Ce 159								
58 Ce 160								
58 Ce 161								
58 Ce 162								
58 Ce 163								
58 Ce 164								
58 Ce 165								
58 Ce 166								
58 Ce 167								
58 Ce 168								
58 Ce 169								
58 Ce 170								
58 Ce 171								
58 Ce 172								
58 Ce 173								
58 Ce 174								
58 Ce 175								
58 Ce 176								
58 Ce 177								
58 Ce 178								
58 Ce 179								
58 Ce 180								
58 Ce 181								
58 Ce 182								
58 Ce 183								
58 Ce 184								
58 Ce 185								
58 Ce 186								
58 Ce 187								
58 Ce 188								
58 Ce 189								
58 Ce 190								
58 Ce 191								
58 Ce 192								
58 Ce 193								
58 Ce 194								
58 Ce 195								
58 Ce 196								
58 Ce 197								
58 Ce 198								
58 Ce 199								
58 Ce 200								
58 Ce 201								
58 Ce 202								
58 Ce 203								
58 Ce 204								
58 Ce 205								
58 Ce 206								
58 Ce 207								
58 Ce 208								
58 Ce 209								
58 Ce 210								
58 Ce 211								
58 Ce 212								
58 Ce 213								
58 Ce 214								
58 Ce 215								
58 Ce 216								
58 Ce 217								
58 Ce 218								
58 Ce 219								
58 Ce 220								
58 Ce 221								
58 Ce 222								
58 Ce 223								
58 Ce 224								
58 Ce 225								
58 Ce 226								
58 Ce 227								
58 Ce 228								
58 Ce 229								
58 Ce 230								
58 Ce 231								
58 Ce 232								
58 Ce 233								
58 Ce 234								
58 Ce 235								
58 Ce 236								
58 Ce 237								
58 Ce 238								
58 Ce 239								
58 Ce 240								
58 Ce 241								
58 Ce 242								
58 Ce 243								
58 Ce 244								
58 Ce 245								
58 Ce 246								
58 Ce 247								
58 Ce 248								
58 Ce 249								
58 Ce 250								
58 Ce 251								
58 Ce 252								
58 Ce 253								
58 Ce 254								
58 Ce 255								
58 Ce 256								
58 Ce 257								
58 Ce 258								
58 Ce 259								
58 Ce 260								
58 Ce 261								
58 Ce 262								
58 Ce 263								
58 Ce 264								
58 Ce 265								
58 Ce 266								
58 Ce 267								
58 Ce 268								
58 Ce 269								
58 Ce 270								
58 Ce 271								
58 Ce 272								
58 Ce 273								
58 Ce 274								
58 Ce 275								
58 Ce 276								
58 Ce 277								
58 Ce 278								
58 Ce 279								
58 Ce 280								
58 Ce 281								
58 Ce 282								
58 Ce 283								
58 Ce 284								
58 Ce 285								
58 Ce 286								
58 Ce 287								
58 Ce 288								
58 Ce 289								
58 Ce 290								
58 Ce 291								
58 Ce 292								
58 Ce 293								
58 Ce 294								
58 Ce 295								
58 Ce 296								
58 Ce 297								
58 Ce 298								
58 Ce 299								
58 Ce 300								
58 Ce 301								
58 Ce 302								
58 Ce 303								
58 Ce 304								
58 Ce 305								
58 Ce 306								
58 Ce 307								
58 Ce 308								
58 Ce 309								
58 Ce 310								
58 Ce 311								
58 Ce 312								
58 Ce 313								
58 Ce 314								
58 Ce 315								
58 Ce 316								
58 Ce 317								
58 Ce 318								
58 Ce 319								
58 Ce 320								
58 Ce 321								
58 Ce 322								
58 Ce 323								
58 Ce 324								
58 Ce 325								
58 Ce 326								
58 Ce 327								
58 Ce 328								
58 Ce 329								
58 Ce 330								
58 Ce 331								
58 Ce 332								
58 Ce 333								
58 Ce 334								

BIX			AIX			BIX-7		
SAMPLE TYPE	SAMPLE ID	DATE SAMPLED	SAMPLE TYPE	SAMPLE ID	DATE SAMPLED	SAMPLE TYPE	SAMPLE ID	DATE SAMPLED
TIME SAMPLED	TIME SAMPLED	TIME SAMPLED	TIME SAMPLED	TIME SAMPLED	TIME SAMPLED	TIME SAMPLED	TIME SAMPLED	TIME SAMPLED
052423009	052423008	05/24/23	052423010	052423008	05/24/23	053123008	05/24/23	05/24/23
14:24	14:28	14:28	14:12	14:28	14:28	14:28	14:28	14:28
RADIONUCLIDE	DPH/ML	%ERR	RADIONUCLIDE	DPH/ML	%ERR	RADIONUCLIDE	DPH/ML	%ERR
57 La 140	<1.26E+01		57 La 140	<1.46E+00		57 La 140	<1.08E+01	
57 La 142	<3.61E+01		57 La 142	<7.65E+00		57 La 142	Undeterminable	
58 Ce 141	<1.49E+01		58 Ce 141	<1.91E+00		58 Ce 141	Undeterminable	
58 Ce 143	<2.44E+01		58 Ce 143	<2.61E+00		58 Ce 143	<1.02E-01	
58 Ce 144			58 Ce 144			58 Ce 144	Undeterminable	
63 EuH 152	<9.42E+01		63 EuH 152	<6.13E+00		63 EuH 152	<5.68E+00	
63 Eu 152	5.24E+01	37.6	63 Eu 152	1.43E+01	17.5	63 Eu 152	Undeterminable	
63 Eu 154	<1.66E+01		63 Eu 154	<4.50E+00		63 Eu 154	Undeterminable	
63 Eu 155			63 Eu 155			63 Eu 155	Undeterminable	
63 Eu 156			63 Eu 156			63 Eu 156	Undeterminable	
68 Er 171	<1.98E+02		68 Er 171	<1.88E+01		68 Er 171	<1.76E-01	
71 Lu 177	<1.76E+01		71 Lu 177	<1.21E+00		71 Lu 177	<1.35E-01	
72 Hf 175	8.38E+01	48.4	72 Hf 175	<8.40E+00		72 Hf 175	<2.87E-01	
72 Hf 181			72 Hf 181			72 Hf 181	<2.03E+00	
73 Ta 182			73 Ta 182			73 Ta 182	<9.18E-01	20.2
73 Ta 183			73 Ta 183			73 Ta 183	1.12E-01	0.9
74 W 187	1.13E+01	41.3	74 W 187	<6.27E-01		74 W 187	1.55E+01	0.9
93 Np 239			93 Np 239			93 Np 239	8.20E-01	14.8
18 Az 41	1.22E+03	1.9	18 Az 41	<5.39E+00		18 Az 41	9.07E+00	2.7
36 KrM 85	<7.88E+01		36 KrM 85	<4.13E+00		36 KrM 85	1.10E+03	2.6
36 Kr 87	3.43E+02	11.8	36 Kr 87			36 Kr 87	<2.64E+00	
36 Kr 88	2.17E+02	14.4	36 Kr 88			36 Kr 88		
36 Kr 88	7.08E+02	12.2	36 Kr 88			36 Kr 88		
36 Xe 133	6.07E+02	13.2	36 Xe 133			36 Xe 133		
36 Xe 133	<9.09E+02		36 Xe 133			36 Xe 133		
54 XeM 135	4.05E+02	36.2	54 XeM 135			54 XeM 135		
54 Xe 135	7.67E+02	4.8	54 Xe 135			54 Xe 135		
54 Xe 138	2.54E+03	17.8	54 Xe 138			54 Xe 138		

07/24/23

ATR FINAL LOOP ACTIVITY REPORT

PAGE 19

FROM APR 21, 2023 TO JUN 19, 2023

LOOP 2D-SW CYCLE 171A POWER 107.5 MW

SAMPLE TYPE SAMPLE ID DATE SAMPLED TIME SAMPLED	PTX DPM/ML ERR	BIX DPM/ML ERR	AIX DPM/ML ERR	BIX-7 DPM/ML ERR
11 Na 24	0.0	8.34E+01	4.4	<1.39E-01
21 Sc 46		<5.00E+00	<1.31E+00	1.86E+00 13.7
24 Cr 51			<8.97E-01	2.32E+01 1.4
25 Mn 54		1.14E+03	<5.80E+00	1.19E+01 1.6
25 Mn 56				8.86E+00 1.2
26 Fe 59				4.72E+01 1.3
27 Co 58				<2.81E-01
30 Zn 65		5.17E+01	5.5	
37 Rb 88	0.0	<8.15E+00	<2.79E+00	5.70E-01 5.9
37 Rb 89	0.0	1.72E+02	27.1	Undeterminable
38 Sr 91		4.70E+02	4.8	>2.62E+00
38 Sr 92		2.15E+01	28.2	2.64E+01 43.0
39 Y 90		3.43E+01	9.7	>6.21E+00
39 Y 92		<6.10E+00	<6.79E-01	>4.08E+01
39 Y 93		5.70E+01	<1.81E+01	Undeterminable
40 Zr 95		<9.35E+01	<5.52E+00	Undeterminable
40 Zr 97		<5.81E+00	<1.86E+00	Undeterminable
41 Nb 95		<1.79E+02	<5.86E+01	Undeterminable
42 Mo 99				4.03E-01 18.0
43 Tcm 99				1.45E-01 29.5
44 Ru 103		<4.48E+01	<4.42E-01	7.46E+01 2.4
45 Rh 106		<5.77E+00	<7.61E-01	<1.17E-01
47 AgH 110				<8.69E-01
51 Sb 122				<1.01E-01
51 Sb 124				<5.63E-01
52 Te 132				<7.91E-02
53 I 131		<6.81E+00	<5.58E-01	<1.95E-01
53 I 132	0.0	1.32E+02	2.5	2.86E+00 2.8
53 I 133		5.06E+01	5.4	
53 I 134	0.0	5.95E+02	1.9	>1.32E+02
53 I 135	0.0	1.28E+02	7.2	>5.73E+01
55 Cs 134				>1.92E+02
55 Cs 136		<5.03E+00	<2.76E+00	>4.64E+01
55 Cs 137				Undeterminable
55 Cs 138	0.0	6.27E+02	2.5	Undeterminable
56 Ba 140		<1.92E+01	<3.70E+00	<2.39E-02
56 Ba 141		<7.46E+01	<3.90E+00	<2.39E-01 18.0
				2.27E-01 18.0
				2.18E+00 9.2

FROM APR 21, 2023 TO JUN 19, 2023

LOOP 2D-5W CYCLE 171A POWER 108.0 MW

SAMPLE TYPE			BIX			AIX			BIX-7					
SAMPLE ID	DATE SAMPLED	TIME SAMPLED	SAMPLE ID	DATE SAMPLED	TIME SAMPLED	SAMPLE ID	DATE SAMPLED	TIME SAMPLED	SAMPLE ID	DATE SAMPLED	TIME SAMPLED			
052523008	05/25/23	14:28	052523007	05/25/23	14:32	052523009	05/25/23	14:13	060123007	05/25/23	14:32			
RADIONUCLIDE			DPM/ML			ERR			DPM/ML			ERR		
57 La	140		57 La	140		57 La	140		57 La	140		57 La	140	
57 La	142		57 La	142		57 La	142		57 La	142		57 La	142	
58 Ce	141		58 Ce	141		58 Ce	141		58 Ce	141		58 Ce	141	
58 Ce	143		58 Ce	143		58 Ce	143		58 Ce	143		58 Ce	143	
58 Ce	144		58 Ce	144		58 Ce	144		58 Ce	144		58 Ce	144	
63 EuH	152		63 EuH	152		63 EuH	152		63 EuH	152		63 EuH	152	
63 Eu	152		63 Eu	152		63 Eu	152		63 Eu	152		63 Eu	152	
63 Eu	154		63 Eu	154		63 Eu	154		63 Eu	154		63 Eu	154	
63 Eu	155		63 Eu	155		63 Eu	155		63 Eu	155		63 Eu	155	
63 Eu	156		63 Eu	156		63 Eu	156		63 Eu	156		63 Eu	156	
68 Er	171		68 Er	171		68 Er	171		68 Er	171		68 Er	171	
71 Lu	177		71 Lu	177		71 Lu	177		71 Lu	177		71 Lu	177	
72 Hf	175		72 Hf	175		72 Hf	175		72 Hf	175		72 Hf	175	
72 Hf	181		72 Hf	181		72 Hf	181		72 Hf	181		72 Hf	181	
73 Ta	182		73 Ta	182		73 Ta	182		73 Ta	182		73 Ta	182	
73 Ta	183		73 Ta	183		73 Ta	183		73 Ta	183		73 Ta	183	
74 W	187		74 W	187		74 W	187		74 W	187		74 W	187	
93 Np	239		93 Np	239		93 Np	239		93 Np	239		93 Np	239	
18 Ar	41		18 Ar	41		18 Ar	41		18 Ar	41		18 Ar	41	
36 KrH	85		36 KrH	85		36 KrH	85		36 KrH	85		36 KrH	85	
36 Kr	87		36 Kr	87		36 Kr	87		36 Kr	87		36 Kr	87	
36 Kr	88		36 Kr	88		36 Kr	88		36 Kr	88		36 Kr	88	
54 Xe	133		54 Xe	133		54 Xe	133		54 Xe	133		54 Xe	133	
54 XeH	135		54 XeH	135		54 XeH	135		54 XeH	135		54 XeH	135	
54 Xe	135		54 Xe	135		54 Xe	135		54 Xe	135		54 Xe	135	
178E+02	11.6		178E+02	11.6		178E+02	11.6		178E+02	11.6		178E+02	11.6	
4.39E+02	15.6		4.39E+02	15.6		4.39E+02	15.6		4.39E+02	15.6		4.39E+02	15.6	
8.56E+01			8.56E+01			8.56E+01			8.56E+01			8.56E+01		
1.41E+02			1.41E+02			1.41E+02			1.41E+02			1.41E+02		
2.39E+02			2.39E+02			2.39E+02								

07/24/23

ATR FINAL LOOP ACTIVITY REPORT

PAGE 24

FROM APR 21, 2023 TO JUN 19, 2023
 LOOP 2E-NW CYCLE 171A POWER 107.5 MW

SAMPLE TYPE	FIX	BIX	AIX	BIX-7
SAMPLE ID	00/00/00	051123006	051123007	051823007
DATE SAMPLED	00:00	05/11/23	05/11/23	05/11/23
TIME SAMPLED	00:00	14:18	14:11	14:18
RADIONUCLIDE	DPM/ML	ERR	DPM/ML	ERR
57 La 140		<1.00E+01	<1.95E+00	<6.12E+00
57 La 142		<1.23E+02	<1.36E+01	Undeterminable
58 Ce 141		<2.67E+01	<1.71E+00	Undeterminable
58 Ce 143		<3.99E+01	<1.81E+00	Undeterminable
58 Ce 144				
63 EuM 152		<1.20E+02	<5.47E+00	<7.20E+00
63 Eu 152		<6.68E+01	<4.32E+00	<2.53E-01
63 Eu 154		<2.04E+01	<2.77E+00	<1.39E-01
63 Eu 155				<4.29E-01
63 Eu 156		<2.50E+02	<3.05E+01	<9.40E-01
68 EX 171		<2.47E+01	<1.26E+00	<6.39E-01
71 Lu 177		<1.62E+02	<6.92E+00	5.72E-02 35.0
72 Hf 175				5.33E-01 6.1
72 Hf 181		1.56E+01 49.5	<6.57E-01	<2.64E-01
73 Ta 182				8.95E-01 18.7
73 Ta 183				3.44E+03 1.1
74 W 187				<2.05E+00
93 Np 239				
18 Ar 41	0.0	3.93E+03 1.6	<3.28E+00	
36 KrM 85	0.0	<1.26E+02	<4.18E+00	
36 Kr 87	0.0			
36 Kr 88	0.0			
54 Xe 133	0.0			
54 XeM 135	0.0			
54 Xe 135	0.0			
54 Xe 138	0.0			

FROM APR 21, 2023 TO JUN 19, 2023

LOOP 2E-NW CYCLE 171A POWER 107.5 MW

[illegible]